

表 2025 HDF希釈方法 透析時間(時間/回)別 (オフラインHDF 透析回数週3回)

透析時間	前希釈	後希釈	前・後希釈	その他	合計	不明	記載なし	総計
3.0未満	4	5			9			9
(%)	(44.4)	(55.6)			(100.0)			
3.0～	74	214			288		81	369
(%)	(25.7)	(74.3)			(100.0)			
3.5～	20	198	1		219		69	288
(%)	(9.1)	(90.4)	(0.5)		(100.0)			
4.0～	433	2,822	4	4	3,263		654	3,917
(%)	(13.3)	(86.5)	(0.1)	(0.1)	(100.0)			
4.5～	42	396			438		82	520
(%)	(9.6)	(90.4)			(100.0)			
5.0～	53	483		1	537		82	619
(%)	(9.9)	(89.9)		(0.2)	(100.0)			
5.5～		22			22		4	26
(%)		(100.0)			(100.0)			
6.0～	2	27			29		7	36
(%)	(6.9)	(93.1)			(100.0)			
6.5～	1	5			6			6
(%)	(16.7)	(83.3)			(100.0)			
7.0～	3	3			6			6
(%)	(50.0)	(50.0)			(100.0)			
合計	632	4,175	5	5	4,817		979	5,796
(%)	(13.1)	(86.7)	(0.1)	(0.1)	(100.0)			
記載なし	2	19			21		11	32
(%)	(9.5)	(90.5)			(100.0)			
総計	634	4,194	5	5	4,838		990	5,828
(%)	(13.1)	(86.7)	(0.1)	(0.1)	(100.0)			
平均	4.00	4.12	3.90	4.20	4.11		4.03	4.10
標準偏差	0.57	0.51	0.22	0.45	0.52		0.49	0.51

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査