

表 2082 HDF希釈方法 透析時間(時間/回)別 (オンラインHDF 透析回数週3回)

透析時間	前希釈	後希釈	前・後希釈	その他	合計	不明	記載なし	総計
3.0未満	55	1		18	74		9	83
(%)	(74.3)	(1.4)		(24.3)	(100.0)			
3.0～	1,512	108		120	1,740		117	1,857
(%)	(86.9)	(6.2)		(6.9)	(100.0)			
3.5～	1,764	100		158	2,022		113	2,135
(%)	(87.2)	(4.9)		(7.8)	(100.0)			
4.0～	18,954	858		845	20,657		1,268	21,925
(%)	(91.8)	(4.2)		(4.1)	(100.0)			
4.5～	2,900	126		82	3,108		163	3,271
(%)	(93.3)	(4.1)		(2.6)	(100.0)			
5.0～	2,980	112		55	3,147	1	215	3,363
(%)	(94.7)	(3.6)		(1.7)	(100.0)			
5.5～	181	7			188		3	191
(%)	(96.3)	(3.7)			(100.0)			
6.0～	226	7			233		10	243
(%)	(97.0)	(3.0)			(100.0)			
6.5～	11				11			11
(%)	(100.0)				(100.0)			
7.0～	30				30			30
(%)	(100.0)				(100.0)			
合計	28,613	1,319		1,278	31,210	1	1,898	33,109
(%)	(91.7)	(4.2)		(4.1)	(100.0)			
記載なし	170	7		2	179		12	191
(%)	(95.0)	(3.9)		(1.1)	(100.0)			
総計	28,783	1,326		1,280	31,389	1	1,910	33,300
(%)	(91.7)	(4.2)		(4.1)	(100.0)			
平均	4.11	4.04		3.93	4.10	5.00	4.10	4.10
標準偏差	0.50	0.50		0.43	0.50		0.49	0.50

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査