

表 2102 HDF希釈方法 PTH値(pg/mL)別（オンラインHDF 透析回数週3回）PTH測定法:whole-PTH

PTH値	前希釈	後希釈	前・後希釈	その他	合計	不明	記載なし	総計
20未満	174	7		6	187		20	207
(%)	(93.0)	(3.7)		(3.2)	(100.0)			
20～	211	9		8	228		22	250
(%)	(92.5)	(3.9)		(3.5)	(100.0)			
35～	210	4		5	219		18	237
(%)	(95.9)	(1.8)		(2.3)	(100.0)			
50～	333	14		6	353		35	388
(%)	(94.3)	(4.0)		(1.7)	(100.0)			
75～	295	11		1	307		35	342
(%)	(96.1)	(3.6)		(0.3)	(100.0)			
100～	250	5		5	260		30	290
(%)	(96.2)	(1.9)		(1.9)	(100.0)			
125～	174	13		5	192		14	206
(%)	(90.6)	(6.8)		(2.6)	(100.0)			
150～	2	2			4			4
(%)	(50.0)	(50.0)			(100.0)			
151～	166	8		6	180	1	11	192
(%)	(92.2)	(4.4)		(3.3)	(100.0)			
180～	101	5		2	108		11	119
(%)	(93.5)	(4.6)		(1.9)	(100.0)			
210～	70	6		1	77		11	88
(%)	(90.9)	(7.8)		(1.3)	(100.0)			
240～	60	8			68		6	74
(%)	(88.2)	(11.8)			(100.0)			
300～	37	2			39		2	41
(%)	(94.9)	(5.1)			(100.0)			
350～	19				19		2	21
(%)	(100.0)				(100.0)			
400～	18				18		3	21
(%)	(100.0)				(100.0)			
500～	31	1			32		5	37
(%)	(96.9)	(3.1)			(100.0)			
合計	2,151	95		45	2,291	1	225	2,517
(%)	(93.9)	(4.1)		(2.0)	(100.0)			
記載なし	13				13		11	24
(%)	(100.0)				(100.0)			
総計	2,164	95		45	2,304	1	236	2,541
(%)	(93.9)	(4.1)		(2.0)	(100.0)			
平均	112.17	124.20		84.38	112.12	178.00	114.06	112.32
標準偏差	108.92	89.01		61.75	107.50		106.46	107.38

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査