

表 2166 1セッションあたりの置換液量(L) 透析時間(時間/回)別（オンラインHDF 透析回数週3回 前希釈）

透析時間	1未満	1～	5～	10～	15～	20～	30～	40～	50～	60～	70～	80～	90～	合計	記載なし	総計	平均	標準偏差
3.0未満			24	5	10	6	6	1	3					55		55	17.20	13.34
(%)			(43.6)	(9.1)	(18.2)	(10.9)	(10.9)	(1.8)	(5.5)					(100.0)				
3.0～		30	121	86	234	331	534	90	27	13	3	2		1,471	41	1,512	25.78	11.80
(%)		(2.0)	(8.2)	(5.8)	(15.9)	(22.5)	(36.3)	(6.1)	(1.8)	(0.9)	(0.2)	(0.1)		(100.0)				
3.5～		15	67	87	79	454	503	387	44	45	5	6	1	1,693	71	1,764	31.05	12.97
(%)		(0.9)	(4.0)	(5.1)	(4.7)	(26.8)	(29.7)	(22.9)	(2.6)	(2.7)	(0.3)	(0.4)	(0.1)	(100.0)				
4.0～		331	313	445	217	3,089	3,518	8,241	595	1,219	224	208	44	18,444	510	18,954	38.71	14.66
(%)		(1.8)	(1.7)	(2.4)	(1.2)	(16.7)	(19.1)	(44.7)	(3.2)	(6.6)	(1.2)	(1.1)	(0.2)	(100.0)				
4.5～		19	50	39	30	268	282	947	859	250	33	41	6	2,824	76	2,900	45.11	14.31
(%)		(0.7)	(1.8)	(1.4)	(1.1)	(9.5)	(10.0)	(33.5)	(30.4)	(8.9)	(1.2)	(1.5)	(0.2)	(100.0)				
5.0～		18	16	41	23	93	365	604	488	1,007	175	20	67	2,917	63	2,980	50.43	16.15
(%)		(0.6)	(0.5)	(1.4)	(0.8)	(3.2)	(12.5)	(20.7)	(16.7)	(34.5)	(6.0)	(0.7)	(2.3)	(100.0)				
5.5～				3	1	4	12	28	43	61	11	9	5	177	4	181	56.28	16.16
(%)				(1.7)	(0.6)	(2.3)	(6.8)	(15.8)	(24.3)	(34.5)	(6.2)	(5.1)	(2.8)	(100.0)				
6.0～			1	4	2	7	14	22	32	31	91	4	14	222	4	226	60.75	18.26
(%)			(0.5)	(1.8)	(0.9)	(3.2)	(6.3)	(9.9)	(14.4)	(14.0)	(41.0)	(1.8)	(6.3)	(100.0)				
6.5～							1	2	1	2	1	2	2	11		11	68.18	21.33
(%)							(9.1)	(18.2)	(9.1)	(18.2)	(9.1)	(18.2)	(18.2)	(100.0)				
7.0～							1	5	4	3	5	5	7	30		30	70.70	21.41
(%)							(3.3)	(16.7)	(13.3)	(10.0)	(16.7)	(16.7)	(23.3)	(100.0)				
合計		413	592	710	596	4,252	5,236	10,327	2,096	2,631	548	297	146	27,844	769	28,613	39.73	15.86
(%)		(1.5)	(2.1)	(2.5)	(2.1)	(15.3)	(18.8)	(37.1)	(7.5)	(9.4)	(2.0)	(1.1)	(0.5)	(100.0)				
記載なし			1	3	1	8	6	17	1	3				40	130	170	35.73	15.47
(%)			(2.5)	(7.5)	(2.5)	(20.0)	(15.0)	(42.5)	(2.5)	(7.5)				(100.0)				
総計		413	593	713	597	4,260	5,242	10,344	2,097	2,634	548	297	146	27,884	899	28,783	39.73	15.86
(%)		(1.5)	(2.1)	(2.6)	(2.1)	(15.3)	(18.8)	(37.1)	(7.5)	(9.4)	(2.0)	(1.1)	(0.5)	(100.0)				
平均		3.98	3.77	3.93	3.61	3.94	3.97	4.10	4.50	4.49	4.75	4.28	4.95	4.11	4.08	4.11		
標準偏差		0.37	0.54	0.51	0.60	0.38	0.48	0.34	0.50	0.55	0.79	0.62	0.94	0.50	0.45	0.50		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査