

表 2313 身長(cm) 透析前アルブミン濃度(g/dL)別 (透析患者全体)

透析前アルブミン濃度	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
1.5未満		1	2	6	9	33	32	26	25	20	5	2		1	162	23	185	159.48	10.17
(%)		(0.6)	(1.2)	(3.7)	(5.6)	(20.4)	(19.8)	(16.0)	(15.4)	(12.3)	(3.1)	(1.2)		(0.6)	(100.0)				
1.5～	3	2	14	48	79	140	138	163	130	85	38	7			847	142	989	158.63	10.06
(%)	(0.4)	(0.2)	(1.7)	(5.7)	(9.3)	(16.5)	(16.3)	(19.2)	(15.3)	(10.0)	(4.5)	(0.8)			(100.0)				
2.0～	11	23	68	234	439	585	602	646	527	282	93	20	2	1	3,533	528	4,061	157.28	10.24
(%)	(0.3)	(0.7)	(1.9)	(6.6)	(12.4)	(16.6)	(17.0)	(18.3)	(14.9)	(8.0)	(2.6)	(0.6)	(0.1)	(0.0)	(100.0)				
2.5～	57	82	266	890	1,668	2,229	2,420	2,612	2,000	1,111	352	81	17	5	13,790	1,646	15,436	157.35	10.19
(%)	(0.4)	(0.6)	(1.9)	(6.5)	(12.1)	(16.2)	(17.5)	(18.9)	(14.5)	(8.1)	(2.6)	(0.6)	(0.1)	(0.0)	(100.0)				
3.0～	114	238	950	3,157	6,497	9,758	10,763	12,258	9,563	5,485	1,736	390	75	12	60,996	5,112	66,108	158.38	9.66
(%)	(0.2)	(0.4)	(1.6)	(5.2)	(10.7)	(16.0)	(17.6)	(20.1)	(15.7)	(9.0)	(2.8)	(0.6)	(0.1)	(0.0)	(100.0)				
3.5～	126	269	1,165	4,411	10,892	18,096	21,333	25,667	23,115	14,664	5,257	1,426	199	29	126,649	8,586	135,235	160.22	9.43
(%)	(0.1)	(0.2)	(0.9)	(3.5)	(8.6)	(14.3)	(16.8)	(20.3)	(18.3)	(11.6)	(4.2)	(1.1)	(0.2)	(0.0)	(100.0)				
4.0～	25	53	244	1,098	2,934	5,428	6,951	9,425	9,933	7,528	3,046	866	140	24	47,695	2,813	50,508	162.46	9.32
(%)	(0.1)	(0.1)	(0.5)	(2.3)	(6.2)	(11.4)	(14.6)	(19.8)	(20.8)	(15.8)	(6.4)	(1.8)	(0.3)	(0.1)	(100.0)				
4.5～	3	2	20	37	126	227	337	505	627	519	267	72	14	1	2,757	157	2,914	164.32	9.55
(%)	(0.1)	(0.1)	(0.7)	(1.3)	(4.6)	(8.2)	(12.2)	(18.3)	(22.7)	(18.8)	(9.7)	(2.6)	(0.5)	(0.0)	(100.0)				
5.0～	1		1	4	14	12	28	43	47	24	9	5			188	15	203	162.40	9.19
(%)	(0.5)		(0.5)	(2.1)	(7.4)	(6.4)	(14.9)	(22.9)	(25.0)	(12.8)	(4.8)	(2.7)			(100.0)				
合計	340	670	2,730	9,885	22,658	36,508	42,604	51,345	45,967	29,718	10,803	2,869	447	73	256,617	19,022	275,639	160.04	9.65
(%)	(0.1)	(0.3)	(1.1)	(3.9)	(8.8)	(14.2)	(16.6)	(20.0)	(17.9)	(11.6)	(4.2)	(1.1)	(0.2)	(0.0)	(100.0)				
記載なし	14	26	107	412	1,015	1,727	1,868	2,305	2,021	1,356	516	110	18	4	11,499	22,970	34,469	160.06	9.70
(%)	(0.1)	(0.2)	(0.9)	(3.6)	(8.8)	(15.0)	(16.2)	(20.0)	(17.6)	(11.8)	(4.5)	(1.0)	(0.2)	(0.0)	(100.0)				
総計	354	696	2,837	10,297	23,673	38,235	44,472	53,650	47,988	31,074	11,319	2,979	465	77	268,116	41,992	310,108	160.05	9.65
(%)	(0.1)	(0.3)	(1.1)	(3.8)	(8.8)	(14.3)	(16.6)	(20.0)	(17.9)	(11.6)	(4.2)	(1.1)	(0.2)	(0.0)	(100.0)				
平均	3.36	3.38	3.43	3.46	3.52	3.55	3.58	3.61	3.65	3.69	3.73	3.77	3.78	3.67	3.60	3.50	3.60		
標準偏差	0.50	0.47	0.45	0.45	0.44	0.43	0.43	0.43	0.43	0.43	0.42	0.41	0.41	0.54	0.44	0.49	0.44		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査