

表 2318 身長(cm) PTH値(pg/mL)別 (透析患者全体) PTH測定法:whole-PTH

PTH値	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
20未満	2	8	16	80	190	258	315	363	293	181	61	20	1		1,788	106	1,894	159.18	9.72
(%)	(0.1)	(0.4)	(0.9)	(4.5)	(10.6)	(14.4)	(17.6)	(20.3)	(16.4)	(10.1)	(3.4)	(1.1)	(0.1)		(100.0)				
20～	4	5	22	85	224	352	386	432	353	239	83	21	2		2,208	123	2,331	159.30	9.42
(%)	(0.2)	(0.2)	(1.0)	(3.8)	(10.1)	(15.9)	(17.5)	(19.6)	(16.0)	(10.8)	(3.8)	(1.0)	(0.1)		(100.0)				
35～	5	4	20	83	182	272	330	378	344	204	76	11	2		1,911	132	2,043	159.51	9.89
(%)	(0.3)	(0.2)	(1.0)	(4.3)	(9.5)	(14.2)	(17.3)	(19.8)	(18.0)	(10.7)	(4.0)	(0.6)	(0.1)		(100.0)				
50～	3	7	33	115	246	375	492	619	554	330	150	46	6	1	2,977	176	3,153	160.50	9.79
(%)	(0.1)	(0.2)	(1.1)	(3.9)	(8.3)	(12.6)	(16.5)	(20.8)	(18.6)	(11.1)	(5.0)	(1.5)	(0.2)	(0.0)	(100.0)				
75～	4	8	22	65	220	324	453	562	496	313	101	26	7	1	2,602	146	2,748	160.63	9.35
(%)	(0.2)	(0.3)	(0.8)	(2.5)	(8.5)	(12.5)	(17.4)	(21.6)	(19.1)	(12.0)	(3.9)	(1.0)	(0.3)	(0.0)	(100.0)				
100～		3	22	70	168	280	340	426	460	274	101	26	3		2,173	125	2,298	160.99	9.28
(%)		(0.1)	(1.0)	(3.2)	(7.7)	(12.9)	(15.6)	(19.6)	(21.2)	(12.6)	(4.6)	(1.2)	(0.1)		(100.0)				
125～	1	3	11	44	110	173	203	289	306	204	63	23	1		1,431	108	1,539	161.37	9.31
(%)	(0.1)	(0.2)	(0.8)	(3.1)	(7.7)	(12.1)	(14.2)	(20.2)	(21.4)	(14.3)	(4.4)	(1.6)	(0.1)		(100.0)				
150～			1	2	5	6	4	12	11	4	1	1			47	1	48	159.83	9.46
(%)			(2.1)	(4.3)	(10.6)	(12.8)	(8.5)	(25.5)	(23.4)	(8.5)	(2.1)	(2.1)			(100.0)				
151～	1	3	9	49	101	163	168	216	231	158	63	15	3		1,180	83	1,263	160.79	9.95
(%)	(0.1)	(0.3)	(0.8)	(4.2)	(8.6)	(13.8)	(14.2)	(18.3)	(19.6)	(13.4)	(5.3)	(1.3)	(0.3)		(100.0)				
180～		1	4	43	65	93	150	139	161	112	39	14	3		824	51	875	161.03	9.68
(%)		(0.1)	(0.5)	(5.2)	(7.9)	(11.3)	(18.2)	(16.9)	(19.5)	(13.6)	(4.7)	(1.7)	(0.4)		(100.0)				
210～		1	7	23	45	67	96	108	116	72	44	6	2		587	41	628	161.24	9.66
(%)		(0.2)	(1.2)	(3.9)	(7.7)	(11.4)	(16.4)	(18.4)	(19.8)	(12.3)	(7.5)	(1.0)	(0.3)		(100.0)				
240～		4	7	22	53	88	91	104	116	75	32	9	3		604	70	674	160.56	10.00
(%)		(0.7)	(1.2)	(3.6)	(8.8)	(14.6)	(15.1)	(17.2)	(19.2)	(12.4)	(5.3)	(1.5)	(0.5)		(100.0)				
300～		1	4	10	23	24	43	56	40	37	17	5			260	24	284	161.25	10.03
(%)		(0.4)	(1.5)	(3.8)	(8.8)	(9.2)	(16.5)	(21.5)	(15.4)	(14.2)	(6.5)	(1.9)			(100.0)				
350～	1		3	8	14	20	19	26	31	23	9	1			155	24	179	160.32	10.42
(%)	(0.6)		(1.9)	(5.2)	(9.0)	(12.9)	(12.3)	(16.8)	(20.0)	(14.8)	(5.8)	(0.6)			(100.0)				
400～	1	1	2	5	22	30	27	25	34	21	16	4			188	14	202	160.23	10.87
(%)	(0.5)	(0.5)	(1.1)	(2.7)	(11.7)	(16.0)	(14.4)	(13.3)	(18.1)	(11.2)	(8.5)	(2.1)			(100.0)				
500～	1	1	4	13	22	28	48	33	37	32	11	2			232	15	247	159.45	11.00
(%)	(0.4)	(0.4)	(1.7)	(5.6)	(9.5)	(12.1)	(20.7)	(14.2)	(15.9)	(13.8)	(4.7)	(0.9)			(100.0)				
合計	23	50	187	717	1,690	2,553	3,165	3,788	3,583	2,279	867	230	33	2	19,167	1,239	20,406	160.33	9.67
(%)	(0.1)	(0.3)	(1.0)	(3.7)	(8.8)	(13.3)	(16.5)	(19.8)	(18.7)	(11.9)	(4.5)	(1.2)	(0.2)	(0.0)	(100.0)				
記載なし	1	2	4	31	41	83	90	89	81	49	22	7			500	157	657	159.11	9.83
(%)	(0.2)	(0.4)	(0.8)	(6.2)	(8.2)	(16.6)	(18.0)	(17.8)	(16.2)	(9.8)	(4.4)	(1.4)			(100.0)				
総計	24	52	191	748	1,731	2,636	3,255	3,877	3,664	2,328	889	237	33	2	19,667	1,396	21,063	160.30	9.67
(%)	(0.1)	(0.3)	(1.0)	(3.8)	(8.8)	(13.4)	(16.6)	(19.7)	(18.6)	(11.8)	(4.5)	(1.2)	(0.2)	(0.0)	(100.0)				
平均	132.91	112.38	124.77	109.57	103.85	104.76	105.74	101.58	109.01	112.99	121.36	115.68	116.64	70.00	107.31	118.73	108.01		
標準偏差	224.52	120.62	207.82	116.96	108.04	130.94	121.43	100.65	104.38	105.05	131.46	100.43	74.08	19.80	114.27	109.40	114.01		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査