

表 2320 身長(cm) 総コレステロール濃度(mg/dL)別（透析患者全体）

総コレステロール濃度	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
100未満	14	12	52	157	409	666	1,122	1,702	1,541	988	380	109	13	6	7,171	659	7,830	162.14	9.07
(%)	(0.2)	(0.2)	(0.7)	(2.2)	(5.7)	(9.3)	(15.6)	(23.7)	(21.5)	(13.8)	(5.3)	(1.5)	(0.2)	(0.1)	(100.0)				
100～	24	41	143	586	1,237	2,205	3,271	4,808	4,655	2,822	1,040	262	36	9	21,139	1,583	22,722	161.80	9.12
(%)	(0.1)	(0.2)	(0.7)	(2.8)	(5.9)	(10.4)	(15.5)	(22.7)	(22.0)	(13.3)	(4.9)	(1.2)	(0.2)	(0.0)	(100.0)				
120～	36	97	377	1,279	2,768	4,586	6,294	8,578	7,929	4,983	1,898	480	72	12	39,389	2,812	42,201	161.12	9.39
(%)	(0.1)	(0.2)	(1.0)	(3.2)	(7.0)	(11.6)	(16.0)	(21.8)	(20.1)	(12.7)	(4.8)	(1.2)	(0.2)	(0.0)	(100.0)				
140～	56	121	505	1,701	3,802	6,149	7,196	9,348	8,521	5,453	1,957	503	87	14	45,413	3,246	48,659	160.34	9.65
(%)	(0.1)	(0.3)	(1.1)	(3.7)	(8.4)	(13.5)	(15.8)	(20.6)	(18.8)	(12.0)	(4.3)	(1.1)	(0.2)	(0.0)	(100.0)				
160～	53	93	436	1,666	3,773	5,746	6,308	7,197	6,361	4,222	1,509	399	60	6	37,829	2,414	40,243	159.50	9.75
(%)	(0.1)	(0.2)	(1.2)	(4.4)	(10.0)	(15.2)	(16.7)	(19.0)	(16.8)	(11.2)	(4.0)	(1.1)	(0.2)	(0.0)	(100.0)				
180～	31	75	313	1,117	2,723	4,100	4,233	4,221	3,542	2,377	854	248	40	5	23,879	1,646	25,525	158.66	9.76
(%)	(0.1)	(0.3)	(1.3)	(4.7)	(11.4)	(17.2)	(17.7)	(17.7)	(14.8)	(10.0)	(3.6)	(1.0)	(0.2)	(0.0)	(100.0)				
200～	21	48	168	637	1,511	2,534	2,397	2,166	1,719	1,123	423	110	23	1	12,881	842	13,723	157.92	9.71
(%)	(0.2)	(0.4)	(1.3)	(4.9)	(11.7)	(19.7)	(18.6)	(16.8)	(13.3)	(8.7)	(3.3)	(0.9)	(0.2)	(0.0)	(100.0)				
220～	11	17	67	288	739	1,147	1,073	937	712	438	153	40	7		5,629	442	6,071	157.36	9.53
(%)	(0.2)	(0.3)	(1.2)	(5.1)	(13.1)	(20.4)	(19.1)	(16.6)	(12.6)	(7.8)	(2.7)	(0.7)	(0.1)		(100.0)				
240～	8	9	30	121	305	493	469	325	228	159	62	17	3		2,229	171	2,400	156.61	9.76
(%)	(0.4)	(0.4)	(1.3)	(5.4)	(13.7)	(22.1)	(21.0)	(14.6)	(10.2)	(7.1)	(2.8)	(0.8)	(0.1)		(100.0)				
260～	7	4	21	88	196	321	283	195	161	113	38	12	1		1,440	146	1,586	156.54	10.49
(%)	(0.5)	(0.3)	(1.5)	(6.1)	(13.6)	(22.3)	(19.7)	(13.5)	(11.2)	(7.8)	(2.6)	(0.8)	(0.1)		(100.0)				
合計	261	517	2,112	7,640	17,463	27,947	32,646	39,477	35,369	22,678	8,314	2,180	342	53	196,999	13,961	210,960	160.04	9.65
(%)	(0.1)	(0.3)	(1.1)	(3.9)	(8.9)	(14.2)	(16.6)	(20.0)	(18.0)	(11.5)	(4.2)	(1.1)	(0.2)	(0.0)	(100.0)				
記載なし	93	179	725	2,657	6,210	10,288	11,826	14,173	12,619	8,396	3,005	799	123	24	71,117	28,031	99,148	160.06	9.65
(%)	(0.1)	(0.3)	(1.0)	(3.7)	(8.7)	(14.5)	(16.6)	(19.9)	(17.7)	(11.8)	(4.2)	(1.1)	(0.2)	(0.0)	(100.0)				
総計	354	696	2,837	10,297	23,673	38,235	44,472	53,650	47,988	31,074	11,319	2,979	465	77	268,116	41,992	310,108	160.05	9.65
(%)	(0.1)	(0.3)	(1.1)	(3.8)	(8.8)	(14.3)	(16.6)	(20.0)	(17.9)	(11.6)	(4.2)	(1.1)	(0.2)	(0.0)	(100.0)				
平均	164.43	162.27	161.75	163.17	164.43	163.54	158.19	152.12	150.39	151.18	150.69	151.38	153.20	140.19	155.92	154.95	155.86		
標準偏差	46.11	38.14	35.38	35.80	36.44	36.85	36.47	34.51	33.66	33.70	33.97	34.69	33.56	29.66	35.61	37.49	35.74		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査