

表 2329 身長(cm) 原疾患別（施設血液透析患者 透析回数週3回）

原疾患	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
慢性糸球体腎炎	42	181	700	2,554	6,039	9,848	10,901	12,459	10,786	6,913	2,363	587	86	9	63,468	5,109	68,577	159.53	9.45
(%)	(0.1)	(0.3)	(1.1)	(4.0)	(9.5)	(15.5)	(17.2)	(19.6)	(17.0)	(10.9)	(3.7)	(0.9)	(0.1)	(0.0)	(100.0)				
慢性腎盂腎炎	2	11	22	122	260	373	365	334	266	137	51	19	3		1,965	200	2,165	157.31	9.51
(%)	(0.1)	(0.6)	(1.1)	(6.2)	(13.2)	(19.0)	(18.6)	(17.0)	(13.5)	(7.0)	(2.6)	(1.0)	(0.2)		(100.0)				
急速進行性糸球体腎炎		5	30	109	193	303	304	310	221	155	42	15	2		1,689	145	1,834	157.76	9.64
(%)		(0.3)	(1.8)	(6.5)	(11.4)	(17.9)	(18.0)	(18.4)	(13.1)	(9.2)	(2.5)	(0.9)	(0.1)		(100.0)				
妊娠腎/妊娠中毒症	1	2	13	65	203	326	259	110	34	8	1	1			1,023	41	1,064	153.06	6.46
(%)	(0.1)	(0.2)	(1.3)	(6.4)	(19.8)	(31.9)	(25.3)	(10.8)	(3.3)	(0.8)	(0.1)	(0.1)			(100.0)				
その他の分類不能の腎炎	1	1	15	32	86	134	150	153	148	104	40	10	2		876	73	949	159.77	9.78
(%)	(0.1)	(0.1)	(1.7)	(3.7)	(9.8)	(15.3)	(17.1)	(17.5)	(16.9)	(11.9)	(4.6)	(1.1)	(0.2)		(100.0)				
多発性嚢胞腎	6	7	36	172	585	1,141	1,373	1,300	1,271	1,081	505	144	35	4	7,660	538	8,198	161.46	9.69
(%)	(0.1)	(0.1)	(0.5)	(2.2)	(7.6)	(14.9)	(17.9)	(17.0)	(16.6)	(14.1)	(6.6)	(1.9)	(0.5)	(0.1)	(100.0)				
腎硬化症	25	101	380	1,184	2,167	2,908	3,497	4,106	3,121	1,674	490	111	12	1	19,777	1,683	21,460	158.09	9.64
(%)	(0.1)	(0.5)	(1.9)	(6.0)	(11.0)	(14.7)	(17.7)	(20.8)	(15.8)	(8.5)	(2.5)	(0.6)	(0.1)	(0.0)	(100.0)				
悪性高血圧	1	6	26	49	128	229	279	333	325	231	111	17	1	1	1,737	144	1,881	161.06	9.72
(%)	(0.1)	(0.3)	(1.5)	(2.8)	(7.4)	(13.2)	(16.1)	(19.2)	(18.7)	(13.3)	(6.4)	(1.0)	(0.1)	(0.1)	(100.0)				
糖尿病性腎症	103	142	642	2,546	6,140	10,348	12,841	17,447	16,549	10,687	3,958	1,102	166	38	82,709	7,798	90,507	161.11	9.44
(%)	(0.1)	(0.2)	(0.8)	(3.1)	(7.4)	(12.5)	(15.5)	(21.1)	(20.0)	(12.9)	(4.8)	(1.3)	(0.2)	(0.0)	(100.0)				
SLE腎炎	2	4	20	76	187	311	307	238	155	84	41	9	1		1,435	115	1,550	156.82	9.04
(%)	(0.1)	(0.3)	(1.4)	(5.3)	(13.0)	(21.7)	(21.4)	(16.6)	(10.8)	(5.9)	(2.9)	(0.6)	(0.1)		(100.0)				
アミロイド腎	1		10	28	43	59	43	41	33	26	6		1		291	34	325	155.70	10.25
(%)	(0.3)		(3.4)	(9.6)	(14.8)	(20.3)	(14.8)	(14.1)	(11.3)	(8.9)	(2.1)		(0.3)		(100.0)				
痛風腎		3	9	31	62	104	211	192	113	27		8	2		762	66	828	163.02	7.73
(%)		(0.4)	(1.2)	(4.1)	(8.1)	(13.6)	(27.7)	(25.2)	(14.8)	(3.5)	(1.0)	(0.3)			(100.0)				
先天性代謝異常による腎不全	1	2	4	3	22	20	35	28	30	18	7		1		171	6	177	158.87	10.18
(%)	(0.6)	(1.2)	(2.3)	(1.8)	(12.9)	(11.7)	(20.5)	(16.4)	(17.5)	(10.5)	(4.1)		(0.6)		(100.0)				
腎・尿路結核	1	3	4	6	19	24	27	35	18	8	2				147	11	158	156.52	9.40
(%)	(0.7)	(2.0)	(2.7)	(4.1)	(12.9)	(16.3)	(18.4)	(23.8)	(12.2)	(5.4)	(1.4)				(100.0)				
腎・尿路結石	3	2	3	21	43	73	71	85	57	31	8	2			399	31	430	157.81	9.30
(%)	(0.8)	(0.5)	(0.8)	(5.3)	(10.8)	(18.3)	(17.8)	(21.3)	(14.3)	(7.8)	(2.0)	(0.5)			(100.0)				
腎・尿路腫瘍		1	10	16	39	55	110	153	144	75	19	5			627	59	686	161.10	8.63
(%)		(0.2)	(1.6)	(2.6)	(6.2)	(8.8)	(17.5)	(24.4)	(23.0)	(12.0)	(3.0)	(0.8)			(100.0)				
閉塞性尿路障害	4	5	5	23	58	72	83	95	84	41	16	1			487	30	517	158.28	9.99
(%)	(0.8)	(1.0)	(1.0)	(4.7)	(11.9)	(14.8)	(17.0)	(19.5)	(17.2)	(8.4)	(3.3)	(0.2)			(100.0)				
骨髄腫	1	1	2	9	24	26	26	38	25	18	4		1		175	15	190	158.19	9.87
(%)	(0.6)	(0.6)	(1.1)	(5.1)	(13.7)	(14.9)	(14.9)	(21.7)	(14.3)	(10.3)	(2.3)		(0.6)		(100.0)				
腎形成不全	5	5	16	27	47	39	67	75	49	49	12	7			398	21	419	157.58	11.80
(%)	(1.3)	(1.3)	(4.0)	(6.8)	(11.8)	(9.8)	(16.8)	(18.8)	(12.3)	(12.3)	(3.0)	(1.8)			(100.0)				
不明	29	74	290	954	1,894	2,818	2,983	3,532	2,930	1,668	587	144	22	2	17,927	2,198	20,125	158.60	9.75
(%)	(0.2)	(0.4)	(1.6)	(5.3)	(10.6)	(15.7)	(16.6)	(19.7)	(16.3)	(9.3)	(3.3)	(0.8)	(0.1)	(0.0)	(100.0)				
再導入	2	3	16	26	97	162	214	243	271	177	68	23	1	1	1,304	113	1,417	161.44	9.54
(%)	(0.2)	(0.2)	(1.2)	(2.0)	(7.4)	(12.4)	(16.4)	(18.6)	(20.8)	(13.6)	(5.2)	(1.8)	(0.1)	(0.1)	(100.0)				
その他	7	12	58	252	514	683	818	932	867	529	191	49	15	1	4,928	586	5,514	159.41	9.83
(%)	(0.1)	(0.2)	(1.2)	(5.1)	(10.4)	(13.9)	(16.6)	(18.9)	(17.6)	(10.7)	(3.9)	(1.0)	(0.3)	(0.0)	(100.0)				
合計	237	568	2,305	8,283	18,819	30,014	34,857	42,258	37,576	23,827	8,549	2,254	351	57	209,955	19,016	228,971	159.94	9.59
(%)	(0.1)	(0.3)	(1.1)	(3.9)	(9.0)	(14.3)	(16.6)	(20.1)	(17.9)	(11.3)	(4.1)	(1.1)	(0.2)	(0.0)	(100.0)				
記載なし																			
(%)																			
総計	237	568	2,305	8,283	18,819	30,014	34,857	42,258	37,576	23,827	8,549	2,254	351	57	209,955	19,016	228,971	159.94	9.59
(%)	(0.1)	(0.3)	(1.1)	(3.9)	(9.0)	(14.3)	(16.6)	(20.1)	(17.9)	(11.3)	(4.1)	(1.1)	(0.2)	(0.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する％です。
(C)Japanese Society for Dialysis Therapy
2014年調査