

表 2333 身長(cm) 透析後体重(kg)別（施設血液透析患者 女性のみ 透析回数週3回）

透析後体重	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
20未満			1	2	6	13	8		1						31	4	35	151.10	5.76
(%)			(3.2)	(6.5)	(19.4)	(41.9)	(25.8)		(3.2)						(100.0)				
20～	20	62	104	215	148	84	41	6							680	82	762	142.85	7.71
(%)	(2.9)	(9.1)	(15.3)	(31.6)	(21.8)	(12.4)	(6.0)	(0.9)							(100.0)				
30～	75	308	1,121	3,123	4,731	3,848	1,449	277	40	7	4				14,983	1,416	16,399	147.14	6.37
(%)	(0.5)	(2.1)	(7.5)	(20.8)	(31.6)	(25.7)	(9.7)	(1.8)	(0.3)	(0.0)	(0.0)				(100.0)				
40～	36	122	781	3,367	7,997	10,425	6,403	2,019	320	39	8	1			31,518	2,380	33,898	150.86	6.11
(%)	(0.1)	(0.4)	(2.5)	(10.7)	(25.4)	(33.1)	(20.3)	(6.4)	(1.0)	(0.1)	(0.0)	(0.0)			(100.0)				
50～	12	20	143	852	3,129	5,713	4,897	2,341	550	83	14	1			17,755	1,227	18,982	153.63	6.10
(%)	(0.1)	(0.1)	(0.8)	(4.8)	(17.6)	(32.2)	(27.6)	(13.2)	(3.1)	(0.5)	(0.1)	(0.0)			(100.0)				
60～	4	3	21	191	740	1,780	1,846	1,064	380	94	19	2			6,144	422	6,566	155.42	6.52
(%)	(0.1)	(0.0)	(0.3)	(3.1)	(12.0)	(29.0)	(30.0)	(17.3)	(6.2)	(1.5)	(0.3)	(0.0)			(100.0)				
70～		1	2	30	133	488	552	454	171	46	18	3	2		1,900	137	2,037	157.27	6.46
(%)		(0.1)	(0.1)	(1.6)	(7.0)	(25.7)	(29.1)	(23.9)	(9.0)	(2.4)	(0.9)	(0.2)	(0.1)		(100.0)				
80～				6	41	111	200	167	74	19	5	1			624	39	663	158.46	6.15
(%)				(1.0)	(6.6)	(17.8)	(32.1)	(26.8)	(11.9)	(3.0)	(0.8)	(0.2)			(100.0)				
90～	1		1	1	4	29	52	64	36	9	2		1		200	21	221	160.26	6.80
(%)	(0.5)		(0.5)	(0.5)	(2.0)	(14.5)	(26.0)	(32.0)	(18.0)	(4.5)	(1.0)		(0.5)		(100.0)				
100～				2	1	3	15	21	8	5	1				56	5	61	160.79	6.70
(%)				(3.6)	(1.8)	(5.4)	(26.8)	(37.5)	(14.3)	(8.9)	(1.8)				(100.0)				
110～					1	5	8	6	1		1				22	4	26	158.55	6.43
(%)					(4.5)	(22.7)	(36.4)	(27.3)	(4.5)		(4.5)				(100.0)				
120～							2	4	3		1				10	1	11	164.60	6.13
(%)							(20.0)	(40.0)	(30.0)		(10.0)				(100.0)				
合計	148	516	2,174	7,789	16,931	22,499	15,473	6,423	1,584	302	73	8	3		73,923	5,738	79,661	151.34	6.88
(%)	(0.2)	(0.7)	(2.9)	(10.5)	(22.9)	(30.4)	(20.9)	(8.7)	(2.1)	(0.4)	(0.1)	(0.0)	(0.0)		(100.0)				
記載なし	2	7	37	97	254	302	222	91	21	5	1			1	1,040	1,237	2,277	151.22	7.08
(%)	(0.2)	(0.7)	(3.6)	(9.3)	(24.4)	(29.0)	(21.3)	(8.8)	(2.0)	(0.5)	(0.1)			(0.1)	(100.0)				
総計	150	523	2,211	7,886	17,185	22,801	15,695	6,514	1,605	307	74	8	3	1	74,963	6,975	81,938	151.34	6.89
(%)	(0.2)	(0.7)	(2.9)	(10.5)	(22.9)	(30.4)	(20.9)	(8.7)	(2.1)	(0.4)	(0.1)	(0.0)	(0.0)	(0.0)	(100.0)				
平均	38.40	36.98	39.70	42.18	45.02	48.16	51.36	55.39	59.83	63.32	65.88	66.72	82.33		48.09	46.95	48.01		
標準偏差	9.88	6.83	7.06	7.85	8.44	9.49	10.47	11.89	13.06	13.57	17.57	13.06	7.52		10.59	10.90	10.62		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査