

表 2341 身長(cm) Body Mass Index別（施設血液透析患者 男性のみ 透析回数週3回）

Body Mass Index	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
14未満	1		1	5	6	22	77	102	97	76	24	6	2	5	424		424	164.21	8.45
(%)	(0.2)		(0.2)	(1.2)	(1.4)	(5.2)	(18.2)	(24.1)	(22.9)	(17.9)	(5.7)	(1.4)	(0.5)	(1.2)	(100.0)				
14～	2	2	2	17	52	166	478	820	854	484	139	38	5	2	3,061		3,061	163.95	7.13
(%)	(0.1)	(0.1)	(0.1)	(0.6)	(1.7)	(5.4)	(15.6)	(26.8)	(27.9)	(15.8)	(4.5)	(1.2)	(0.2)	(0.1)	(100.0)				
16～		1	7	48	181	821	2,013	3,489	3,310	1,913	650	134	15	3	12,585		12,585	163.89	6.93
(%)		(0.0)	(0.1)	(0.4)	(1.4)	(6.5)	(16.0)	(27.7)	(26.3)	(15.2)	(5.2)	(1.1)	(0.1)	(0.0)	(100.0)				
18～	4	4	14	64	396	1,591	4,125	7,311	6,965	4,086	1,348	306	49	4	26,267		26,267	164.09	6.91
(%)	(0.0)	(0.0)	(0.1)	(0.2)	(1.5)	(6.1)	(15.7)	(27.8)	(26.5)	(15.6)	(5.1)	(1.2)	(0.2)	(0.0)	(100.0)				
20～	6	5	22	94	373	1,794	5,067	9,093	8,519	5,428	1,768	409	54	7	32,639		32,639	164.35	6.88
(%)	(0.0)	(0.0)	(0.1)	(0.3)	(1.1)	(5.5)	(15.5)	(27.9)	(26.1)	(16.6)	(5.4)	(1.3)	(0.2)	(0.0)	(100.0)				
22～	1	4	11	60	300	1,488	3,665	7,043	7,077	4,644	1,583	401	64	4	26,345		26,345	164.74	6.96
(%)	(0.0)	(0.0)	(0.0)	(0.2)	(1.1)	(5.6)	(13.9)	(26.7)	(26.9)	(17.6)	(6.0)	(1.5)	(0.2)	(0.0)	(100.0)				
24～		5	5	42	162	685	2,043	3,956	4,262	2,937	1,166	324	53	8	15,648		15,648	165.43	7.11
(%)		(0.0)	(0.0)	(0.3)	(1.0)	(4.4)	(13.1)	(25.3)	(27.2)	(18.8)	(7.5)	(2.1)	(0.3)	(0.1)	(100.0)				
26～	5	4	9	22	71	333	841	1,891	2,269	1,672	733	232	38	4	8,124		8,124	166.18	7.34
(%)	(0.1)	(0.0)	(0.1)	(0.3)	(0.9)	(4.1)	(10.4)	(23.3)	(27.9)	(20.6)	(9.0)	(2.9)	(0.5)	(0.0)	(100.0)				
28～	7	5	6	10	41	128	354	872	1,052	932	441	153	27	10	4,038		4,038	167.01	7.83
(%)	(0.2)	(0.1)	(0.1)	(0.2)	(1.0)	(3.2)	(8.8)	(21.6)	(26.1)	(23.1)	(10.9)	(3.8)	(0.7)	(0.2)	(100.0)				
30～	8	10	12	21	25	76	203	602	902	810	402	164	28	7	3,270		3,270	167.73	8.33
(%)	(0.2)	(0.3)	(0.4)	(0.6)	(0.8)	(2.3)	(6.2)	(18.4)	(27.6)	(24.8)	(12.3)	(5.0)	(0.9)	(0.2)	(100.0)				
合計	34	40	89	383	1,607	7,104	18,866	35,179	35,307	22,982	8,254	2,167	335	54	132,401		132,401	164.73	7.10
(%)	(0.0)	(0.0)	(0.1)	(0.3)	(1.2)	(5.4)	(14.2)	(26.6)	(26.7)	(17.4)	(6.2)	(1.6)	(0.3)	(0.0)	(100.0)				
記載なし	53	5	5	14	27	109	296	565	664	538	221	79	13	2	2,591	12,041	14,632	164.41	13.18
(%)	(2.0)	(0.2)	(0.2)	(0.5)	(1.0)	(4.2)	(11.4)	(21.8)	(25.6)	(20.8)	(8.5)	(3.0)	(0.5)	(0.1)	(100.0)				
総計	87	45	94	397	1,634	7,213	19,162	35,744	35,971	23,520	8,475	2,246	348	56	134,992	12,041	147,033	164.72	7.26
(%)	(0.1)	(0.0)	(0.1)	(0.3)	(1.2)	(5.3)	(14.2)	(26.5)	(26.6)	(17.4)	(6.3)	(1.7)	(0.3)	(0.0)	(100.0)				
平均	25.50	25.48	23.31	21.73	21.24	21.26	21.30	21.58	21.85	22.22	22.69	23.35	23.63	23.60	21.81		21.81		
標準偏差	5.82	5.20	4.97	4.19	3.39	3.14	3.15	3.30	3.52	3.69	3.92	4.18	4.23	6.06	3.50		3.50		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査