

表 2354 身長(cm) %クレアチニン産生速度(%)別（施設血液透析患者 透析回数週3回 透析歴2年以上）

%クレアチニン 産生速度	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
60未満	53	73	211	713	1,285	1,821	1,875	2,022	1,756	1,038	366	87	15	4	11,319	1,231	12,550	157.84	10.38
(%)	(0.5)	(0.6)	(1.9)	(6.3)	(11.4)	(16.1)	(16.6)	(17.9)	(15.5)	(9.2)	(3.2)	(0.8)	(0.1)	(0.0)	(100.0)				
60～	28	32	120	434	831	1,236	1,406	1,643	1,402	900	295	85	14	2	8,428	697	9,125	159.02	10.05
(%)	(0.3)	(0.4)	(1.4)	(5.1)	(9.9)	(14.7)	(16.7)	(19.5)	(16.6)	(10.7)	(3.5)	(1.0)	(0.2)	(0.0)	(100.0)				
70～	22	52	179	545	1,248	1,917	2,155	2,546	2,243	1,409	503	147	30	3	12,999	955	13,954	159.53	9.76
(%)	(0.2)	(0.4)	(1.4)	(4.2)	(9.6)	(14.7)	(16.6)	(19.6)	(17.3)	(10.8)	(3.9)	(1.1)	(0.2)	(0.0)	(100.0)				
80～	28	58	248	767	1,692	2,679	3,044	3,704	3,217	2,065	805	190	37	7	18,541	1,142	19,683	159.78	9.81
(%)	(0.2)	(0.3)	(1.3)	(4.1)	(9.1)	(14.4)	(16.4)	(20.0)	(17.4)	(11.1)	(4.3)	(1.0)	(0.2)	(0.0)	(100.0)				
90～	18	55	234	881	2,089	3,271	3,875	4,710	4,266	2,765	1,021	274	38	6	23,503	1,355	24,858	160.22	9.55
(%)	(0.1)	(0.2)	(1.0)	(3.7)	(8.9)	(13.9)	(16.5)	(20.0)	(18.2)	(11.8)	(4.3)	(1.2)	(0.2)	(0.0)	(100.0)				
100～	14	51	243	921	2,180	3,635	4,125	5,137	4,610	2,938	1,068	307	39	6	25,274	1,321	26,595	160.26	9.45
(%)	(0.1)	(0.2)	(1.0)	(3.6)	(8.6)	(14.4)	(16.3)	(20.3)	(18.2)	(11.6)	(4.2)	(1.2)	(0.2)	(0.0)	(100.0)				
110～	14	31	185	761	1,934	3,231	3,854	4,602	4,140	2,785	974	254	37	1	22,803	1,051	23,854	160.42	9.29
(%)	(0.1)	(0.1)	(0.8)	(3.3)	(8.5)	(14.2)	(16.9)	(20.2)	(18.2)	(12.2)	(4.3)	(1.1)	(0.2)	(0.0)	(100.0)				
120～	3	12	128	519	1,437	2,372	2,874	3,398	3,117	1,946	616	168	27	1	16,618	720	17,338	160.35	9.10
(%)	(0.0)	(0.1)	(0.8)	(3.1)	(8.6)	(14.3)	(17.3)	(20.4)	(18.8)	(11.7)	(3.7)	(1.0)	(0.2)	(0.0)	(100.0)				
130～		11	48	248	789	1,362	1,566	1,929	1,739	1,047	381	72	11	1	9,204	404	9,608	160.46	8.90
(%)		(0.1)	(0.5)	(2.7)	(8.6)	(14.8)	(17.0)	(21.0)	(18.9)	(11.4)	(4.1)	(0.8)	(0.1)	(0.0)	(100.0)				
140～	1	9	42	186	526	921	1,134	1,296	1,159	658	211	46	5	1	6,195	254	6,449	160.07	8.83
(%)	(0.0)	(0.1)	(0.7)	(3.0)	(8.5)	(14.9)	(18.3)	(20.9)	(18.7)	(10.6)	(3.4)	(0.7)	(0.1)	(0.0)	(100.0)				
合計	181	384	1,638	5,975	14,011	22,445	25,908	30,987	27,649	17,551	6,240	1,630	253	32	154,884	9,130	164,014	159.93	9.55
(%)	(0.1)	(0.2)	(1.1)	(3.9)	(9.0)	(14.5)	(16.7)	(20.0)	(17.9)	(11.3)	(4.0)	(1.1)	(0.2)	(0.0)	(100.0)				
記載なし	12	35	133	419	1,030	1,582	1,820	2,198	1,982	1,232	414	114	14	4	10,989	3,206	14,195	159.75	9.54
(%)	(0.1)	(0.3)	(1.2)	(3.8)	(9.4)	(14.4)	(16.6)	(20.0)	(18.0)	(11.2)	(3.8)	(1.0)	(0.1)	(0.0)	(100.0)				
総計	193	419	1,771	6,394	15,041	24,027	27,728	33,185	29,631	18,783	6,654	1,744	267	36	165,873	12,336	178,209	159.92	9.55
(%)	(0.1)	(0.3)	(1.1)	(3.9)	(9.1)	(14.5)	(16.7)	(20.0)	(17.9)	(11.3)	(4.0)	(1.1)	(0.2)	(0.0)	(100.0)				
平均	74.80	84.65	91.14	93.64	97.26	98.64	99.58	99.97	100.42	100.31	99.76	99.10	97.22	88.76	99.16	91.70	98.74		
標準偏差	27.83	27.20	26.93	27.31	26.84	26.39	25.96	25.39	25.26	24.62	24.11	23.35	23.07	23.97	25.77	28.13	25.96		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査