

表 2357 身長(cm) 透析前アルブミン濃度(g/dL)別（施設血液透析患者 透析回数週3回）

| 透析前アルブミン濃度 | 130未満 | 130～  | 135～  | 140～  | 145～   | 150～   | 155～   | 160～   | 165～   | 170～   | 175～  | 180～  | 185～  | 190～  | 合計      | 記載なし   | 総計      | 平均     | 標準偏差  |
|------------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|---------|--------|---------|--------|-------|
| 1.5未満      |       |       | 1     | 5     | 5      | 24     | 26     | 23     | 22     | 17     | 3     | 2     |       |       | 128     | 18     | 146     | 160.02 | 9.08  |
| (%)        |       |       | (0.8) | (3.9) | (3.9)  | (18.8) | (20.3) | (18.0) | (17.2) | (13.3) | (2.3) | (1.6) |       |       | (100.0) |        |         |        |       |
| 1.5～       | 1     | 1     | 12    | 36    | 61     | 109    | 100    | 125    | 107    | 73     | 27    | 4     |       |       | 656     | 115    | 771     | 158.84 | 9.85  |
| (%)        | (0.2) | (0.2) | (1.8) | (5.5) | (9.3)  | (16.6) | (15.2) | (19.1) | (16.3) | (11.1) | (4.1) | (0.6) |       |       | (100.0) |        |         |        |       |
| 2.0～       | 7     | 19    | 56    | 181   | 338    | 453    | 476    | 503    | 405    | 208    | 72    | 15    | 1     | 1     | 2,735   | 444    | 3,179   | 157.24 | 10.08 |
| (%)        | (0.3) | (0.7) | (2.0) | (6.6) | (12.4) | (16.6) | (17.4) | (18.4) | (14.8) | (7.6)  | (2.6) | (0.5) | (0.0) | (0.0) | (100.0) |        |         |        |       |
| 2.5～       | 36    | 69    | 214   | 729   | 1,351  | 1,769  | 1,940  | 2,021  | 1,560  | 824    | 260   | 63    | 14    | 3     | 10,853  | 1,297  | 12,150  | 157.18 | 9.96  |
| (%)        | (0.3) | (0.6) | (2.0) | (6.7) | (12.4) | (16.3) | (17.9) | (18.6) | (14.4) | (7.6)  | (2.4) | (0.6) | (0.1) | (0.0) | (100.0) |        |         |        |       |
| 3.0～       | 85    | 198   | 779   | 2,598 | 5,252  | 7,747  | 8,440  | 9,758  | 7,433  | 4,184  | 1,276 | 283   | 57    | 10    | 48,100  | 3,982  | 52,082  | 158.20 | 9.57  |
| (%)        | (0.2) | (0.4) | (1.6) | (5.4) | (10.9) | (16.1) | (17.5) | (20.3) | (15.5) | (8.7)  | (2.7) | (0.6) | (0.1) | (0.0) | (100.0) |        |         |        |       |
| 3.5～       | 88    | 218   | 956   | 3,596 | 8,754  | 14,457 | 16,989 | 20,502 | 18,364 | 11,347 | 4,036 | 1,077 | 147   | 22    | 100,553 | 6,582  | 107,135 | 160.10 | 9.39  |
| (%)        | (0.1) | (0.2) | (1.0) | (3.6) | (8.7)  | (14.4) | (16.9) | (20.4) | (18.3) | (11.3) | (4.0) | (1.1) | (0.1) | (0.0) | (100.0) |        |         |        |       |
| 4.0～       | 14    | 42    | 202   | 865   | 2,376  | 4,324  | 5,604  | 7,657  | 8,018  | 6,022  | 2,385 | 691   | 113   | 19    | 38,332  | 2,174  | 40,506  | 162.44 | 9.25  |
| (%)        | (0.0) | (0.1) | (0.5) | (2.3) | (6.2)  | (11.3) | (14.6) | (20.0) | (20.9) | (15.7) | (6.2) | (1.8) | (0.3) | (0.0) | (100.0) |        |         |        |       |
| 4.5～       | 2     | 2     | 17    | 30    | 103    | 176    | 278    | 402    | 528    | 418    | 212   | 60    | 13    |       | 2,241   | 121    | 2,362   | 164.37 | 9.49  |
| (%)        | (0.1) | (0.1) | (0.8) | (1.3) | (4.6)  | (7.9)  | (12.4) | (17.9) | (23.6) | (18.7) | (9.5) | (2.7) | (0.6) |       | (100.0) |        |         |        |       |
| 5.0～       | 1     |       | 1     | 4     | 11     | 11     | 23     | 35     | 39     | 22     | 7     | 4     |       |       | 158     | 14     | 172     | 162.34 | 9.40  |
| (%)        | (0.6) |       | (0.6) | (2.5) | (7.0)  | (7.0)  | (14.6) | (22.2) | (24.7) | (13.9) | (4.4) | (2.5) |       |       | (100.0) |        |         |        |       |
| 合計         | 234   | 549   | 2,238 | 8,044 | 18,251 | 29,070 | 33,876 | 41,026 | 36,476 | 23,115 | 8,278 | 2,199 | 345   | 55    | 203,756 | 14,747 | 218,503 | 159.94 | 9.59  |
| (%)        | (0.1) | (0.3) | (1.1) | (3.9) | (9.0)  | (14.3) | (16.6) | (20.1) | (17.9) | (11.3) | (4.1) | (1.1) | (0.2) | (0.0) | (100.0) |        |         |        |       |
| 記載なし       | 3     | 19    | 67    | 239   | 568    | 944    | 981    | 1,232  | 1,100  | 712    | 271   | 55    | 6     | 2     | 6,199   | 4,269  | 10,468  | 159.88 | 9.58  |
| (%)        | (0.0) | (0.3) | (1.1) | (3.9) | (9.2)  | (15.2) | (15.8) | (19.9) | (17.7) | (11.5) | (4.4) | (0.9) | (0.1) | (0.0) | (100.0) |        |         |        |       |
| 総計         | 237   | 568   | 2,305 | 8,283 | 18,819 | 30,014 | 34,857 | 42,258 | 37,576 | 23,827 | 8,549 | 2,254 | 351   | 57    | 209,955 | 19,016 | 228,971 | 159.94 | 9.59  |
| (%)        | (0.1) | (0.3) | (1.1) | (3.9) | (9.0)  | (14.3) | (16.6) | (20.1) | (17.9) | (11.3) | (4.1) | (1.1) | (0.2) | (0.0) | (100.0) |        |         |        |       |
| 平均         | 3.36  | 3.37  | 3.43  | 3.46  | 3.52   | 3.55   | 3.58   | 3.61   | 3.66   | 3.70   | 3.74  | 3.78  | 3.79  | 3.70  | 3.61    | 3.50   | 3.60    |        |       |
| 標準偏差       | 0.48  | 0.46  | 0.45  | 0.45  | 0.44   | 0.43   | 0.43   | 0.43   | 0.43   | 0.43   | 0.42  | 0.41  | 0.41  | 0.46  | 0.44    | 0.50   | 0.44    |        |       |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査