

表 2358 身長(cm) 透析前CRP濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

透析前CRP濃度	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
0.2未満	88	256	1,051	3,987	9,242	14,730	16,369	19,489	17,471	11,193	4,216	1,084	179	22	99,377	6,152	105,529	159.88	9.61
(%)	(0.1)	(0.3)	(1.1)	(4.0)	(9.3)	(14.8)	(16.5)	(19.6)	(17.6)	(11.3)	(4.2)	(1.1)	(0.2)	(0.0)	(100.0)				
0.2～	41	81	368	1,259	2,789	4,427	5,474	6,781	6,195	3,887	1,333	356	56	8	33,055	2,323	35,378	160.21	9.53
(%)	(0.1)	(0.2)	(1.1)	(3.8)	(8.4)	(13.4)	(16.6)	(20.5)	(18.7)	(11.8)	(4.0)	(1.1)	(0.2)	(0.0)	(100.0)				
0.5～	25	49	186	603	1,435	2,253	2,810	3,585	3,100	1,904	661	179	31	7	16,828	1,319	18,147	160.13	9.53
(%)	(0.1)	(0.3)	(1.1)	(3.6)	(8.5)	(13.4)	(16.7)	(21.3)	(18.4)	(11.3)	(3.9)	(1.1)	(0.2)	(0.0)	(100.0)				
1.0～	18	32	113	455	911	1,557	1,874	2,249	1,947	1,167	414	131	12	3	10,883	889	11,772	159.83	9.57
(%)	(0.2)	(0.3)	(1.0)	(4.2)	(8.4)	(14.3)	(17.2)	(20.7)	(17.9)	(10.7)	(3.8)	(1.2)	(0.1)	(0.0)	(100.0)				
2.0～	13	29	89	279	629	920	1,152	1,433	1,163	701	223	47	9	3	6,690	564	7,254	159.35	9.60
(%)	(0.2)	(0.4)	(1.3)	(4.2)	(9.4)	(13.8)	(17.2)	(21.4)	(17.4)	(10.5)	(3.3)	(0.7)	(0.1)	(0.0)	(100.0)				
4.0～	11	9	29	107	248	322	368	489	414	235	86	24	4	2	2,348	234	2,582	159.20	10.13
(%)	(0.5)	(0.4)	(1.2)	(4.6)	(10.6)	(13.7)	(15.7)	(20.8)	(17.6)	(10.0)	(3.7)	(1.0)	(0.2)	(0.1)	(100.0)				
6.0～	4	7	16	47	100	168	213	220	196	126	39	11	1		1,148	134	1,282	159.32	9.91
(%)	(0.3)	(0.6)	(1.4)	(4.1)	(8.7)	(14.6)	(18.6)	(19.2)	(17.1)	(11.0)	(3.4)	(1.0)	(0.1)		(100.0)				
8.0～	1	1	12	22	67	96	110	127	104	62	21	4		1	628	66	694	159.00	9.55
(%)	(0.2)	(0.2)	(1.9)	(3.5)	(10.7)	(15.3)	(17.5)	(20.2)	(16.6)	(9.9)	(3.3)	(0.6)		(0.2)	(100.0)				
10.0～	3	3	9	28	63	109	124	158	131	81	41	8	1		759	83	842	159.82	10.15
(%)	(0.4)	(0.4)	(1.2)	(3.7)	(8.3)	(14.4)	(16.3)	(20.8)	(17.3)	(10.7)	(5.4)	(1.1)	(0.1)		(100.0)				
15.0～	1	9	23	44	64	88	88	116	88	55	13	6	1		508	52	560	159.52	9.60
(%)	(0.2)		(1.8)	(4.5)	(8.7)	(12.6)	(17.3)	(22.8)	(17.3)	(10.8)	(2.6)	(1.2)	(0.2)		(100.0)				
合計	205	467	1,882	6,810	15,528	24,646	28,582	34,647	30,809	19,411	7,047	1,850	294	46	172,224	11,816	184,040	159.93	9.60
(%)	(0.1)	(0.3)	(1.1)	(4.0)	(9.0)	(14.3)	(16.6)	(20.1)	(17.9)	(11.3)	(4.1)	(1.1)	(0.2)	(0.0)	(100.0)				
記載なし	32	101	423	1,473	3,291	5,368	6,275	7,611	6,767	4,416	1,502	404	57	11	37,731	7,200	44,931	160.01	9.55
(%)	(0.1)	(0.3)	(1.1)	(3.9)	(8.7)	(14.2)	(16.6)	(20.2)	(17.9)	(11.7)	(4.0)	(1.1)	(0.2)	(0.0)	(100.0)				
総計	237	568	2,305	8,283	18,819	30,014	34,857	42,258	37,576	23,827	8,549	2,254	351	57	209,955	19,016	228,971	159.94	9.59
(%)	(0.1)	(0.3)	(1.1)	(3.9)	(9.0)	(14.3)	(16.6)	(20.1)	(17.9)	(11.3)	(4.1)	(1.1)	(0.2)	(0.0)	(100.0)				
平均	1.24	0.73	0.73	0.66	0.63	0.61	0.64	0.66	0.62	0.60	0.57	0.62	0.52	0.87	0.63	0.82	0.64		
標準偏差	2.92	1.62	2.09	2.16	1.95	1.79	1.91	2.06	1.90	1.82	1.61	2.62	1.56	1.71	1.93	2.14	1.94		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査