

表 2365 身長(cm) HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

HDL-C濃度	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
20未満	4	1	5	24	39	71	80	137	129	80	38	9	2		619	52	671	161.32	10.12
(%)	(0.6)	(0.2)	(0.8)	(3.9)	(6.3)	(11.5)	(12.9)	(22.1)	(20.8)	(12.9)	(6.1)	(1.5)	(0.3)		(100.0)				
20～	16	22	74	278	652	1,234	1,701	2,640	2,582	1,838	699	206	34	6	11,982	864	12,846	162.47	9.36
(%)	(0.1)	(0.2)	(0.6)	(2.3)	(5.4)	(10.3)	(14.2)	(22.0)	(21.5)	(15.3)	(5.8)	(1.7)	(0.3)	(0.1)	(100.0)				
30～	44	85	318	1,078	2,489	4,145	5,291	7,396	7,007	4,481	1,666	495	78	11	34,584	2,304	36,888	161.20	9.52
(%)	(0.1)	(0.2)	(0.9)	(3.1)	(7.2)	(12.0)	(15.3)	(21.4)	(20.3)	(13.0)	(4.8)	(1.4)	(0.2)	(0.0)	(100.0)				
40～	36	90	427	1,584	3,431	5,275	6,324	7,756	6,876	4,464	1,565	400	53	6	38,287	2,442	40,729	160.02	9.57
(%)	(0.1)	(0.2)	(1.1)	(4.1)	(9.0)	(13.8)	(16.5)	(20.3)	(18.0)	(11.7)	(4.1)	(1.0)	(0.1)	(0.0)	(100.0)				
50～	34	90	364	1,231	2,799	4,283	4,705	5,328	4,515	2,798	964	233	37	7	27,388	1,692	29,080	159.09	9.63
(%)	(0.1)	(0.3)	(1.3)	(4.5)	(10.2)	(15.6)	(17.2)	(19.5)	(16.5)	(10.2)	(3.5)	(0.9)	(0.1)	(0.0)	(100.0)				
60～	13	46	217	798	1,718	2,685	2,801	3,020	2,494	1,496	480	120	11	5	15,904	888	16,792	158.55	9.52
(%)	(0.1)	(0.3)	(1.4)	(5.0)	(10.8)	(16.9)	(17.6)	(19.0)	(15.7)	(9.4)	(3.0)	(0.8)	(0.1)	(0.0)	(100.0)				
70～	11	21	90	364	946	1,415	1,388	1,403	1,159	675	229	55	15	1	7,772	429	8,201	158.19	9.47
(%)	(0.1)	(0.3)	(1.2)	(4.7)	(12.2)	(18.2)	(17.9)	(18.1)	(14.9)	(8.7)	(2.9)	(0.7)	(0.2)	(0.0)	(100.0)				
80～	5	12	56	177	398	675	703	628	551	284	112	35	4		3,640	194	3,834	158.12	9.47
(%)	(0.1)	(0.3)	(1.5)	(4.9)	(10.9)	(18.5)	(19.3)	(17.3)	(15.1)	(7.8)	(3.1)	(1.0)	(0.1)		(100.0)				
90～	1	2	19	80	170	292	333	303	224	147	56	17	1		1,645	88	1,733	158.47	9.30
(%)	(0.1)	(0.1)	(1.2)	(4.9)	(10.3)	(17.8)	(20.2)	(18.4)	(13.6)	(8.9)	(3.4)	(1.0)	(0.1)		(100.0)				
100～	3	6	14	55	156	231	249	264	231	121	48	10			1,388	70	1,458	158.75	9.38
(%)	(0.2)	(0.4)	(1.0)	(4.0)	(11.2)	(16.6)	(17.9)	(19.0)	(16.6)	(8.7)	(3.5)	(0.7)			(100.0)				
合計	167	375	1,584	5,669	12,798	20,306	23,575	28,875	25,768	16,384	5,857	1,580	235	36	143,209	9,023	152,232	160.00	9.62
(%)	(0.1)	(0.3)	(1.1)	(4.0)	(8.9)	(14.2)	(16.5)	(20.2)	(18.0)	(11.4)	(4.1)	(1.1)	(0.2)	(0.0)	(100.0)				
記載なし	70	193	721	2,614	6,021	9,708	11,282	13,383	11,808	7,443	2,692	674	116	21	66,746	9,993	76,739	159.82	9.53
(%)	(0.1)	(0.3)	(1.1)	(3.9)	(9.0)	(14.5)	(16.9)	(20.1)	(17.7)	(11.2)	(4.0)	(1.0)	(0.2)	(0.0)	(100.0)				
総計	237	568	2,305	8,283	18,819	30,014	34,857	42,258	37,576	23,827	8,549	2,254	351	57	209,955	19,016	228,971	159.94	9.59
(%)	(0.1)	(0.3)	(1.1)	(3.9)	(9.0)	(14.3)	(16.6)	(20.1)	(17.9)	(11.3)	(4.1)	(1.1)	(0.2)	(0.0)	(100.0)				
平均	47.43	50.01	50.83	51.01	51.29	50.86	49.50	47.46	46.55	45.83	45.36	44.58	43.52	43.44	48.33	47.06	48.25		
標準偏差	17.64	16.70	16.07	16.21	16.80	17.06	16.84	16.42	16.08	15.76	15.99	16.00	14.75	13.08	16.58	15.95	16.54		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査