

表 2366 身長(cm) Non-HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

| Non-HDL-C濃度 | 130未満  | 130～   | 135～   | 140～   | 145～   | 150～   | 155～   | 160～   | 165～   | 170～   | 175～   | 180～   | 185～   | 190～  | 合計      | 記載なし   | 総計      | 平均     | 標準偏差 |
|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|---------|--------|---------|--------|------|
| 50未満        | 3      | 2      | 18     | 60     | 137    | 267    | 403    | 599    | 553    | 318    | 135    | 29     | 5      | 1     | 2,530   | 186    | 2,716   | 161.87 | 8.84 |
| (%)         | (0.1)  | (0.1)  | (0.7)  | (2.4)  | (5.4)  | (10.6) | (15.9) | (23.7) | (21.9) | (12.6) | (5.3)  | (1.1)  | (0.2)  | (0.0) | (100.0) |        |         |        |      |
| 50～         | 14     | 28     | 88     | 322    | 778    | 1,270  | 1,896  | 2,820  | 2,649  | 1,577  | 552    | 166    | 20     | 7     | 12,187  | 719    | 12,906  | 161.63 | 9.12 |
| (%)         | (0.1)  | (0.2)  | (0.7)  | (2.6)  | (6.4)  | (10.4) | (15.6) | (23.1) | (21.7) | (12.9) | (4.5)  | (1.4)  | (0.2)  | (0.1) | (100.0) |        |         |        |      |
| 70～         | 35     | 68     | 283    | 963    | 1,999  | 3,361  | 4,376  | 5,791  | 5,338  | 3,167  | 1,138  | 301    | 42     | 7     | 26,869  | 1,663  | 28,532  | 160.64 | 9.41 |
| (%)         | (0.1)  | (0.3)  | (1.1)  | (3.6)  | (7.4)  | (12.5) | (16.3) | (21.6) | (19.9) | (11.8) | (4.2)  | (1.1)  | (0.2)  | (0.0) | (100.0) |        |         |        |      |
| 90～         | 34     | 84     | 383    | 1,317  | 2,813  | 4,364  | 5,180  | 6,460  | 5,846  | 3,601  | 1,252  | 340    | 49     | 10    | 31,733  | 1,846  | 33,579  | 159.99 | 9.58 |
| (%)         | (0.1)  | (0.3)  | (1.2)  | (4.2)  | (8.9)  | (13.8) | (16.3) | (20.4) | (18.4) | (11.3) | (3.9)  | (1.1)  | (0.2)  | (0.0) | (100.0) |        |         |        |      |
| 110～        | 33     | 69     | 306    | 1,100  | 2,564  | 3,889  | 4,173  | 4,899  | 4,153  | 2,770  | 907    | 264    | 46     | 7     | 25,180  | 1,499  | 26,679  | 159.36 | 9.74 |
| (%)         | (0.1)  | (0.3)  | (1.2)  | (4.4)  | (10.2) | (15.4) | (16.6) | (19.5) | (16.5) | (11.0) | (3.6)  | (1.0)  | (0.2)  | (0.0) | (100.0) |        |         |        |      |
| 130～        | 12     | 35     | 191    | 675    | 1,642  | 2,519  | 2,589  | 2,762  | 2,384  | 1,631  | 592    | 154    | 28     | 1     | 15,215  | 918    | 16,133  | 159.11 | 9.73 |
| (%)         | (0.1)  | (0.2)  | (1.3)  | (4.4)  | (10.8) | (16.6) | (17.0) | (18.2) | (15.7) | (10.7) | (3.9)  | (1.0)  | (0.2)  | (0.0) | (100.0) |        |         |        |      |
| 150～        | 8      | 26     | 97     | 367    | 837    | 1,299  | 1,312  | 1,318  | 1,138  | 767    | 305    | 88     | 15     | 1     | 7,578   | 465    | 8,043   | 158.85 | 9.89 |
| (%)         | (0.1)  | (0.3)  | (1.3)  | (4.8)  | (11.0) | (17.1) | (17.3) | (17.4) | (15.0) | (10.1) | (4.0)  | (1.2)  | (0.2)  | (0.0) | (100.0) |        |         |        |      |
| 170～        | 5      | 8      | 36     | 155    | 378    | 605    | 579    | 555    | 492    | 351    | 134    | 38     | 6      | 1     | 3,343   | 224    | 3,567   | 158.75 | 9.90 |
| (%)         | (0.1)  | (0.2)  | (1.1)  | (4.6)  | (11.3) | (18.1) | (17.3) | (16.6) | (14.7) | (10.5) | (4.0)  | (1.1)  | (0.2)  | (0.0) | (100.0) |        |         |        |      |
| 190～        | 2      | 8      | 12     | 54     | 135    | 221    | 239    | 210    | 167    | 131    | 46     | 14     | 2      |       | 1,241   | 97     | 1,338   | 158.63 | 9.75 |
| (%)         | (0.2)  | (0.6)  | (1.0)  | (4.4)  | (10.9) | (17.8) | (19.3) | (16.9) | (13.5) | (10.6) | (3.7)  | (1.1)  | (0.2)  |       | (100.0) |        |         |        |      |
| 210～        |        | 3      | 12     | 33     | 89     | 150    | 129    | 131    | 92     | 83     | 33     | 7      |        |       | 762     | 70     | 832     | 158.44 | 9.77 |
| (%)         |        | (0.4)  | (1.6)  | (4.3)  | (11.7) | (19.7) | (16.9) | (17.2) | (12.1) | (10.9) | (4.3)  | (0.9)  |        |       | (100.0) |        |         |        |      |
| 合計          | 146    | 331    | 1,426  | 5,046  | 11,372 | 17,945 | 20,876 | 25,545 | 22,812 | 14,396 | 5,094  | 1,401  | 213    | 35    | 126,638 | 7,687  | 134,325 | 159.97 | 9.61 |
| (%)         | (0.1)  | (0.3)  | (1.1)  | (4.0)  | (9.0)  | (14.2) | (16.5) | (20.2) | (18.0) | (11.4) | (4.0)  | (1.1)  | (0.2)  | (0.0) | (100.0) |        |         |        |      |
| 記載なし        | 91     | 237    | 879    | 3,237  | 7,447  | 12,069 | 13,981 | 16,713 | 14,764 | 9,431  | 3,455  | 853    | 138    | 22    | 83,317  | 11,329 | 94,646  | 159.91 | 9.56 |
| (%)         | (0.1)  | (0.3)  | (1.1)  | (3.9)  | (8.9)  | (14.5) | (16.8) | (20.1) | (17.7) | (11.3) | (4.1)  | (1.0)  | (0.2)  | (0.0) | (100.0) |        |         |        |      |
| 総計          | 237    | 568    | 2,305  | 8,283  | 18,819 | 30,014 | 34,857 | 42,258 | 37,576 | 23,827 | 8,549  | 2,254  | 351    | 57    | 209,955 | 19,016 | 228,971 | 159.94 | 9.59 |
| (%)         | (0.1)  | (0.3)  | (1.1)  | (3.9)  | (9.0)  | (14.3) | (16.6) | (20.1) | (17.9) | (11.3) | (4.1)  | (1.1)  | (0.2)  | (0.0) | (100.0) |        |         |        |      |
| 平均          | 105.49 | 110.69 | 110.16 | 110.91 | 112.02 | 111.26 | 107.30 | 103.54 | 102.51 | 104.49 | 104.67 | 105.21 | 108.44 | 94.57 | 106.40  | 107.04 | 106.43  |        |      |
| 標準偏差        | 32.38  | 34.35  | 32.20  | 32.47  | 33.32  | 33.78  | 33.45  | 32.50  | 32.25  | 32.98  | 34.14  | 34.39  | 32.46  | 29.56 | 33.20   | 35.18  | 33.32   |        |      |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査