

表 2372 身長(cm) 透析歴(年)別（血液透析濾過患者 透析回数週3回）

透析歴	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
2年未満	4	13	43	156	362	548	669	874	821	573	214	59	14	2	4,352	612	4,964	160.84	9.67
(%)	(0.1)	(0.3)	(1.0)	(3.6)	(8.3)	(12.6)	(15.4)	(20.1)	(18.9)	(13.2)	(4.9)	(1.4)	(0.3)	(0.0)	(100.0)				
2年～	6	14	77	293	560	964	1,254	1,564	1,508	1,127	415	143	20	4	7,949	666	8,615	161.32	9.68
(%)	(0.1)	(0.2)	(1.0)	(3.7)	(7.0)	(12.1)	(15.8)	(19.7)	(19.0)	(14.2)	(5.2)	(1.8)	(0.3)	(0.1)	(100.0)				
5年～	7	23	72	267	767	1,261	1,460	1,920	1,755	1,242	453	125	24	1	9,377	739	10,116	160.96	9.40
(%)	(0.1)	(0.2)	(0.8)	(2.8)	(8.2)	(13.4)	(15.6)	(20.5)	(18.7)	(13.2)	(4.8)	(1.3)	(0.3)	(0.0)	(100.0)				
10年～	5	8	19	149	406	835	1,028	1,082	1,084	764	316	79	9	1	5,785	409	6,194	161.19	9.25
(%)	(0.1)	(0.1)	(0.3)	(2.6)	(7.0)	(14.4)	(17.8)	(18.7)	(18.7)	(13.2)	(5.5)	(1.4)	(0.2)	(0.0)	(100.0)				
15年～	7	4	28	107	310	556	632	691	658	455	172	38	7	1	3,666	258	3,924	160.46	9.55
(%)	(0.2)	(0.1)	(0.8)	(2.9)	(8.5)	(15.2)	(17.2)	(18.8)	(17.9)	(12.4)	(4.7)	(1.0)	(0.2)	(0.0)	(100.0)				
20年～	3	1	14	73	226	435	444	452	394	285	108	24	1		2,460	177	2,637	159.83	9.42
(%)	(0.1)	(0.0)	(0.6)	(3.0)	(9.2)	(17.7)	(18.0)	(18.4)	(16.0)	(11.6)	(4.4)	(1.0)	(0.0)		(100.0)				
25年～	1	3	10	48	162	300	279	272	234	190	57	9	1		1,566	85	1,651	159.32	9.15
(%)	(0.1)	(0.2)	(0.6)	(3.1)	(10.3)	(19.2)	(17.8)	(17.4)	(14.9)	(12.1)	(3.6)	(0.6)	(0.1)		(100.0)				
30年～	2	3	16	40	113	193	185	194	165	96	33	14			1,054	69	1,123	158.67	9.48
(%)	(0.2)	(0.3)	(1.5)	(3.8)	(10.7)	(18.3)	(17.6)	(18.4)	(15.7)	(9.1)	(3.1)	(1.3)			(100.0)				
35年～	1		7	26	69	94	110	108	86	46	13				560	27	587	157.80	10.08
(%)	(0.2)		(1.3)	(4.6)	(12.3)	(16.8)	(19.6)	(19.3)	(15.4)	(8.2)	(2.3)				(100.0)				
40年～	2	1	3	4	19	26	17	19	16	6	4	1			118	6	124	155.66	13.33
(%)	(1.7)	(0.8)	(2.5)	(3.4)	(16.1)	(22.0)	(14.4)	(16.1)	(13.6)	(5.1)	(3.4)	(0.8)			(100.0)				
合計	38	70	289	1,163	2,994	5,212	6,078	7,176	6,721	4,784	1,785	492	76	9	36,887	3,048	39,935	160.74	9.53
(%)	(0.1)	(0.2)	(0.8)	(3.2)	(8.1)	(14.1)	(16.5)	(19.5)	(18.2)	(13.0)	(4.8)	(1.3)	(0.2)	(0.0)	(100.0)				
不明					1		1	1	1	1	1	1	1		8	3	11	168.38	13.14
(%)					(12.5)		(12.5)	(12.5)	(12.5)	(12.5)	(12.5)	(12.5)	(12.5)		(100.0)				
記載なし																			
(%)																			
総計	38	70	289	1,163	2,995	5,212	6,079	7,177	6,722	4,785	1,786	493	77	9	36,895	3,051	39,946	160.74	9.54
(%)	(0.1)	(0.2)	(0.8)	(3.2)	(8.1)	(14.1)	(16.5)	(19.5)	(18.2)	(13.0)	(4.8)	(1.3)	(0.2)	(0.0)	(100.0)				
平均	13.55	8.61	10.01	9.94	11.13	11.35	10.62	9.83	9.62	9.44	9.31	8.47	6.59	4.78	10.15	8.52	10.02		
標準偏差	11.52	9.08	10.26	9.45	9.77	9.45	9.05	8.74	8.51	8.25	7.97	7.54	5.78	4.94	8.90	8.39	8.87		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査