

表 2384 身長(cm) Body Mass Index別（血液透析濾過患者 透析回数週3回）

Body Mass Index	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
14未満		1	1	8	16	33	27	25	22	9	3	3		1	149		149	157.89	11.45
(%)		(0.7)	(0.7)	(5.4)	(10.7)	(22.1)	(18.1)	(16.8)	(14.8)	(6.0)	(2.0)	(2.0)		(0.7)	(100.0)				
14～		2	13	49	136	253	206	183	112	60	24	7		1	1,046		1,046	156.85	8.88
(%)		(0.2)	(1.2)	(4.7)	(13.0)	(24.2)	(19.7)	(17.5)	(10.7)	(5.7)	(2.3)	(0.7)		(0.1)	(100.0)				
16～	2	9	30	149	442	755	809	749	547	354	124	25	3		3,998		3,998	158.43	8.97
(%)	(0.1)	(0.2)	(0.8)	(3.7)	(11.1)	(18.9)	(20.2)	(18.7)	(13.7)	(8.9)	(3.1)	(0.6)	(0.1)		(100.0)				
18～	6	10	53	248	747	1,246	1,378	1,433	1,319	819	273	72	10		7,614		7,614	159.65	9.15
(%)	(0.1)	(0.1)	(0.7)	(3.3)	(9.8)	(16.4)	(18.1)	(18.8)	(17.3)	(10.8)	(3.6)	(0.9)	(0.1)		(100.0)				
20～	5	25	70	279	620	1,145	1,360	1,761	1,583	1,110	393	96	15		8,462		8,462	160.85	9.29
(%)	(0.1)	(0.3)	(0.8)	(3.3)	(7.3)	(13.5)	(16.1)	(20.8)	(18.7)	(13.1)	(4.6)	(1.1)	(0.2)		(100.0)				
22～	6	6	51	181	450	767	1,019	1,328	1,362	958	334	95	10	4	6,571		6,571	161.69	9.24
(%)	(0.1)	(0.1)	(0.8)	(2.8)	(6.8)	(11.7)	(15.5)	(20.2)	(20.7)	(14.6)	(5.1)	(1.4)	(0.2)	(0.1)	(100.0)				
24～	2	5	25	112	273	472	590	832	825	625	243	70	13	1	4,088		4,088	162.09	9.39
(%)	(0.0)	(0.1)	(0.6)	(2.7)	(6.7)	(11.5)	(14.4)	(20.4)	(20.2)	(15.3)	(5.9)	(1.7)	(0.3)	(0.0)	(100.0)				
26～	2	2	14	60	137	256	300	400	436	371	161	48	9	1	2,197		2,197	162.71	9.69
(%)	(0.1)	(0.1)	(0.6)	(2.7)	(6.2)	(11.7)	(13.7)	(18.2)	(19.8)	(16.9)	(7.3)	(2.2)	(0.4)	(0.0)	(100.0)				
28～	1	1	13	31	76	132	153	211	230	199	95	30	5		1,177		1,177	162.78	9.90
(%)	(0.1)	(0.1)	(1.1)	(2.6)	(6.5)	(11.2)	(13.0)	(17.9)	(19.5)	(16.9)	(8.1)	(2.5)	(0.4)		(100.0)				
30～	2	7	12	30	59	95	144	161	184	188	93	35	7		1,017		1,017	163.10	10.60
(%)	(0.2)	(0.7)	(1.2)	(2.9)	(5.8)	(9.3)	(14.2)	(15.8)	(18.1)	(18.5)	(9.1)	(3.4)	(0.7)		(100.0)				
合計	26	68	282	1,147	2,956	5,154	5,986	7,083	6,620	4,693	1,743	481	72	8	36,319		36,319	160.73	9.43
(%)	(0.1)	(0.2)	(0.8)	(3.2)	(8.1)	(14.2)	(16.5)	(19.5)	(18.2)	(12.9)	(4.8)	(1.3)	(0.2)	(0.0)	(100.0)				
記載なし	12	2	7	16	39	58	93	94	102	92	43	12	5	1	576	3,051	3,627	160.90	14.93
(%)	(2.1)	(0.3)	(1.2)	(2.8)	(6.8)	(10.1)	(16.1)	(16.3)	(17.7)	(16.0)	(7.5)	(2.1)	(0.9)	(0.2)	(100.0)				
総計	38	70	289	1,163	2,995	5,212	6,079	7,177	6,722	4,785	1,786	493	77	9	36,895	3,051	39,946	160.74	9.54
(%)	(0.1)	(0.2)	(0.8)	(3.2)	(8.1)	(14.1)	(16.5)	(19.5)	(18.2)	(13.0)	(4.8)	(1.3)	(0.2)	(0.0)	(100.0)				
平均	22.52	21.69	21.70	21.26	20.95	20.94	21.25	21.64	22.02	22.46	22.83	23.23	24.01	20.96	21.67		21.67		
標準偏差	3.88	4.44	3.94	3.68	3.58	3.60	3.58	3.49	3.50	3.66	3.89	4.10	4.28	5.68	3.65		3.65		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査