

表 2386 身長(cm) Body Mass Index別（血液透析濾過患者 女性のみ 透析回数週3回）

Body Mass Index	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
14未満		1	1	7	16	29	26	17	3	3	2	1			106		106	154.40	8.08
(%)		(0.9)	(0.9)	(6.6)	(15.1)	(27.4)	(24.5)	(16.0)	(2.8)	(2.8)	(1.9)	(0.9)			(100.0)				
14～		2	13	47	132	236	148	87	17	2					684		684	152.73	6.32
(%)		(0.3)	(1.9)	(6.9)	(19.3)	(34.5)	(21.6)	(12.7)	(2.5)	(0.3)					(100.0)				
16～	1	8	29	144	422	665	544	277	53	7		1			2,151		2,151	152.87	6.36
(%)	(0.0)	(0.4)	(1.3)	(6.7)	(19.6)	(30.9)	(25.3)	(12.9)	(2.5)	(0.3)		(0.0)			(100.0)				
18～	6	8	53	242	690	1,024	805	319	75	11		6			3,239		3,239	152.40	6.44
(%)	(0.2)	(0.2)	(1.6)	(7.5)	(21.3)	(31.6)	(24.9)	(9.8)	(2.3)	(0.3)		(0.2)			(100.0)				
20～	5	24	69	269	578	870	661	292	60	8		4			2,840		2,840	151.97	6.74
(%)	(0.2)	(0.8)	(2.4)	(9.5)	(20.4)	(30.6)	(23.3)	(10.3)	(2.1)	(0.3)		(0.1)			(100.0)				
22～	6	5	51	174	416	578	437	177	44	6			1		1,895		1,895	151.84	6.65
(%)	(0.3)	(0.3)	(2.7)	(9.2)	(22.0)	(30.5)	(23.1)	(9.3)	(2.3)	(0.3)			(0.1)		(100.0)				
24～	2	5	24	106	256	362	273	122	22	5			2		1,179		1,179	152.05	6.62
(%)	(0.2)	(0.4)	(2.0)	(9.0)	(21.7)	(30.7)	(23.2)	(10.3)	(1.9)	(0.4)			(0.2)		(100.0)				
26～	1	2	14	57	132	199	140	63	15	4					629		629	152.15	6.73
(%)	(0.2)	(0.3)	(2.2)	(9.1)	(21.0)	(31.6)	(22.3)	(10.0)	(2.4)	(0.6)					(100.0)				
28～	1	1	12	30	72	104	86	42	11	3					362		362	152.50	7.02
(%)	(0.3)	(0.3)	(3.3)	(8.3)	(19.9)	(28.7)	(23.8)	(11.6)	(3.0)	(0.8)					(100.0)				
30～	1	5	9	28	54	79	98	54	12	4					344		344	153.21	7.57
(%)	(0.3)	(1.5)	(2.6)	(8.1)	(15.7)	(23.0)	(28.5)	(15.7)	(3.5)	(1.2)					(100.0)				
合計	23	61	275	1,104	2,768	4,146	3,218	1,450	312	53	14	5			13,429		13,429	152.32	6.62
(%)	(0.2)	(0.5)	(2.0)	(8.2)	(20.6)	(30.9)	(24.0)	(10.8)	(2.3)	(0.4)	(0.1)	(0.0)			(100.0)				
記載なし	9	1	5	14	37	46	59	17	6	1	2				197	1,126	1,323	149.83	17.26
(%)	(4.6)	(0.5)	(2.5)	(7.1)	(18.8)	(23.4)	(29.9)	(8.6)	(3.0)	(0.5)	(1.0)				(100.0)				
総計	32	62	280	1,118	2,805	4,192	3,277	1,467	318	54	16	5			13,626	1,126	14,752	152.28	6.89
(%)	(0.2)	(0.5)	(2.1)	(8.2)	(20.6)	(30.8)	(24.0)	(10.8)	(2.3)	(0.4)	(0.1)	(0.0)			(100.0)				
平均	22.19	21.57	21.56	21.24	20.93	20.78	20.91	20.80	21.01	21.87	19.66	19.90			20.91		20.91		
標準偏差	3.51	4.28	3.80	3.66	3.59	3.66	3.80	4.04	4.07	5.38	4.06	6.39			3.75		3.75		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査