

表 2398 身長(cm) %クレアチニン産生速度(%)別（血液透析濾過患者 透析回数週3回 透析歴2年以上）

%クレアチニン 産生速度	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
60未満	3	9	13	73	154	245	233	292	231	162	54	20	2		1,491	143	1,634	159.08	9.82
(%)	(0.2)	(0.6)	(0.9)	(4.9)	(10.3)	(16.4)	(15.6)	(19.6)	(15.5)	(10.9)	(3.6)	(1.3)	(0.1)		(100.0)				
60～	4	3	20	56	125	196	215	222	227	162	67	18	2	1	1,318	86	1,404	159.89	10.43
(%)	(0.3)	(0.2)	(1.5)	(4.2)	(9.5)	(14.9)	(16.3)	(16.8)	(17.2)	(12.3)	(5.1)	(1.4)	(0.2)	(0.1)	(100.0)				
70～	2	8	23	104	203	328	360	458	427	273	104	25	4	1	2,320	158	2,478	160.09	9.67
(%)	(0.1)	(0.3)	(1.0)	(4.5)	(8.8)	(14.1)	(15.5)	(19.7)	(18.4)	(11.8)	(4.5)	(1.1)	(0.2)	(0.0)	(100.0)				
80～	5	4	31	114	300	507	575	749	693	442	183	36	7		3,646	222	3,868	160.70	9.37
(%)	(0.1)	(0.1)	(0.9)	(3.1)	(8.2)	(13.9)	(15.8)	(20.5)	(19.0)	(12.1)	(5.0)	(1.0)	(0.2)		(100.0)				
90～	7	13	41	140	401	670	810	912	867	645	240	65	8	1	4,820	280	5,100	160.77	9.54
(%)	(0.1)	(0.3)	(0.9)	(2.9)	(8.3)	(13.9)	(16.8)	(18.9)	(18.0)	(13.4)	(5.0)	(1.3)	(0.2)	(0.0)	(100.0)				
100～	4	5	37	170	439	778	937	1,047	1,003	748	281	84	12	2	5,547	287	5,834	160.95	9.50
(%)	(0.1)	(0.1)	(0.7)	(3.1)	(7.9)	(14.0)	(16.9)	(18.9)	(18.1)	(13.5)	(5.1)	(1.5)	(0.2)	(0.0)	(100.0)				
110～	2	6	32	124	398	737	826	1,002	928	715	264	76	10	1	5,121	278	5,399	161.17	9.42
(%)	(0.0)	(0.1)	(0.6)	(2.4)	(7.8)	(14.4)	(16.1)	(19.6)	(18.1)	(14.0)	(5.2)	(1.5)	(0.2)	(0.0)	(100.0)				
120～	2	2	22	93	265	543	629	700	681	483	178	55	10	1	3,664	179	3,843	161.10	9.35
(%)	(0.1)	(0.1)	(0.6)	(2.5)	(7.2)	(14.8)	(17.2)	(19.1)	(18.6)	(13.2)	(4.9)	(1.5)	(0.3)	(0.0)	(100.0)				
130～		3	8	57	143	295	347	402	343	263	87	24	3		1,975	117	2,092	160.82	9.04
(%)		(0.2)	(0.4)	(2.9)	(7.2)	(14.9)	(17.6)	(20.4)	(17.4)	(13.3)	(4.4)	(1.2)	(0.2)		(100.0)				
140～	1		3	32	87	160	217	260	268	139	53	14	4		1,238	70	1,308	161.27	8.75
(%)	(0.1)		(0.2)	(2.6)	(7.0)	(12.9)	(17.5)	(21.0)	(21.6)	(11.2)	(4.3)	(1.1)	(0.3)		(100.0)				
合計	30	53	230	963	2,515	4,459	5,149	6,044	5,668	4,032	1,511	417	62	7	31,140	1,820	32,960	160.75	9.49
(%)	(0.1)	(0.2)	(0.7)	(3.1)	(8.1)	(14.3)	(16.5)	(19.4)	(18.2)	(12.9)	(4.9)	(1.3)	(0.2)	(0.0)	(100.0)				
記載なし	4	4	16	44	117	205	260	258	232	179	60	16			1,395	616	2,011	160.01	10.13
(%)	(0.3)	(0.3)	(1.1)	(3.2)	(8.4)	(14.7)	(18.6)	(18.5)	(16.6)	(12.8)	(4.3)	(1.1)			(100.0)				
総計	34	57	246	1,007	2,632	4,664	5,409	6,302	5,900	4,211	1,571	433	62	7	32,535	2,436	34,971	160.72	9.52
(%)	(0.1)	(0.2)	(0.8)	(3.1)	(8.1)	(14.3)	(16.6)	(19.4)	(18.1)	(12.9)	(4.8)	(1.3)	(0.2)	(0.0)	(100.0)				
平均	91.20	88.13	95.75	97.70	100.00	101.73	102.65	102.40	102.76	103.00	102.65	102.94	105.07	97.06	102.09	99.06	101.92		
標準偏差	26.91	25.74	22.42	25.64	24.59	24.22	23.39	23.75	23.77	22.82	22.13	23.28	22.95	22.34	23.72	26.16	23.87		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査