

表 2400 身長(cm) %クレアチニン産生速度(%)別（血液透析濾過患者 女性のみ 透析回数週3回 透析歴2年以上）

%クレアチニン 産生速度	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
60未満	3	5	13	70	139	189	102	35	7	4	2				569	63	632	150.60	6.74
(%)	(0.5)	(0.9)	(2.3)	(12.3)	(24.4)	(33.2)	(17.9)	(6.2)	(1.2)	(0.7)	(0.4)				(100.0)				
60～	3	3	20	53	113	150	103	32	8						485	33	518	150.56	7.18
(%)	(0.6)	(0.6)	(4.1)	(10.9)	(23.3)	(30.9)	(21.2)	(6.6)	(1.6)						(100.0)				
70～	1	7	22	101	191	251	192	67	19	2					853	54	907	151.25	6.63
(%)	(0.1)	(0.8)	(2.6)	(11.8)	(22.4)	(29.4)	(22.5)	(7.9)	(2.2)	(0.2)					(100.0)				
80～	4	2	30	110	262	387	276	147	22	2	2				1,244	95	1,339	152.10	6.68
(%)	(0.3)	(0.2)	(2.4)	(8.8)	(21.1)	(31.1)	(22.2)	(11.8)	(1.8)	(0.2)	(0.2)				(100.0)				
90～	4	13	39	136	378	540	434	184	42	7	3				1,780	112	1,892	152.26	6.75
(%)	(0.2)	(0.7)	(2.2)	(7.6)	(21.2)	(30.3)	(24.4)	(10.3)	(2.4)	(0.4)	(0.2)				(100.0)				
100～	4	4	37	163	415	641	555	251	49	9	2	2			2,132	110	2,242	152.74	6.86
(%)	(0.2)	(0.2)	(1.7)	(7.6)	(19.5)	(30.1)	(26.0)	(11.8)	(2.3)	(0.4)	(0.1)	(0.1)			(100.0)				
110～	2	6	32	119	378	617	475	252	52	6	1	1			1,941	106	2,047	152.90	6.79
(%)	(0.1)	(0.3)	(1.6)	(6.1)	(19.5)	(31.8)	(24.5)	(13.0)	(2.7)	(0.3)	(0.1)	(0.1)			(100.0)				
120～	2	2	21	88	252	455	391	196	44	4	1	1			1,457	65	1,522	153.32	6.70
(%)	(0.1)	(0.1)	(1.4)	(6.0)	(17.3)	(31.2)	(26.8)	(13.5)	(3.0)	(0.3)	(0.1)	(0.1)			(100.0)				
130～		3	8	55	139	254	207	92	16	6	1				781	48	829	153.04	6.21
(%)		(0.4)	(1.0)	(7.0)	(17.8)	(32.5)	(26.5)	(11.8)	(2.0)	(0.8)	(0.1)				(100.0)				
140～	1		3	31	85	133	119	50	19	3	1				445	23	468	153.45	6.53
(%)	(0.2)		(0.7)	(7.0)	(19.1)	(29.9)	(26.7)	(11.2)	(4.3)	(0.7)	(0.2)				(100.0)				
合計	24	45	225	926	2,352	3,617	2,854	1,306	278	43	13	4			11,687	709	12,396	152.44	6.77
(%)	(0.2)	(0.4)	(1.9)	(7.9)	(20.1)	(30.9)	(24.4)	(11.2)	(2.4)	(0.4)	(0.1)	(0.0)			(100.0)				
記載なし	4	4	15	43	108	175	151	51	15	3	2				571	228	799	151.97	8.57
(%)	(0.7)	(0.7)	(2.6)	(7.5)	(18.9)	(30.6)	(26.4)	(8.9)	(2.6)	(0.5)	(0.4)				(100.0)				
総計	28	49	240	969	2,460	3,792	3,005	1,357	293	46	15	4			12,258	937	13,195	152.42	6.87
(%)	(0.2)	(0.4)	(2.0)	(7.9)	(20.1)	(30.9)	(24.5)	(11.1)	(2.4)	(0.4)	(0.1)	(0.0)			(100.0)				
平均	92.66	91.74	95.80	97.71	100.52	102.61	104.38	106.02	107.20	106.18	100.02	113.75			102.55	98.44	102.31		
標準偏差	29.60	24.65	22.54	25.56	24.52	23.90	22.58	21.23	22.62	25.30	27.90	12.05			23.67	27.02	23.89		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査