

表 2410 身長(cm) Non-HDL-C濃度(mg/dL)別（血液透析濾過患者 透析回数週3回）

Non-HDL-C濃度	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
50未満	1		3	10	29	49	80	114	115	77	30	6			514	15	529	162.48	8.67
(%)	(0.2)		(0.6)	(1.9)	(5.6)	(9.5)	(15.6)	(22.2)	(22.4)	(15.0)	(5.8)	(1.2)			(100.0)				
50～		1	11	37	125	240	320	516	517	329	142	42	4		2,284	119	2,403	162.73	8.72
(%)		(0.0)	(0.5)	(1.6)	(5.5)	(10.5)	(14.0)	(22.6)	(22.6)	(14.4)	(6.2)	(1.8)	(0.2)		(100.0)				
70～	5	7	36	117	315	555	790	1,063	985	651	281	68	9	1	4,883	255	5,138	161.73	9.27
(%)	(0.1)	(0.1)	(0.7)	(2.4)	(6.5)	(11.4)	(16.2)	(21.8)	(20.2)	(13.3)	(5.8)	(1.4)	(0.2)	(0.0)	(100.0)				
90～	8	11	49	186	476	844	968	1,156	1,082	799	294	64	12		5,949	316	6,265	160.76	9.45
(%)	(0.1)	(0.2)	(0.8)	(3.1)	(8.0)	(14.2)	(16.3)	(19.4)	(18.2)	(13.4)	(4.9)	(1.1)	(0.2)		(100.0)				
110～	5	10	39	174	450	751	812	921	830	607	229	58	12	1	4,899	263	5,162	160.22	9.69
(%)	(0.1)	(0.2)	(0.8)	(3.6)	(9.2)	(15.3)	(16.6)	(18.8)	(16.9)	(12.4)	(4.7)	(1.2)	(0.2)	(0.0)	(100.0)				
130～	3	10	29	110	287	483	519	511	479	374	134	48	6	1	2,994	155	3,149	159.91	9.81
(%)	(0.1)	(0.3)	(1.0)	(3.7)	(9.6)	(16.1)	(17.3)	(17.1)	(16.0)	(12.5)	(4.5)	(1.6)	(0.2)	(0.0)	(100.0)				
150～	2	1	7	62	153	262	248	258	239	173	68	22	6	1	1,502	95	1,597	159.84	9.82
(%)	(0.1)	(0.1)	(0.5)	(4.1)	(10.2)	(17.4)	(16.5)	(17.2)	(15.9)	(11.5)	(4.5)	(1.5)	(0.4)	(0.1)	(100.0)				
170～			6	20	72	129	111	102	97	63	24	7	3		634	48	682	159.07	9.39
(%)			(0.9)	(3.2)	(11.4)	(20.3)	(17.5)	(16.1)	(15.3)	(9.9)	(3.8)	(1.1)	(0.5)		(100.0)				
190～	1	2	1	11	33	39	47	43	35	21	11	1			245	17	262	158.42	9.66
(%)	(0.4)	(0.8)	(0.4)	(4.5)	(13.5)	(15.9)	(19.2)	(17.6)	(14.3)	(8.6)	(4.5)	(0.4)			(100.0)				
210～			1	4	14	23	23	25	16	14	5	1			126	15	141	159.09	9.17
(%)			(0.8)	(3.2)	(11.1)	(18.3)	(18.3)	(19.8)	(12.7)	(11.1)	(4.0)	(0.8)			(100.0)				
合計	25	42	182	731	1,954	3,375	3,918	4,709	4,395	3,108	1,218	317	52	4	24,030	1,298	25,328	160.83	9.50
(%)	(0.1)	(0.2)	(0.8)	(3.0)	(8.1)	(14.0)	(16.3)	(19.6)	(18.3)	(12.9)	(5.1)	(1.3)	(0.2)	(0.0)	(100.0)				
記載なし	13	28	107	432	1,041	1,837	2,161	2,468	2,327	1,677	568	176	25	5	12,865	1,753	14,618	160.56	9.60
(%)	(0.1)	(0.2)	(0.8)	(3.4)	(8.1)	(14.3)	(16.8)	(19.2)	(18.1)	(13.0)	(4.4)	(1.4)	(0.2)	(0.0)	(100.0)				
総計	38	70	289	1,163	2,995	5,212	6,079	7,177	6,722	4,785	1,786	493	77	9	36,895	3,051	39,946	160.74	9.54
(%)	(0.1)	(0.2)	(0.8)	(3.2)	(8.1)	(14.1)	(16.5)	(19.5)	(18.2)	(13.0)	(4.8)	(1.3)	(0.2)	(0.0)	(100.0)				
平均	112.24	116.19	108.87	113.78	113.42	112.41	108.32	104.07	103.12	104.53	103.32	105.14	114.42	125.75	106.95	110.34	107.12		
標準偏差	33.34	30.48	30.85	32.28	33.72	33.38	33.26	33.07	32.75	32.69	32.48	32.99	32.98	33.95	33.24	35.54	33.37		

数値下のかっこ内は行方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy

2014年調査