

表 2432 身長(cm) PTH値(pg/mL)別（腹膜透析患者）PTH測定法:whole-PTH

PTH値	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
20未満				2	4	6	8	3	6	4	3	4			40		40	161.82	11.34
(%)				(5.0)	(10.0)	(15.0)	(20.0)	(7.5)	(15.0)	(10.0)	(7.5)	(10.0)			(100.0)				
20～				2	3	7	5	12	6	6	4				45		45	161.53	9.24
(%)				(4.4)	(6.7)	(15.6)	(11.1)	(26.7)	(13.3)	(13.3)	(8.9)				(100.0)				
35～	2			2	2	12	7	6	11	11	1				54	1	55	158.28	15.72
(%)	(3.7)			(3.7)	(3.7)	(22.2)	(13.0)	(11.1)	(20.4)	(20.4)	(1.9)				(100.0)				
50～				3	4	6	11	18	22	6	5	2			77		77	162.42	9.12
(%)				(3.9)	(5.2)	(7.8)	(14.3)	(23.4)	(28.6)	(7.8)	(6.5)	(2.6)			(100.0)				
75～	1			2	2	4	15	23	8	9	3				67	2	69	161.48	8.60
(%)	(1.5)			(3.0)	(3.0)	(6.0)	(22.4)	(34.3)	(11.9)	(13.4)	(4.5)				(100.0)				
100～				6	3	11	9	16	12	7	4	1	1		70	1	71	160.77	9.99
(%)				(8.6)	(4.3)	(15.7)	(12.9)	(22.9)	(17.1)	(10.0)	(5.7)	(1.4)	(1.4)		(100.0)				
125～					5	3	7	13	10	7					45		45	161.38	7.31
(%)					(11.1)	(6.7)	(15.6)	(28.9)	(22.2)	(15.6)					(100.0)				
150～						1									1		1	154.00	
(%)						(100.0)									(100.0)				
151～				2	5	3	4	4	7	9	6	2			42	1	43	163.67	11.00
(%)				(4.8)	(11.9)	(7.1)	(9.5)	(9.5)	(16.7)	(21.4)	(14.3)	(4.8)			(100.0)				
180～		1		3	3	1	6	5	7	6	2				34		34	159.97	11.23
(%)		(2.9)		(8.8)	(8.8)	(2.9)	(17.6)	(14.7)	(20.6)	(17.6)	(5.9)				(100.0)				
210～				1	3	2	2	6	5	5	1	2			27		27	162.93	10.41
(%)				(3.7)	(11.1)	(7.4)	(7.4)	(22.2)	(18.5)	(18.5)	(3.7)	(7.4)			(100.0)				
240～			1			1	4	2	8	5	2				23		23	164.83	8.76
(%)			(4.3)			(4.3)	(17.4)	(8.7)	(34.8)	(21.7)	(8.7)				(100.0)				
300～		1	1		1		3	5	5	2					18	1	19	159.67	11.05
(%)		(5.6)	(5.6)		(5.6)		(16.7)	(27.8)	(27.8)	(11.1)					(100.0)				
350～						2		2	2		2				8		8	164.88	9.08
(%)						(25.0)		(25.0)	(25.0)		(25.0)				(100.0)				
400～					1	2	1	1	2	2	2				11		11	162.82	10.89
(%)					(9.1)	(18.2)	(9.1)	(9.1)	(18.2)	(18.2)	(18.2)				(100.0)				
500～	1				2	2	1	2	1	2					11		11	152.73	21.85
(%)	(9.1)				(18.2)	(18.2)	(9.1)	(18.2)	(9.1)	(18.2)					(100.0)				
合計	4	2	2	23	38	63	83	118	112	81	35	11	1		573	6	579	161.35	10.81
(%)	(0.7)	(0.3)	(0.3)	(4.0)	(6.6)	(11.0)	(14.5)	(20.6)	(19.5)	(14.1)	(6.1)	(1.9)	(0.2)		(100.0)				
記載なし				5	7	20	25	17	21	7	9	2			113	27	140	160.35	9.23
(%)				(4.4)	(6.2)	(17.7)	(22.1)	(15.0)	(18.6)	(6.2)	(8.0)	(1.8)			(100.0)				
総計	4	2	2	28	45	83	108	135	133	88	44	13	1		686	33	719	161.18	10.57
(%)	(0.6)	(0.3)	(0.3)	(4.1)	(6.6)	(12.1)	(15.7)	(19.7)	(19.4)	(12.8)	(6.4)	(1.9)	(0.1)		(100.0)				
平均	298.00	264.50	288.50	99.78	152.24	122.05	121.81	125.07	139.61	138.32	141.94	97.73	119.00		132.53	135.50	132.56		
標準偏差	488.26	111.02	21.92	65.27	147.30	148.63	117.02	110.75	140.22	111.96	125.74	88.84			129.78	92.55	129.39		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査