

表 2468 透析後体重(kg) Body Mass Index別（施設血液透析患者 透析回数週3回）

Body Mass Index	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
14未満	30	383	849	47	2								1,311		1,311	31.77	4.64
(%)	(2.3)	(29.2)	(64.8)	(3.6)	(0.2)								(100.0)				
14～		269	5,109	2,185	43								7,606		7,606	37.48	4.63
(%)		(3.5)	(67.2)	(28.7)	(0.6)								(100.0)				
16～		53	7,603	14,393	2,417	14							24,480		24,480	42.88	5.25
(%)		(0.2)	(31.1)	(58.8)	(9.9)	(0.1)							(100.0)				
18～		4	3,253	22,414	16,528	956	1						43,156		43,156	48.36	5.86
(%)		(0.0)	(7.5)	(51.9)	(38.3)	(2.2)	(0.0)						(100.0)				
20～		4	532	12,180	26,338	8,419	205	2					47,680		47,680	54.02	6.36
(%)		(0.0)	(1.1)	(25.5)	(55.2)	(17.7)	(0.4)	(0.0)					(100.0)				
22～			57	3,402	15,192	15,915	2,206	38					36,810		36,810	59.52	7.00
(%)			(0.2)	(9.2)	(41.3)	(43.2)	(6.0)	(0.1)					(100.0)				
24～			8	570	5,056	10,253	5,540	476	10				21,913		21,913	65.10	7.75
(%)			(0.0)	(2.6)	(23.1)	(46.8)	(25.3)	(2.2)	(0.0)				(100.0)				
26～			3	83	1,330	3,817	4,817	1,530	105	3			11,688		11,688	70.65	8.65
(%)			(0.0)	(0.7)	(11.4)	(32.7)	(41.2)	(13.1)	(0.9)	(0.0)			(100.0)				
28～		1	4	16	238	1,407	2,058	1,825	409	32	1		5,991		5,991	76.23	9.77
(%)		(0.0)	(0.1)	(0.3)	(4.0)	(23.5)	(34.4)	(30.5)	(6.8)	(0.5)	(0.0)		(100.0)				
30～			4	15	64	538	1,250	1,622	1,237	369	62	3	5,164		5,164	84.13	11.79
(%)			(0.1)	(0.3)	(1.2)	(10.4)	(24.2)	(31.4)	(24.0)	(7.1)	(1.2)	(0.1)	(100.0)				
合計	30	714	17,422	55,305	67,208	41,319	16,077	5,493	1,761	404	63	3	205,799		205,799	55.27	12.29
(%)	(0.0)	(0.3)	(8.5)	(26.9)	(32.7)	(20.1)	(7.8)	(2.7)	(0.9)	(0.2)	(0.0)	(0.0)	(100.0)				
記載なし	54	88	1,695	4,504	4,901	2,763	1,107	588	434	351	236	186	16,907	6,265	23,172	57.63	18.67
(%)	(0.3)	(0.5)	(10.0)	(26.6)	(29.0)	(16.3)	(6.5)	(3.5)	(2.6)	(2.1)	(1.4)	(1.1)	(100.0)				
総計	84	802	19,117	59,809	72,109	44,082	17,184	6,081	2,195	755	299	189	222,706	6,265	228,971	55.45	12.90
(%)	(0.0)	(0.4)	(8.6)	(26.9)	(32.4)	(19.8)	(7.7)	(2.7)	(1.0)	(0.3)	(0.1)	(0.1)	(100.0)				
平均	7.04	13.85	16.74	19.08	21.27	23.68	26.31	28.89	31.15	32.61	33.58	34.69	21.46		21.46		
標準偏差	1.02	1.83	1.76	1.94	2.08	2.25	2.36	2.28	2.02	1.69	1.29	0.21	3.66		3.66		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査