

表 2469 透析後体重(kg) Body Mass Index別（施設血液透析患者 男性のみ 透析回数週3回）

Body Mass Index	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
14未満	18	25	337	42	2								424		424	34.66	5.30
(%)	(4.2)	(5.9)	(79.5)	(9.9)	(0.5)								(100.0)				
14～		7	1,134	1,877	43								3,061		3,061	41.15	3.83
(%)		(0.2)	(37.0)	(61.3)	(1.4)								(100.0)				
16～		1	798	9,401	2,371	14							12,585		12,585	46.24	4.18
(%)		(0.0)	(6.3)	(74.7)	(18.8)	(0.1)							(100.0)				
18～			135	9,659	15,521	951	1						26,267		26,267	51.46	4.61
(%)			(0.5)	(36.8)	(59.1)	(3.6)	(0.0)						(100.0)				
20～		1	30	2,498	21,600	8,305	203	2					32,639		32,639	56.81	5.00
(%)		(0.0)	(0.1)	(7.7)	(66.2)	(25.4)	(0.6)	(0.0)					(100.0)				
22～			4	264	8,575	15,273	2,191	38					26,345		26,345	62.36	5.53
(%)			(0.0)	(1.0)	(32.5)	(58.0)	(8.3)	(0.1)					(100.0)				
24～				29	1,177	8,486	5,470	476	10				15,648		15,648	68.27	6.10
(%)				(0.2)	(7.5)	(54.2)	(35.0)	(3.0)	(0.1)				(100.0)				
26～			2	9	131	1,851	4,505	1,519	104	3			8,124		8,124	74.39	6.79
(%)			(0.0)	(0.1)	(1.6)	(22.8)	(55.5)	(18.7)	(1.3)	(0.0)			(100.0)				
28～			1	8	22	253	1,528	1,785	408	32	1		4,038		4,038	80.75	7.69
(%)			(0.0)	(0.2)	(0.5)	(6.3)	(37.8)	(44.2)	(10.1)	(0.8)	(0.0)		(100.0)				
30～				7	18	53	343	1,236	1,185	364	61	3	3,270		3,270	89.74	9.68
(%)				(0.2)	(0.6)	(1.6)	(10.5)	(37.8)	(36.2)	(11.1)	(1.9)	(0.1)	(100.0)				
合計	18	34	2,441	23,794	49,460	35,186	14,241	5,056	1,707	399	62	3	132,401		132,401	59.39	11.47
(%)	(0.0)	(0.0)	(1.8)	(18.0)	(37.4)	(26.6)	(10.8)	(3.8)	(1.3)	(0.3)	(0.0)	(0.0)	(100.0)				
記載なし	31	6	277	2,117	3,667	2,330	906	362	267	295	211	175	10,644	3,988	14,632	61.99	18.68
(%)	(0.3)	(0.1)	(2.6)	(19.9)	(34.5)	(21.9)	(8.5)	(3.4)	(2.5)	(2.8)	(2.0)	(1.6)	(100.0)				
総計	49	40	2,718	25,911	53,127	37,516	15,147	5,418	1,974	694	273	178	143,045	3,988	147,033	59.58	12.18
(%)	(0.0)	(0.0)	(1.9)	(18.1)	(37.1)	(26.2)	(10.6)	(3.8)	(1.4)	(0.5)	(0.2)	(0.1)	(100.0)				
平均	6.90	12.34	15.69	18.15	20.64	23.17	25.85	28.60	31.08	32.58	33.56	34.69	21.81		21.81		
標準偏差	0.97	2.98	1.70	1.61	1.68	1.79	1.93	2.07	2.00	1.69	1.29	0.21	3.50		3.50		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査