

表 2482 透析後体重(kg) %クレアチニン産生速度(%)別（施設血液透析患者 透析回数週3回 透析歴2年以上）

%クレアチニン 産生速度	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
60未満		260	2,689	4,286	3,055	1,447	523	174	67	23	15	11	12,550		12,550	49.44	12.81
(%)		(2.1)	(21.4)	(34.2)	(24.3)	(11.5)	(4.2)	(1.4)	(0.5)	(0.2)	(0.1)	(0.1)	(100.0)				
60～		77	1,256	2,960	2,691	1,343	486	184	85	23	12	8	9,125		9,125	52.49	12.93
(%)		(0.8)	(13.8)	(32.4)	(29.5)	(14.7)	(5.3)	(2.0)	(0.9)	(0.3)	(0.1)	(0.1)	(100.0)				
70～		60	1,615	4,281	4,267	2,298	917	337	109	41	15	14	13,954		13,954	53.72	12.90
(%)		(0.4)	(11.6)	(30.7)	(30.6)	(16.5)	(6.6)	(2.4)	(0.8)	(0.3)	(0.1)	(0.1)	(100.0)				
80～		68	1,890	5,611	6,349	3,548	1,357	512	224	74	30	20	19,683		19,683	54.81	13.05
(%)		(0.3)	(9.6)	(28.5)	(32.3)	(18.0)	(6.9)	(2.6)	(1.1)	(0.4)	(0.2)	(0.1)	(100.0)				
90～		46	1,991	6,826	8,167	4,920	1,829	662	260	93	34	30	24,858		24,858	55.54	12.79
(%)		(0.2)	(8.0)	(27.5)	(32.9)	(19.8)	(7.4)	(2.7)	(1.0)	(0.4)	(0.1)	(0.1)	(100.0)				
100～		34	1,841	7,001	8,980	5,441	2,112	743	284	105	34	20	26,595		26,595	56.11	12.61
(%)		(0.1)	(6.9)	(26.3)	(33.8)	(20.5)	(7.9)	(2.8)	(1.1)	(0.4)	(0.1)	(0.1)	(100.0)				
110～		23	1,481	5,894	8,187	5,159	2,055	703	231	75	28	18	23,854		23,854	56.63	12.39
(%)		(0.1)	(6.2)	(24.7)	(34.3)	(21.6)	(8.6)	(2.9)	(1.0)	(0.3)	(0.1)	(0.1)	(100.0)				
120～	1	12	914	4,290	5,830	4,030	1,567	466	158	41	19	10	17,338		17,338	56.91	12.07
(%)	(0.0)	(0.1)	(5.3)	(24.7)	(33.6)	(23.2)	(9.0)	(2.7)	(0.9)	(0.2)	(0.1)	(0.1)	(100.0)				
130～		5	435	2,216	3,316	2,364	899	259	82	23	7	2	9,608		9,608	57.35	11.71
(%)		(0.1)	(4.5)	(23.1)	(34.5)	(24.6)	(9.4)	(2.7)	(0.9)	(0.2)	(0.1)	(0.0)	(100.0)				
140～	4	7	243	1,394	2,202	1,753	611	175	39	12	7	2	6,449		6,449	57.73	11.54
(%)	(0.1)	(0.1)	(3.8)	(21.6)	(34.1)	(27.2)	(9.5)	(2.7)	(0.6)	(0.2)	(0.1)	(0.0)	(100.0)				
合計	5	592	14,355	44,759	53,044	32,303	12,356	4,215	1,539	510	201	135	164,014		164,014	55.25	12.75
(%)	(0.0)	(0.4)	(8.8)	(27.3)	(32.3)	(19.7)	(7.5)	(2.6)	(0.9)	(0.3)	(0.1)	(0.1)	(100.0)				
記載なし	57	64	1,017	2,774	3,062	1,663	685	236	76	30	14	3	9,681	4,514	14,195	53.91	13.22
(%)	(0.6)	(0.7)	(10.5)	(28.7)	(31.6)	(17.2)	(7.1)	(2.4)	(0.8)	(0.3)	(0.1)	(0.0)	(100.0)				
総計	62	656	15,372	47,533	56,106	33,966	13,041	4,451	1,615	540	215	138	173,695	4,514	178,209	55.17	12.78
(%)	(0.0)	(0.4)	(8.8)	(27.4)	(32.3)	(19.6)	(7.5)	(2.6)	(0.9)	(0.3)	(0.1)	(0.1)	(100.0)				
平均	188.86	66.95	86.33	95.72	100.69	103.51	103.65	101.94	99.58	98.72	97.43	92.99	98.74		98.74		
標準偏差	58.04	29.77	28.64	26.49	24.72	24.38	23.89	23.54	22.49	21.53	28.61	22.83	25.96		25.96		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査