

表 2493 透析後体重(kg) HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

HDL-C濃度	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
20未満		2	64	170	201	122	48	31	9	6	2	3	658	13	671	56.58	15.08
(%)		(0.3)	(9.7)	(25.8)	(30.5)	(18.5)	(7.3)	(4.7)	(1.4)	(0.9)	(0.3)	(0.5)	(100.0)				
20～	7	20	588	1,997	3,534	3,257	1,803	865	397	175	70	44	12,757	89	12,846	62.30	15.52
(%)	(0.1)	(0.2)	(4.6)	(15.7)	(27.7)	(25.5)	(14.1)	(6.8)	(3.1)	(1.4)	(0.5)	(0.3)	(100.0)				
30～	12	75	2,005	7,249	11,304	9,006	4,268	1,698	659	206	94	63	36,639	249	36,888	59.25	13.89
(%)	(0.0)	(0.2)	(5.5)	(19.8)	(30.9)	(24.6)	(11.6)	(4.6)	(1.8)	(0.6)	(0.3)	(0.2)	(100.0)				
40～	17	125	3,047	10,390	13,588	8,580	3,218	1,048	313	99	31	18	40,474	255	40,729	55.74	12.28
(%)	(0.0)	(0.3)	(7.5)	(25.7)	(33.6)	(21.2)	(8.0)	(2.6)	(0.8)	(0.2)	(0.1)	(0.0)	(100.0)				
50～	12	134	2,746	8,796	9,982	5,159	1,570	360	120	29	13	2	28,923	157	29,080	53.34	11.17
(%)	(0.0)	(0.5)	(9.5)	(30.4)	(34.5)	(17.8)	(5.4)	(1.2)	(0.4)	(0.1)	(0.0)	(0.0)	(100.0)				
60～	3	46	1,869	5,665	5,711	2,530	651	178	37	10	2	2	16,704	88	16,792	51.93	10.58
(%)	(0.0)	(0.3)	(11.2)	(33.9)	(34.2)	(15.1)	(3.9)	(1.1)	(0.2)	(0.1)	(0.0)	(0.0)	(100.0)				
70～	3	37	1,084	3,037	2,604	1,076	228	62	14	2		2	8,149	52	8,201	50.61	10.25
(%)	(0.0)	(0.5)	(13.3)	(37.3)	(32.0)	(13.2)	(2.8)	(0.8)	(0.2)	(0.0)		(0.0)	(100.0)				
80～		27	536	1,454	1,166	464	129	30	7	5			3,818	16	3,834	50.38	10.58
(%)		(0.7)	(14.0)	(38.1)	(30.5)	(12.2)	(3.4)	(0.8)	(0.2)	(0.1)			(100.0)				
90～	2	13	244	646	529	206	64	13	5				1,722	11	1,733	50.41	10.56
(%)	(0.1)	(0.8)	(14.2)	(37.5)	(30.7)	(12.0)	(3.7)	(0.8)	(0.3)				(100.0)				
100～	1	10	200	522	437	198	55	20	6				1,449	9	1,458	50.97	11.05
(%)	(0.1)	(0.7)	(13.8)	(36.0)	(30.2)	(13.7)	(3.8)	(1.4)	(0.4)				(100.0)				
合計	57	489	12,383	39,926	49,056	30,598	12,034	4,305	1,567	532	212	134	151,293	939	152,232	55.75	12.94
(%)	(0.0)	(0.3)	(8.2)	(26.4)	(32.4)	(20.2)	(8.0)	(2.8)	(1.0)	(0.4)	(0.1)	(0.1)	(100.0)				
記載なし	27	313	6,734	19,883	23,053	13,484	5,150	1,776	628	223	87	55	71,413	5,326	76,739	54.80	12.78
(%)	(0.0)	(0.4)	(9.4)	(27.8)	(32.3)	(18.9)	(7.2)	(2.5)	(0.9)	(0.3)	(0.1)	(0.1)	(100.0)				
総計	84	802	19,117	59,809	72,109	44,082	17,184	6,081	2,195	755	299	189	222,706	6,265	228,971	55.45	12.90
(%)	(0.0)	(0.4)	(8.6)	(26.9)	(32.4)	(19.8)	(7.7)	(2.7)	(1.0)	(0.3)	(0.1)	(0.1)	(100.0)				
平均	48.40	53.96	53.49	52.06	48.72	45.11	41.86	39.28	37.18	35.26	34.26	34.08	48.26	46.68	48.25		
標準偏差	23.69	18.53	17.77	17.17	16.09	15.10	13.88	13.37	12.19	10.56	8.65	9.45	16.54	16.79	16.54		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査