

表 2497 透析後体重(kg) 透析前脈拍(拍/分)別 (施設血液透析患者 透析回数週3回)

透析前脈拍	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
40未満			15	47	56	28	7	2					155		155	52.69	10.81
(%)			(9.7)	(30.3)	(36.1)	(18.1)	(4.5)	(1.3)					(100.0)				
40～	1	8	213	604	689	310	72	20	7	1			1,925	4	1,929	52.16	10.51
(%)	(0.1)	(0.4)	(11.1)	(31.4)	(35.8)	(16.1)	(3.7)	(1.0)	(0.4)	(0.1)			(100.0)				
50～	6	67	1,523	4,783	5,553	2,780	744	210	47	13	1	2	15,729	44	15,773	53.14	10.90
(%)	(0.0)	(0.4)	(9.7)	(30.4)	(35.3)	(17.7)	(4.7)	(1.3)	(0.3)	(0.1)	(0.0)	(0.0)	(100.0)				
60～	16	183	4,633	14,231	16,411	9,024	2,893	837	233	85	29	16	48,591	150	48,741	53.85	11.66
(%)	(0.0)	(0.4)	(9.5)	(29.3)	(33.8)	(18.6)	(6.0)	(1.7)	(0.5)	(0.2)	(0.1)	(0.0)	(100.0)				
70～	24	192	5,019	15,909	18,799	11,523	4,347	1,439	499	162	53	44	58,010	174	58,184	55.16	12.59
(%)	(0.0)	(0.3)	(8.7)	(27.4)	(32.4)	(19.9)	(7.5)	(2.5)	(0.9)	(0.3)	(0.1)	(0.1)	(100.0)				
80～	16	128	2,758	8,849	11,326	7,831	3,508	1,349	552	173	74	48	36,612	111	36,723	57.11	13.77
(%)	(0.0)	(0.3)	(7.5)	(24.2)	(30.9)	(21.4)	(9.6)	(3.7)	(1.5)	(0.5)	(0.2)	(0.1)	(100.0)				
90～	8	44	1,066	3,385	4,597	3,622	1,821	797	319	124	65	28	15,876	42	15,918	58.99	14.71
(%)	(0.1)	(0.3)	(6.7)	(21.3)	(29.0)	(22.8)	(11.5)	(5.0)	(2.0)	(0.8)	(0.4)	(0.2)	(100.0)				
100～	1	15	302	1,019	1,377	1,084	575	292	131	49	27	9	4,881	23	4,904	59.92	15.45
(%)	(0.0)	(0.3)	(6.2)	(20.9)	(28.2)	(22.2)	(11.8)	(6.0)	(2.7)	(1.0)	(0.6)	(0.2)	(100.0)				
110～		4	89	254	322	230	130	74	24	12	4	7	1,150	7	1,157	59.28	16.29
(%)		(0.3)	(7.7)	(22.1)	(28.0)	(20.0)	(11.3)	(6.4)	(2.1)	(1.0)	(0.3)	(0.6)	(100.0)				
120～	1		47	149	130	96	36	21	10	3	2		495	3	498	55.81	14.83
(%)	(0.2)		(9.5)	(30.1)	(26.3)	(19.4)	(7.3)	(4.2)	(2.0)	(0.6)	(0.4)		(100.0)				
合計	73	641	15,665	49,230	59,260	36,528	14,133	5,041	1,822	622	255	154	183,424	558	183,982	55.48	12.89
(%)	(0.0)	(0.3)	(8.5)	(26.8)	(32.3)	(19.9)	(7.7)	(2.7)	(1.0)	(0.3)	(0.1)	(0.1)	(100.0)				
記載なし	11	161	3,452	10,579	12,849	7,554	3,051	1,040	373	133	44	35	39,282	5,707	44,989	55.27	12.91
(%)	(0.0)	(0.4)	(8.8)	(26.9)	(32.7)	(19.2)	(7.8)	(2.6)	(0.9)	(0.3)	(0.1)	(0.1)	(100.0)				
総計	84	802	19,117	59,809	72,109	44,082	17,184	6,081	2,195	755	299	189	222,706	6,265	228,971	55.45	12.90
(%)	(0.0)	(0.4)	(8.6)	(26.9)	(32.4)	(19.8)	(7.7)	(2.7)	(1.0)	(0.3)	(0.1)	(0.1)	(100.0)				
平均	75.53	73.25	73.06	73.20	73.76	75.41	77.78	80.03	82.00	82.76	85.13	83.23	74.49	75.79	74.50		
標準偏差	13.42	12.28	12.47	12.51	12.60	12.77	12.93	13.15	12.85	14.70	12.75	12.50	12.79	14.05	12.80		

数値下のカッコ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査