

表 2515 透析後体重(kg) 透析時間(時間/回)別 (血液透析濾過患者 透析回数週3回)

透析時間	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
3.0未満			11	30	34	10	5	1			1		92		92	52.28	12.43
(%)			(12.0)	(32.6)	(37.0)	(10.9)	(5.4)	(1.1)			(1.1)		(100.0)				
3.0～		21	320	749	696	324	83	28	4		2		2,227	55	2,282	51.17	11.15
(%)		(0.9)	(14.4)	(33.6)	(31.3)	(14.5)	(3.7)	(1.3)	(0.2)		(0.1)		(100.0)				
3.5～	1	11	274	755	822	391	131	32	12		1		2,430	49	2,479	52.73	11.20
(%)	(0.0)	(0.5)	(11.3)	(31.1)	(33.8)	(16.1)	(5.4)	(1.3)	(0.5)		(0.0)		(100.0)				
4.0～	8	40	1,747	6,766	8,479	5,620	2,186	719	218	68	23	10	25,884	550	26,434	56.16	12.33
(%)	(0.0)	(0.2)	(6.7)	(26.1)	(32.8)	(21.7)	(8.4)	(2.8)	(0.8)	(0.3)	(0.1)	(0.0)	(100.0)				
4.5～		2	157	806	1,161	926	450	175	81	26	5	5	3,794	54	3,848	59.50	13.74
(%)		(0.1)	(4.1)	(21.2)	(30.6)	(24.4)	(11.9)	(4.6)	(2.1)	(0.7)	(0.1)	(0.1)	(100.0)				
5.0～	3	1	157	797	1,132	949	485	271	115	43	26	18	3,997	35	4,032	61.46	15.59
(%)	(0.1)	(0.0)	(3.9)	(19.9)	(28.3)	(23.7)	(12.1)	(6.8)	(2.9)	(1.1)	(0.7)	(0.5)	(100.0)				
5.5～		1	6	40	55	52	37	15	10	2			218		218	62.51	14.83
(%)		(0.5)	(2.8)	(18.3)	(25.2)	(23.9)	(17.0)	(6.9)	(4.6)	(0.9)			(100.0)				
6.0～			7	41	81	72	35	26	12	2	3	4	283	1	284	64.60	16.71
(%)			(2.5)	(14.5)	(28.6)	(25.4)	(12.4)	(9.2)	(4.2)	(0.7)	(1.1)	(1.4)	(100.0)				
6.5～				4	5	3	3		2				17		17	61.36	16.21
(%)				(23.5)	(29.4)	(17.6)	(17.6)		(11.8)				(100.0)				
7.0～			1	6	8	10	5	4	1	1			36		36	64.54	15.58
(%)			(2.8)	(16.7)	(22.2)	(27.8)	(13.9)	(11.1)	(2.8)	(2.8)			(100.0)				
合計	12	76	2,680	9,994	12,473	8,357	3,420	1,271	455	142	61	37	38,978	744	39,722	56.63	13.03
(%)	(0.0)	(0.2)	(6.9)	(25.6)	(32.0)	(21.4)	(8.8)	(3.3)	(1.2)	(0.4)	(0.2)	(0.1)	(100.0)				
記載なし			2	11	17	8	3	2					43	181	224	55.60	11.77
(%)			(4.7)	(25.6)	(39.5)	(18.6)	(7.0)	(4.7)					(100.0)				
総計	12	76	2,682	10,005	12,490	8,365	3,423	1,273	455	142	61	37	39,021	925	39,946	56.63	13.03
(%)	(0.0)	(0.2)	(6.9)	(25.6)	(32.0)	(21.4)	(8.8)	(3.3)	(1.2)	(0.4)	(0.2)	(0.1)	(100.0)				
平均	4.21	3.72	3.93	4.04	4.08	4.15	4.22	4.33	4.44	4.49	4.52	4.77	4.10	3.98	4.10		
標準偏差	0.50	0.51	0.49	0.49	0.48	0.49	0.51	0.57	0.58	0.59	0.68	0.61	0.50	0.40	0.50		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査