

表 2548 透析後体重(kg) PTH値(pg/mL)別(血液透析濾過患者 透析回数週3回) PTH測定法:whole-PTH

PTH値	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
20未満		2	22	71	84	38	23	6	1	1			248	1	249	54.71	12.27
(%)		(0.8)	(8.9)	(28.6)	(33.9)	(15.3)	(9.3)	(2.4)	(0.4)	(0.4)			(100.0)				
20～		1	19	83	106	64	22	6					301		301	54.99	10.89
(%)		(0.3)	(6.3)	(27.6)	(35.2)	(21.3)	(7.3)	(2.0)					(100.0)				
35～			24	69	93	61	15	8	3	1			274		274	55.56	12.22
(%)			(8.8)	(25.2)	(33.9)	(22.3)	(5.5)	(2.9)	(1.1)	(0.4)			(100.0)				
50～			30	129	141	96	26	14	4	1	2		443	1	444	55.75	12.38
(%)			(6.8)	(29.1)	(31.8)	(21.7)	(5.9)	(3.2)	(0.9)	(0.2)	(0.5)		(100.0)				
75～			18	90	130	97	34	12	2	2		3	388	3	391	58.01	13.42
(%)			(4.6)	(23.2)	(33.5)	(25.0)	(8.8)	(3.1)	(0.5)	(0.5)		(0.8)	(100.0)				
100～			20	72	115	67	38	15	3	1			331		331	57.80	12.79
(%)			(6.0)	(21.8)	(34.7)	(20.2)	(11.5)	(4.5)	(0.9)	(0.3)			(100.0)				
125～			13	55	64	71	20	5	4				232	2	234	57.75	12.07
(%)			(5.6)	(23.7)	(27.6)	(30.6)	(8.6)	(2.2)	(1.7)				(100.0)				
150～				2	1	1							4		4	53.88	9.34
(%)				(50.0)	(25.0)	(25.0)							(100.0)				
151～			9	52	73	45	26	7	3				215		215	57.60	12.01
(%)			(4.2)	(24.2)	(34.0)	(20.9)	(12.1)	(3.3)	(1.4)				(100.0)				
180～			7	31	49	25	13	7	1	1	1	1	136	1	137	58.29	14.45
(%)			(5.1)	(22.8)	(36.0)	(18.4)	(9.6)	(5.1)	(0.7)	(0.7)	(0.7)	(0.7)	(100.0)				
210～			8	22	25	24	12	4	2		1		98		98	58.63	14.39
(%)			(8.2)	(22.4)	(25.5)	(24.5)	(12.2)	(4.1)	(2.0)		(1.0)		(100.0)				
240～			13	21	21	18	13	1	1				88		88	55.94	13.27
(%)			(14.8)	(23.9)	(23.9)	(20.5)	(14.8)	(1.1)	(1.1)				(100.0)				
300～			3	8	12	5	5	7	2				42		42	61.75	17.41
(%)			(7.1)	(19.0)	(28.6)	(11.9)	(11.9)	(16.7)	(4.8)				(100.0)				
350～			5	4	6	10	4						29		29	56.79	12.42
(%)			(17.2)	(13.8)	(20.7)	(34.5)	(13.8)						(100.0)				
400～			1	4	7	3	3	4	1				23	1	24	63.28	17.24
(%)			(4.3)	(17.4)	(30.4)	(13.0)	(13.0)	(17.4)	(4.3)				(100.0)				
500～			5	13	13	12	1		1				45		45	54.39	12.00
(%)			(11.1)	(28.9)	(28.9)	(26.7)	(2.2)		(2.2)				(100.0)				
合計		3	197	726	940	637	255	96	28	7	4	4	2,897	9	2,906	56.75	12.74
(%)		(0.1)	(6.8)	(25.1)	(32.4)	(22.0)	(8.8)	(3.3)	(1.0)	(0.2)	(0.1)	(0.1)	(100.0)				
記載なし			3	11	7	7	1						29	2	31	52.26	10.02
(%)			(10.3)	(37.9)	(24.1)	(24.1)	(3.4)						(100.0)				
総計		3	200	737	947	644	256	96	28	7	4	4	2,926	11	2,937	56.71	12.72
(%)		(0.1)	(6.8)	(25.2)	(32.4)	(22.0)	(8.7)	(3.3)	(1.0)	(0.2)	(0.1)	(0.1)	(100.0)				
平均		16.00	122.62	107.03	105.90	114.28	121.01	130.64	156.43	87.57	137.25	116.25	111.72	134.11	111.79		
標準偏差		12.12	136.57	119.93	98.60	103.23	92.04	103.79	119.87	57.80	82.18	55.63	108.07	126.66	108.12		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査