

表 2558 体重(kg) 年齢(歳)別（腹膜透析患者）

年齢	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
15歳未満	36	12	5	2	1								56	41	97	17.99	10.94
(%)	(64.3)	(21.4)	(8.9)	(3.6)	(1.8)								(100.0)				
15歳～	2	6	13	25	13	11	4	3					77	34	111	48.50	14.94
(%)	(2.6)	(7.8)	(16.9)	(32.5)	(16.9)	(14.3)	(5.2)	(3.9)					(100.0)				
30歳～			10	65	101	110	82	49	21	6	4	1	449	252	701	65.53	15.99
(%)			(2.2)	(14.5)	(22.5)	(24.5)	(18.3)	(10.9)	(4.7)	(1.3)	(0.9)	(0.2)	(100.0)				
45歳～		3	23	170	330	433	296	160	61	12	4	3	1,495	807	2,302	65.79	14.10
(%)		(0.2)	(1.5)	(11.4)	(22.1)	(29.0)	(19.8)	(10.7)	(4.1)	(0.8)	(0.3)	(0.2)	(100.0)				
60歳～		1	53	399	777	823	360	82	20	2	2	5	2,524	1,510	4,034	60.50	11.74
(%)		(0.0)	(2.1)	(15.8)	(30.8)	(32.6)	(14.3)	(3.2)	(0.8)	(0.1)	(0.1)	(0.2)	(100.0)				
75歳～		1	62	219	349	234	68	4	2				939	652	1,591	55.29	10.15
(%)		(0.1)	(6.6)	(23.3)	(37.2)	(24.9)	(7.2)	(0.4)	(0.2)				(100.0)				
90歳～			6	24	20	5	1						56	49	105	49.55	8.00
(%)			(10.7)	(42.9)	(35.7)	(8.9)	(1.8)						(100.0)				
合計	38	23	172	904	1,591	1,616	811	298	104	20	10	9	5,596	3,345	8,941	60.74	13.90
(%)	(0.7)	(0.4)	(3.1)	(16.2)	(28.4)	(28.9)	(14.5)	(5.3)	(1.9)	(0.4)	(0.2)	(0.2)	(100.0)				
不明																	
(%)																	
記載なし																	
(%)																	
総計	38	23	172	904	1,591	1,616	811	298	104	20	10	9	5,596	3,345	8,941	60.74	13.90
(%)	(0.7)	(0.4)	(3.1)	(16.2)	(28.4)	(28.9)	(14.5)	(5.3)	(1.9)	(0.4)	(0.2)	(0.2)	(100.0)				
平均	4.92	23.30	64.57	65.02	65.09	62.83	59.39	53.93	51.74	48.90	51.20	58.67	62.07	63.08	62.45		
標準偏差	4.93	20.42	20.86	15.40	12.89	11.68	11.37	9.79	9.21	8.05	11.57	9.92	14.36	14.81	14.53		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査