

表 2573 体重(kg) 身長(cm)別（腹膜透析患者）

身長	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
130未満	38	12	2	4									56	6	62	17.65	11.19
(%)	(67.9)	(21.4)	(3.6)	(7.1)									(100.0)				
130～		3	4	3									10	1	11	36.32	8.43
(%)		(30.0)	(40.0)	(30.0)									(100.0)				
135～		1	25	16	9								51	11	62	40.85	7.91
(%)		(2.0)	(49.0)	(31.4)	(17.6)								(100.0)				
140～		3	36	81	46	10	1					1	178	49	227	47.02	10.94
(%)		(1.7)	(20.2)	(45.5)	(25.8)	(5.6)	(0.6)					(0.6)	(100.0)				
145～		1	37	194	102	33	3	2					372	98	470	48.93	7.94
(%)		(0.3)	(9.9)	(52.2)	(27.4)	(8.9)	(0.8)	(0.5)					(100.0)				
150～		1	38	242	269	101	26	2	3				682	185	867	52.48	9.21
(%)		(0.1)	(5.6)	(35.5)	(39.4)	(14.8)	(3.8)	(0.3)	(0.4)				(100.0)				
155～		1	17	202	372	194	49	14	2				851	198	1,049	56.05	9.35
(%)		(0.1)	(2.0)	(23.7)	(43.7)	(22.8)	(5.8)	(1.6)	(0.2)				(100.0)				
160～			3	102	417	394	128	29	6	1		1	1,081	249	1,330	61.00	9.61
(%)			(0.3)	(9.4)	(38.6)	(36.4)	(11.8)	(2.7)	(0.6)	(0.1)		(0.1)	(100.0)				
165～			2	23	203	449	212	67	16	4	1		977	235	1,212	66.49	9.72
(%)			(0.2)	(2.4)	(20.8)	(46.0)	(21.7)	(6.9)	(1.6)	(0.4)	(0.1)		(100.0)				
170～				10	92	287	227	91	27	5	5		744	160	904	70.55	10.81
(%)				(1.3)	(12.4)	(38.6)	(30.5)	(12.2)	(3.6)	(0.7)	(0.7)		(100.0)				
175～				1	17	74	103	61	32	5	2		295	71	366	76.03	11.53
(%)				(0.3)	(5.8)	(25.1)	(34.9)	(20.7)	(10.8)	(1.7)	(0.7)		(100.0)				
180～			1		1	17	28	15	10	3		2	77	10	87	78.94	13.77
(%)			(1.3)		(1.3)	(22.1)	(36.4)	(19.5)	(13.0)	(3.9)		(2.6)	(100.0)				
185～						3	2	2	3	1		1	12	1	13	86.74	19.31
(%)						(25.0)	(16.7)	(16.7)	(25.0)	(8.3)		(8.3)	(100.0)				
190～						1		1	2				4		4	87.32	12.25
(%)						(25.0)		(25.0)	(50.0)				(100.0)				
合計	38	22	165	878	1,528	1,563	779	284	101	19	8	5	5,390	1,274	6,664	60.63	13.72
(%)	(0.7)	(0.4)	(3.1)	(16.3)	(28.3)	(29.0)	(14.5)	(5.3)	(1.9)	(0.4)	(0.1)	(0.1)	(100.0)				
記載なし		1	7	26	63	53	32	14	3	1	2	4	206	2,071	2,277	63.76	17.73
(%)		(0.5)	(3.4)	(12.6)	(30.6)	(25.7)	(15.5)	(6.8)	(1.5)	(0.5)	(1.0)	(1.9)	(100.0)				
総計	38	23	172	904	1,591	1,616	811	298	104	20	10	9	5,596	3,345	8,941	60.74	13.90
(%)	(0.7)	(0.4)	(3.1)	(16.2)	(28.4)	(28.9)	(14.5)	(5.3)	(1.9)	(0.4)	(0.2)	(0.2)	(100.0)				
平均	86.89	129.18	146.35	152.31	158.59	164.45	168.08	170.49	173.03	174.11	172.63	170.20	160.62	160.27	160.56		
標準偏差	16.27	14.07	8.21	7.40	7.35	7.12	6.76	6.64	8.10	6.31	4.00	18.19	11.68	11.22	11.59		

数値下のかつこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査