

表 2577 体重(kg) Body Mass Index別（腹膜透析患者 男性のみ）

Body Mass Index	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
14未満	5	2	4	1									12		12	23.09	13.46
(%)	(41.7)	(16.7)	(33.3)	(8.3)									(100.0)				
14～	5	3	5	10									23		23	32.53	12.71
(%)	(21.7)	(13.0)	(21.7)	(43.5)									(100.0)				
16～	4	3	6	54	18								85		85	43.84	9.19
(%)	(4.7)	(3.5)	(7.1)	(63.5)	(21.2)								(100.0)				
18～	1		2	95	174	19							291		291	52.40	5.73
(%)	(0.3)		(0.7)	(32.6)	(59.8)	(6.5)							(100.0)				
20～	3			24	419	257	7						710		710	57.97	5.69
(%)	(0.4)			(3.4)	(59.0)	(36.2)	(1.0)						(100.0)				
22～				12	228	559	94	1	1				895		895	63.07	5.64
(%)				(1.3)	(25.5)	(62.5)	(10.5)	(0.1)	(0.1)				(100.0)				
24～					27	348	273	21	1				670		670	69.26	5.71
(%)					(4.0)	(51.9)	(40.7)	(3.1)	(0.1)				(100.0)				
26～					3	92	228	78	4				405		405	74.54	6.52
(%)					(0.7)	(22.7)	(56.3)	(19.3)	(1.0)				(100.0)				
28～			1			6	72	96	22	1			198		198	81.22	7.28
(%)			(0.5)			(3.0)	(36.4)	(48.5)	(11.1)	(0.5)			(100.0)				
30～				1		2	16	61	59	10			149		149	88.49	8.65
(%)				(0.7)		(1.3)	(10.7)	(40.9)	(39.6)	(6.7)			(100.0)				
合計	18	8	18	197	869	1,283	690	257	87	11			3,438		3,438	65.00	11.88
(%)	(0.5)	(0.2)	(0.5)	(5.7)	(25.3)	(37.3)	(20.1)	(7.5)	(2.5)	(0.3)			(100.0)				
記載なし		1		7	32	46	26	16	7	8	10	6	159	2,145	2,304	74.54	21.44
(%)		(0.6)		(4.4)	(20.1)	(28.9)	(16.4)	(10.1)	(4.4)	(5.0)	(6.3)	(3.8)	(100.0)				
総計	18	9	18	204	901	1,329	716	273	94	19	10	6	3,597	2,145	5,742	65.42	12.61
(%)	(0.5)	(0.3)	(0.5)	(5.7)	(25.0)	(36.9)	(19.9)	(7.6)	(2.6)	(0.5)	(0.3)	(0.2)	(100.0)				
平均	15.71	15.39	16.22	18.75	21.18	23.41	25.90	28.62	30.72	32.53			23.59		23.59		
標準偏差	3.05	1.67	3.88	1.87	1.56	1.76	1.88	1.96	2.05	1.56			3.36		3.36		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査