

表 2605 体重減少量(kg) Body Mass Index別 (施設血液透析患者 透析回数週3回 透析歴2年以上)

Body Mass Index	0.0未満	0.0～	1.0～	2.0～	3.0～	4.0～	5.0～	6.0～	7.0～	8.0～	合計	記載なし	総計	平均	標準偏差
14未満	15	208	510	288	22	2	2		2	7	1,056	40	1,096	1.61	1.12
(%)	(1.4)	(19.7)	(48.3)	(27.3)	(2.1)	(0.2)	(0.2)		(0.2)	(0.7)	(100.0)				
14～	66	728	2,695	2,381	415	24	2	2	2	14	6,329		6,329	1.86	0.95
(%)	(1.0)	(11.5)	(42.6)	(37.6)	(6.6)	(0.4)	(0.0)	(0.0)	(0.0)	(0.2)	(100.0)				
16～	105	1,477	6,932	8,791	2,420	246	33	4	2	29	20,039	10	20,049	2.11	0.97
(%)	(0.5)	(7.4)	(34.6)	(43.9)	(12.1)	(1.2)	(0.2)	(0.0)	(0.0)	(0.1)	(100.0)				
18～	157	1,912	9,755	15,867	6,115	821	127	14	8	28	34,804	12	34,816	2.29	0.94
(%)	(0.5)	(5.5)	(28.0)	(45.6)	(17.6)	(2.4)	(0.4)	(0.0)	(0.0)	(0.1)	(100.0)				
20～	172	1,612	8,500	16,998	8,469	1,522	227	25	9	24	37,558	12	37,570	2.46	0.95
(%)	(0.5)	(4.3)	(22.6)	(45.3)	(22.5)	(4.1)	(0.6)	(0.1)	(0.0)	(0.1)	(100.0)				
22～	91	979	5,413	12,453	7,542	1,751	244	42	10	10	28,535	7	28,542	2.61	0.96
(%)	(0.3)	(3.4)	(19.0)	(43.6)	(26.4)	(6.1)	(0.9)	(0.1)	(0.0)	(0.0)	(100.0)				
24～	56	452	2,669	6,744	5,141	1,513	286	34	9	13	16,917	3	16,920	2.78	1.03
(%)	(0.3)	(2.7)	(15.8)	(39.9)	(30.4)	(8.9)	(1.7)	(0.2)	(0.1)	(0.1)	(100.0)				
26～	16	230	1,096	3,205	3,003	1,114	277	48	6	4	8,999	6	9,005	2.98	1.06
(%)	(0.2)	(2.6)	(12.2)	(35.6)	(33.4)	(12.4)	(3.1)	(0.5)	(0.1)	(0.0)	(100.0)				
28～	18	92	458	1,439	1,513	808	188	46	5	4	4,571	3	4,574	3.16	1.13
(%)	(0.4)	(2.0)	(10.0)	(31.5)	(33.1)	(17.7)	(4.1)	(1.0)	(0.1)	(0.1)	(100.0)				
30～	5	58	276	899	1,264	909	328	92	18	9	3,858	6	3,864	3.53	1.26
(%)	(0.1)	(1.5)	(7.2)	(23.3)	(32.8)	(23.6)	(8.5)	(2.4)	(0.5)	(0.2)	(100.0)				
合計	701	7,748	38,304	69,065	35,904	8,710	1,714	307	71	142	162,666	99	162,765	2.48	1.04
(%)	(0.4)	(4.8)	(23.5)	(42.5)	(22.1)	(5.4)	(1.1)	(0.2)	(0.0)	(0.1)	(100.0)				
記載なし	54	702	2,721	4,096	2,206	735	244	88	24	18	10,888	4,556	15,444	2.52	1.25
(%)	(0.5)	(6.4)	(25.0)	(37.6)	(20.3)	(6.8)	(2.2)	(0.8)	(0.2)	(0.2)	(100.0)				
総計	755	8,450	41,025	73,161	38,110	9,445	1,958	395	95	160	173,554	4,655	178,209	2.49	1.05
(%)	(0.4)	(4.9)	(23.6)	(42.2)	(22.0)	(5.4)	(1.1)	(0.2)	(0.1)	(0.1)	(100.0)				
平均	20.20	19.79	20.14	21.13	22.53	24.44	25.74	27.03	25.16	20.29	21.38	16.81	21.37		
標準偏差	3.51	3.41	3.25	3.31	3.55	3.99	4.35	4.47	5.66	4.83	3.64	8.02	3.65		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査