

表 2610 体重減少量(kg) single pool Kt/V(Kt/Vsp)別（施設血液透析患者 透析回数週3回 透析歴2年以上）

single pool Kt/V (Kt/Vsp)	0.0未満	0.0～	1.0～	2.0～	3.0～	4.0～	5.0～	6.0～	7.0～	8.0～	合計	記載なし	総計	平均	標準偏差
0.4未満	4	13	31	32	15	5					100		100	2.05	1.17
(%)	(4.0)	(13.0)	(31.0)	(32.0)	(15.0)	(5.0)					(100.0)				
0.4～	4	32	51	47	26	5	2				167		167	1.89	1.16
(%)	(2.4)	(19.2)	(30.5)	(28.1)	(15.6)	(3.0)	(1.2)				(100.0)				
0.6～	29	175	259	197	84	23	5	2			774		774	1.75	1.15
(%)	(3.7)	(22.6)	(33.5)	(25.5)	(10.9)	(3.0)	(0.6)	(0.3)			(100.0)				
0.8～	84	572	1,285	1,488	686	273	93	21	2		4,504		4,504	2.20	1.25
(%)	(1.9)	(12.7)	(28.5)	(33.0)	(15.2)	(6.1)	(2.1)	(0.5)	(0.0)		(100.0)				
1.0～	162	1,425	4,395	6,555	4,077	1,327	297	73	12	5	18,328		18,328	2.46	1.15
(%)	(0.9)	(7.8)	(24.0)	(35.8)	(22.2)	(7.2)	(1.6)	(0.4)	(0.1)	(0.0)	(100.0)				
1.2～	192	1,973	8,926	16,663	10,482	2,768	511	102	22	12	41,651		41,651	2.56	1.03
(%)	(0.5)	(4.7)	(21.4)	(40.0)	(25.2)	(6.6)	(1.2)	(0.2)	(0.1)	(0.0)	(100.0)				
1.4～	126	1,742	10,051	20,299	10,854	2,438	505	87	20	14	46,136		46,136	2.53	0.96
(%)	(0.3)	(3.8)	(21.8)	(44.0)	(23.5)	(5.3)	(1.1)	(0.2)	(0.0)	(0.0)	(100.0)				
1.6～	55	1,014	7,207	13,635	6,122	1,288	240	48	13	13	29,635		29,635	2.46	0.91
(%)	(0.2)	(3.4)	(24.3)	(46.0)	(20.7)	(4.3)	(0.8)	(0.2)	(0.0)	(0.0)	(100.0)				
1.8～	29	487	3,819	6,702	2,496	487	112	24	10	25	14,191		14,191	2.40	0.97
(%)	(0.2)	(3.4)	(26.9)	(47.2)	(17.6)	(3.4)	(0.8)	(0.2)	(0.1)	(0.2)	(100.0)				
2.0～	11	252	2,317	3,833	1,441	327	84	19	11	64	8,359	7	8,366	2.49	1.38
(%)	(0.1)	(3.0)	(27.7)	(45.9)	(17.2)	(3.9)	(1.0)	(0.2)	(0.1)	(0.8)	(100.0)				
合計	696	7,685	38,341	69,451	36,283	8,941	1,849	376	90	133	163,845	7	163,852	2.49	1.03
(%)	(0.4)	(4.7)	(23.4)	(42.4)	(22.1)	(5.5)	(1.1)	(0.2)	(0.1)	(0.1)	(100.0)				
記載なし	59	765	2,684	3,710	1,827	504	109	19	5	27	9,709	4,648	14,357	2.38	1.35
(%)	(0.6)	(7.9)	(27.6)	(38.2)	(18.8)	(5.2)	(1.1)	(0.2)	(0.1)	(0.3)	(100.0)				
総計	755	8,450	41,025	73,161	38,110	9,445	1,958	395	95	160	173,554	4,655	178,209	2.49	1.05
(%)	(0.4)	(4.9)	(23.6)	(42.2)	(22.0)	(5.4)	(1.1)	(0.2)	(0.1)	(0.1)	(100.0)				
平均	1.28	1.38	1.49	1.51	1.47	1.43	1.42	1.41	1.55	1.97	1.48	2.65	1.48		
標準偏差	0.32	0.32	0.31	0.29	0.27	0.28	0.30	0.31	0.38	0.44	0.30	0.38	0.30		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査