

表 2611 体重減少量(kg) single pool Kt/V(Kt/Vsp)別(施設血液透析患者 男性のみ 透析回数週3回 透析歴2年以上)

single pool Kt/V (Kt/Vsp)	0.0未満	0.0～	1.0～	2.0～	3.0～	4.0～	5.0～	6.0～	7.0～	8.0～	合計	記載なし	総計	平均	標準偏差
0.4未満	4	8	25	24	14	4					79		79	2.11	1.21
(%)	(5.1)	(10.1)	(31.6)	(30.4)	(17.7)	(5.1)					(100.0)				
0.4～	2	19	31	34	24	5	2				117		117	2.08	1.22
(%)	(1.7)	(16.2)	(26.5)	(29.1)	(20.5)	(4.3)	(1.7)				(100.0)				
0.6～	21	135	187	147	77	22	5	2			596		596	1.81	1.22
(%)	(3.5)	(22.7)	(31.4)	(24.7)	(12.9)	(3.7)	(0.8)	(0.3)			(100.0)				
0.8～	65	431	949	1,235	621	256	92	21	2		3,672		3,672	2.30	1.28
(%)	(1.8)	(11.7)	(25.8)	(33.6)	(16.9)	(7.0)	(2.5)	(0.6)	(0.1)		(100.0)				
1.0～	118	991	3,187	5,472	3,728	1,242	291	73	11	5	15,118		15,118	2.58	1.15
(%)	(0.8)	(6.6)	(21.1)	(36.2)	(24.7)	(8.2)	(1.9)	(0.5)	(0.1)	(0.0)	(100.0)				
1.2～	122	1,237	5,940	13,118	9,320	2,565	494	97	22	9	32,924		32,924	2.69	1.02
(%)	(0.4)	(3.8)	(18.0)	(39.8)	(28.3)	(7.8)	(1.5)	(0.3)	(0.1)	(0.0)	(100.0)				
1.4～	62	813	5,146	13,164	8,704	2,155	463	83	20	13	30,623		30,623	2.71	0.97
(%)	(0.2)	(2.7)	(16.8)	(43.0)	(28.4)	(7.0)	(1.5)	(0.3)	(0.1)	(0.0)	(100.0)				
1.6～	19	307	2,378	6,025	3,921	1,048	212	43	10	12	13,975		13,975	2.73	0.97
(%)	(0.1)	(2.2)	(17.0)	(43.1)	(28.1)	(7.5)	(1.5)	(0.3)	(0.1)	(0.1)	(100.0)				
1.8～	5	111	720	1,850	1,268	362	90	22	8	18	4,454		4,454	2.81	1.17
(%)	(0.1)	(2.5)	(16.2)	(41.5)	(28.5)	(8.1)	(2.0)	(0.5)	(0.2)	(0.4)	(100.0)				
2.0～	3	47	290	719	557	224	64	19	5	46	1,974	6	1,980	3.17	2.11
(%)	(0.2)	(2.4)	(14.7)	(36.4)	(28.2)	(11.3)	(3.2)	(1.0)	(0.3)	(2.3)	(100.0)				
合計	421	4,099	18,853	41,788	28,234	7,883	1,713	360	78	103	103,532	6	103,538	2.68	1.08
(%)	(0.4)	(4.0)	(18.2)	(40.4)	(27.3)	(7.6)	(1.7)	(0.3)	(0.1)	(0.1)	(100.0)				
記載なし	36	401	1,392	2,246	1,433	436	96	16	5	13	6,074	2,903	8,977	2.55	1.33
(%)	(0.6)	(6.6)	(22.9)	(37.0)	(23.6)	(7.2)	(1.6)	(0.3)	(0.1)	(0.2)	(100.0)				
総計	457	4,500	20,245	44,034	29,667	8,319	1,809	376	83	116	109,606	2,909	112,515	2.67	1.09
(%)	(0.4)	(4.1)	(18.5)	(40.2)	(27.1)	(7.6)	(1.7)	(0.3)	(0.1)	(0.1)	(100.0)				
平均	1.20	1.28	1.37	1.42	1.42	1.41	1.40	1.40	1.48	1.92	1.40	2.71	1.40		
標準偏差	0.28	0.28	0.26	0.25	0.24	0.27	0.29	0.31	0.33	0.43	0.26	0.38	0.26		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査