

表 2613 体重減少量(kg) equilibrated Kt/V(eKt/V)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

equilibrated Kt/V (eKt/V)	0.0未満	0.0～	1.0～	2.0～	3.0～	4.0～	5.0～	6.0～	7.0～	8.0～	合計	記載なし	総計	平均	標準偏差
0.4未満	5	16	43	42	21	6	1				134		134	2.07	1.16
(%)	(3.7)	(11.9)	(32.1)	(31.3)	(15.7)	(4.5)	(0.7)				(100.0)				
0.4～	12	90	105	104	46	6	2			1	366		366	1.76	1.39
(%)	(3.3)	(24.6)	(28.7)	(28.4)	(12.6)	(1.6)	(0.5)			(0.3)	(100.0)				
0.6～	66	447	921	910	322	118	41	12	1		2,838		2,838	1.99	1.19
(%)	(2.3)	(15.8)	(32.5)	(32.1)	(11.3)	(4.2)	(1.4)	(0.4)	(0.0)		(100.0)				
0.8～	148	1,351	4,011	5,382	2,876	950	247	62	9	4	15,040		15,040	2.36	1.16
(%)	(1.0)	(9.0)	(26.7)	(35.8)	(19.1)	(6.3)	(1.6)	(0.4)	(0.1)	(0.0)	(100.0)				
1.0～	213	2,125	9,151	16,684	10,617	2,932	536	104	23	10	42,395		42,395	2.56	1.04
(%)	(0.5)	(5.0)	(21.6)	(39.4)	(25.0)	(6.9)	(1.3)	(0.2)	(0.1)	(0.0)	(100.0)				
1.2～	148	1,863	11,056	22,626	12,539	2,828	567	101	21	19	51,768		51,768	2.55	0.96
(%)	(0.3)	(3.6)	(21.4)	(43.7)	(24.2)	(5.5)	(1.1)	(0.2)	(0.0)	(0.0)	(100.0)				
1.4～	62	1,102	7,516	14,558	6,401	1,335	260	50	16	22	31,322	1	31,323	2.46	0.93
(%)	(0.2)	(3.5)	(24.0)	(46.5)	(20.4)	(4.3)	(0.8)	(0.2)	(0.1)	(0.1)	(100.0)				
1.6～	27	450	3,650	6,114	2,287	475	118	32	11	33	13,197		13,197	2.41	1.04
(%)	(0.2)	(3.4)	(27.7)	(46.3)	(17.3)	(3.6)	(0.9)	(0.2)	(0.1)	(0.3)	(100.0)				
1.8～	8	158	1,241	2,002	715	171	45	10	7	18	4,375	2	4,377	2.41	1.12
(%)	(0.2)	(3.6)	(28.4)	(45.8)	(16.3)	(3.9)	(1.0)	(0.2)	(0.2)	(0.4)	(100.0)				
2.0～	7	84	655	1,053	467	124	35	6	2	36	2,469	19	2,488	2.65	2.04
(%)	(0.3)	(3.4)	(26.5)	(42.6)	(18.9)	(5.0)	(1.4)	(0.2)	(0.1)	(1.5)	(100.0)				
合計	696	7,686	38,349	69,475	36,291	8,945	1,852	377	90	143	163,904	22	163,926	2.49	1.04
(%)	(0.4)	(4.7)	(23.4)	(42.4)	(22.1)	(5.5)	(1.1)	(0.2)	(0.1)	(0.1)	(100.0)				
記載なし	59	764	2,676	3,686	1,819	500	106	18	5	17	9,650	4,633	14,283	2.36	1.22
(%)	(0.6)	(7.9)	(27.7)	(38.2)	(18.8)	(5.2)	(1.1)	(0.2)	(0.1)	(0.2)	(100.0)				
総計	755	8,450	41,025	73,161	38,110	9,445	1,958	395	95	160	173,554	4,655	178,209	2.49	1.05
(%)	(0.4)	(4.9)	(23.6)	(42.2)	(22.0)	(5.4)	(1.1)	(0.2)	(0.1)	(0.1)	(100.0)				
平均	1.12	1.20	1.30	1.31	1.28	1.25	1.25	1.24	1.36	1.71	1.29	2.55	1.29		
標準偏差	0.30	0.30	0.29	0.27	0.25	0.26	0.28	0.29	0.31	0.43	0.27	0.40	0.27		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査