

表 2634 体重減少量(kg) 透析前脈拍(拍/分)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

| 透析前脈拍 | 0.0未満 | 0.0～  | 1.0～   | 2.0～   | 3.0～   | 4.0～   | 5.0～  | 6.0～  | 7.0～  | 8.0～  | 合計      | 記載なし  | 総計      | 平均   | 標準偏差 |
|-------|-------|-------|--------|--------|--------|--------|-------|-------|-------|-------|---------|-------|---------|------|------|
| 40未満  |       | 4     | 36     | 45     | 20     | 8      | 1     |       |       | 1     | 115     |       | 115     | 2.57 | 1.69 |
| (%)   |       | (3.5) | (31.3) | (39.1) | (17.4) | (7.0)  | (0.9) |       |       | (0.9) | (100.0) |       |         |      |      |
| 40～   | 6     | 74    | 356    | 656    | 290    | 45     | 9     |       |       |       | 1,436   | 2     | 1,438   | 2.37 | 0.88 |
| (%)   | (0.4) | (5.2) | (24.8) | (45.7) | (20.2) | (3.1)  | (0.6) |       |       |       | (100.0) |       |         |      |      |
| 50～   | 47    | 552   | 3,018  | 5,486  | 2,369  | 373    | 59    | 7     |       | 9     | 11,920  | 42    | 11,962  | 2.38 | 0.93 |
| (%)   | (0.4) | (4.6) | (25.3) | (46.0) | (19.9) | (3.1)  | (0.5) | (0.1) |       | (0.1) | (100.0) |       |         |      |      |
| 60～   | 152   | 1,693 | 9,389  | 16,690 | 8,026  | 1,517  | 252   | 50    | 12    | 32    | 37,813  | 125   | 37,938  | 2.43 | 1.00 |
| (%)   | (0.4) | (4.5) | (24.8) | (44.1) | (21.2) | (4.0)  | (0.7) | (0.1) | (0.0) | (0.1) | (100.0) |       |         |      |      |
| 70～   | 171   | 2,114 | 10,670 | 19,599 | 9,866  | 2,325  | 448   | 92    | 21    | 36    | 45,342  | 159   | 45,501  | 2.48 | 1.02 |
| (%)   | (0.4) | (4.7) | (23.5) | (43.2) | (21.8) | (5.1)  | (1.0) | (0.2) | (0.0) | (0.1) | (100.0) |       |         |      |      |
| 80～   | 141   | 1,456 | 6,348  | 11,455 | 6,674  | 1,940  | 440   | 74    | 18    | 30    | 28,576  | 88    | 28,664  | 2.55 | 1.09 |
| (%)   | (0.5) | (5.1) | (22.2) | (40.1) | (23.4) | (6.8)  | (1.5) | (0.3) | (0.1) | (0.1) | (100.0) |       |         |      |      |
| 90～   | 72    | 619   | 2,543  | 4,650  | 3,058  | 1,021  | 242   | 62    | 10    | 15    | 12,292  | 39    | 12,331  | 2.64 | 1.18 |
| (%)   | (0.6) | (5.0) | (20.7) | (37.8) | (24.9) | (8.3)  | (2.0) | (0.5) | (0.1) | (0.1) | (100.0) |       |         |      |      |
| 100～  | 24    | 209   | 794    | 1,345  | 989    | 349    | 97    | 26    | 3     | 3     | 3,839   | 19    | 3,858   | 2.67 | 1.18 |
| (%)   | (0.6) | (5.4) | (20.7) | (35.0) | (25.8) | (9.1)  | (2.5) | (0.7) | (0.1) | (0.1) | (100.0) |       |         |      |      |
| 110～  | 6     | 63    | 164    | 308    | 221    | 91     | 20    | 3     | 1     | 1     | 878     | 3     | 881     | 2.65 | 1.21 |
| (%)   | (0.7) | (7.2) | (18.7) | (35.1) | (25.2) | (10.4) | (2.3) | (0.3) | (0.1) | (0.1) | (100.0) |       |         |      |      |
| 120～  | 4     | 22    | 94     | 155    | 84     | 28     | 8     | 4     |       | 2     | 401     | 4     | 405     | 2.54 | 1.23 |
| (%)   | (1.0) | (5.5) | (23.4) | (38.7) | (20.9) | (7.0)  | (2.0) | (1.0) |       | (0.5) | (100.0) |       |         |      |      |
| 合計    | 623   | 6,806 | 33,412 | 60,389 | 31,597 | 7,697  | 1,576 | 318   | 65    | 129   | 142,612 | 481   | 143,093 | 2.49 | 1.04 |
| (%)   | (0.4) | (4.8) | (23.4) | (42.3) | (22.2) | (5.4)  | (1.1) | (0.2) | (0.0) | (0.1) | (100.0) |       |         |      |      |
| 記載なし  | 132   | 1,644 | 7,613  | 12,772 | 6,513  | 1,748  | 382   | 77    | 30    | 31    | 30,942  | 4,174 | 35,116  | 2.47 | 1.08 |
| (%)   | (0.4) | (5.3) | (24.6) | (41.3) | (21.0) | (5.6)  | (1.2) | (0.2) | (0.1) | (0.1) | (100.0) |       |         |      |      |
| 総計    | 755   | 8,450 | 41,025 | 73,161 | 38,110 | 9,445  | 1,958 | 395   | 95    | 160   | 173,554 | 4,655 | 178,209 | 2.49 | 1.05 |
| (%)   | (0.4) | (4.9) | (23.6) | (42.2) | (22.0) | (5.4)  | (1.1) | (0.2) | (0.1) | (0.1) | (100.0) |       |         |      |      |
| 平均    | 76.65 | 75.23 | 73.81  | 73.79  | 75.36  | 78.31  | 80.28 | 81.70 | 80.11 | 76.71 | 74.56   | 75.51 | 74.56   |      |      |
| 標準偏差  | 13.62 | 13.00 | 12.61  | 12.51  | 12.88  | 13.21  | 13.20 | 13.44 | 11.98 | 14.91 | 12.77   | 13.77 | 12.77   |      |      |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査