

表 2654 体重減少量(kg) equilibrated Kt/V(eKt/V)別(血液透析濾過患者 透析回数週3回 透析歴2年以上)

equilibrated Kt/V (eKt/V)	0.0未満	0.0～	1.0～	2.0～	3.0～	4.0～	5.0～	6.0～	7.0～	8.0～	合計	記載なし	総計	平均	標準偏差
0.4未満	1	4	8	2	2	3					20		20	1.88	1.43
(%)	(5.0)	(20.0)	(40.0)	(10.0)	(10.0)	(15.0)					(100.0)				
0.4～		5	22	14	2	1					44		44	1.73	0.85
(%)		(11.4)	(50.0)	(31.8)	(4.5)	(2.3)					(100.0)				
0.6～	7	42	111	107	43	16	10				336		336	2.13	1.20
(%)	(2.1)	(12.5)	(33.0)	(31.8)	(12.8)	(4.8)	(3.0)				(100.0)				
0.8～	21	140	493	733	547	212	53	7	2	3	2,211		2,211	2.61	1.21
(%)	(0.9)	(6.3)	(22.3)	(33.2)	(24.7)	(9.6)	(2.4)	(0.3)	(0.1)	(0.1)	(100.0)				
1.0～	24	288	1,420	2,912	2,091	637	110	15	4	1	7,502		7,502	2.68	1.03
(%)	(0.3)	(3.8)	(18.9)	(38.8)	(27.9)	(8.5)	(1.5)	(0.2)	(0.1)	(0.0)	(100.0)				
1.2～	20	352	1,929	4,414	2,632	665	107	17	3		10,139		10,139	2.62	0.95
(%)	(0.2)	(3.5)	(19.0)	(43.5)	(26.0)	(6.6)	(1.1)	(0.2)	(0.0)		(100.0)				
1.4～	11	225	1,603	3,338	1,504	376	61	9	1	2	7,130		7,130	2.51	0.91
(%)	(0.2)	(3.2)	(22.5)	(46.8)	(21.1)	(5.3)	(0.9)	(0.1)	(0.0)	(0.0)	(100.0)				
1.6～	5	102	881	1,607	594	147	23	4	2	7	3,372		3,372	2.44	1.00
(%)	(0.1)	(3.0)	(26.1)	(47.7)	(17.6)	(4.4)	(0.7)	(0.1)	(0.1)	(0.2)	(100.0)				
1.8～		46	364	603	205	53	12	1		8	1,292		1,292	2.44	1.22
(%)		(3.6)	(28.2)	(46.7)	(15.9)	(4.1)	(0.9)	(0.1)		(0.6)	(100.0)				
2.0～	3	29	239	420	146	27	9	3	3	8	887	3	890	2.53	1.69
(%)	(0.3)	(3.3)	(26.9)	(47.4)	(16.5)	(3.0)	(1.0)	(0.3)	(0.3)	(0.9)	(100.0)				
合計	92	1,233	7,070	14,150	7,766	2,137	385	56	15	29	32,933	3	32,936	2.58	1.03
(%)	(0.3)	(3.7)	(21.5)	(43.0)	(23.6)	(6.5)	(1.2)	(0.2)	(0.0)	(0.1)	(100.0)				
記載なし	5	87	330	504	248	54	15	3	1	1	1,248	787	2,035	2.38	1.03
(%)	(0.4)	(7.0)	(26.4)	(40.4)	(19.9)	(4.3)	(1.2)	(0.2)	(0.1)	(0.1)	(100.0)				
総計	97	1,320	7,400	14,654	8,014	2,191	400	59	16	30	34,181	790	34,971	2.57	1.03
(%)	(0.3)	(3.9)	(21.6)	(42.9)	(23.4)	(6.4)	(1.2)	(0.2)	(0.0)	(0.1)	(100.0)				
平均	1.16	1.29	1.37	1.37	1.31	1.28	1.26	1.33	1.49	1.82	1.35	2.63	1.35		
標準偏差	0.31	0.31	0.31	0.28	0.26	0.26	0.30	0.35	0.56	0.46	0.29	0.37	0.29		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査