

表 2664 体重減少量(kg) 透析前CRP濃度(mg/dL)別（血液透析濾過患者 透析回数週3回 透析歴2年以上）

| 透析前CRP濃度 | 0.0未満 | 0.0～   | 1.0～   | 2.0～   | 3.0～   | 4.0～  | 5.0～  | 6.0～  | 7.0～  | 8.0～  | 合計      | 記載なし | 総計     | 平均   | 標準偏差 |
|----------|-------|--------|--------|--------|--------|-------|-------|-------|-------|-------|---------|------|--------|------|------|
| 0.2未満    | 44    | 616    | 3,723  | 7,929  | 4,372  | 1,122 | 180   | 23    | 4     | 9     | 18,022  | 59   | 18,081 | 2.58 | 0.96 |
| (%)      | (0.2) | (3.4)  | (20.7) | (44.0) | (24.3) | (6.2) | (1.0) | (0.1) | (0.0) | (0.0) | (100.0) |      |        |      |      |
| 0.2～     | 17    | 199    | 1,187  | 2,413  | 1,414  | 395   | 68    | 13    | 4     | 4     | 5,714   | 16   | 5,730  | 2.61 | 1.10 |
| (%)      | (0.3) | (3.5)  | (20.8) | (42.2) | (24.7) | (6.9) | (1.2) | (0.2) | (0.1) | (0.1) | (100.0) |      |        |      |      |
| 0.5～     | 9     | 120    | 549    | 1,148  | 649    | 212   | 50    | 9     | 5     | 3     | 2,754   | 16   | 2,770  | 2.64 | 1.09 |
| (%)      | (0.3) | (4.4)  | (19.9) | (41.7) | (23.6) | (7.7) | (1.8) | (0.3) | (0.2) | (0.1) | (100.0) |      |        |      |      |
| 1.0～     | 7     | 78     | 429    | 722    | 375    | 117   | 30    | 2     | 1     | 2     | 1,763   | 3    | 1,766  | 2.52 | 1.06 |
| (%)      | (0.4) | (4.4)  | (24.3) | (41.0) | (21.3) | (6.6) | (1.7) | (0.1) | (0.1) | (0.1) | (100.0) |      |        |      |      |
| 2.0～     | 6     | 63     | 277    | 389    | 188    | 57    | 14    | 3     |       | 4     | 1,001   | 6    | 1,007  | 2.43 | 1.30 |
| (%)      | (0.6) | (6.3)  | (27.7) | (38.9) | (18.8) | (5.7) | (1.4) | (0.3) |       | (0.4) | (100.0) |      |        |      |      |
| 4.0～     | 2     | 25     | 97     | 143    | 71     | 10    | 3     | 1     |       |       | 352     | 3    | 355    | 2.31 | 0.99 |
| (%)      | (0.6) | (7.1)  | (27.6) | (40.6) | (20.2) | (2.8) | (0.9) | (0.3) |       |       | (100.0) |      |        |      |      |
| 6.0～     |       | 7      | 57     | 44     | 30     | 7     | 2     |       | 1     | 1     | 149     | 1    | 150    | 2.43 | 1.28 |
| (%)      |       | (4.7)  | (38.3) | (29.5) | (20.1) | (4.7) | (1.3) |       | (0.7) | (0.7) | (100.0) |      |        |      |      |
| 8.0～     |       | 15     | 23     | 26     | 14     | 5     | 1     |       |       |       | 84      | 1    | 85     | 2.17 | 1.14 |
| (%)      |       | (17.9) | (27.4) | (31.0) | (16.7) | (6.0) | (1.2) |       |       |       | (100.0) |      |        |      |      |
| 10.0～    | 2     | 13     | 25     | 34     | 9      | 6     | 1     |       |       |       | 90      | 1    | 91     | 2.07 | 1.16 |
| (%)      | (2.2) | (14.4) | (27.8) | (37.8) | (10.0) | (6.7) | (1.1) |       |       |       | (100.0) |      |        |      |      |
| 15.0～    |       | 10     | 23     | 28     | 10     | 3     |       |       |       | 1     | 75      |      | 75     | 2.21 | 1.24 |
| (%)      |       | (13.3) | (30.7) | (37.3) | (13.3) | (4.0) |       |       |       | (1.3) | (100.0) |      |        |      |      |
| 合計       | 87    | 1,146  | 6,390  | 12,876 | 7,132  | 1,934 | 349   | 51    | 15    | 24    | 30,004  | 106  | 30,110 | 2.58 | 1.03 |
| (%)      | (0.3) | (3.8)  | (21.3) | (42.9) | (23.8) | (6.4) | (1.2) | (0.2) | (0.0) | (0.1) | (100.0) |      |        |      |      |
| 記載なし     | 10    | 174    | 1,010  | 1,778  | 882    | 257   | 51    | 8     | 1     | 6     | 4,177   | 684  | 4,861  | 2.52 | 1.06 |
| (%)      | (0.2) | (4.2)  | (24.2) | (42.6) | (21.1) | (6.2) | (1.2) | (0.2) | (0.0) | (0.1) | (100.0) |      |        |      |      |
| 総計       | 97    | 1,320  | 7,400  | 14,654 | 8,014  | 2,191 | 400   | 59    | 16    | 30    | 34,181  | 790  | 34,971 | 2.57 | 1.03 |
| (%)      | (0.3) | (3.9)  | (21.6) | (42.9) | (23.4) | (6.4) | (1.2) | (0.2) | (0.0) | (0.1) | (100.0) |      |        |      |      |
| 平均       | 0.86  | 1.01   | 0.66   | 0.51   | 0.46   | 0.50  | 0.57  | 0.55  | 0.90  | 2.83  | 0.55    | 0.81 | 0.55   |      |      |
| 標準偏差     | 2.03  | 2.84   | 1.91   | 1.66   | 1.45   | 1.55  | 1.12  | 0.91  | 1.72  | 8.74  | 1.74    | 1.84 | 1.74   |      |      |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査