

表 2668 体重減少量(kg) PTH値(pg/mL)別（血液透析濾過患者 透析回数週3回 透析歴2年以上）PTH測定法:whole-PTH

PTH値	0.0未満	0.0～	1.0～	2.0～	3.0～	4.0～	5.0～	6.0～	7.0～	8.0～	合計	記載なし	総計	平均	標準偏差
20未満	1	5	61	99	41	12	1				220	1	221	2.43	0.93
(%)	(0.5)	(2.3)	(27.7)	(45.0)	(18.6)	(5.5)	(0.5)				(100.0)				
20～	2	9	61	122	54	10	2				260		260	2.47	0.90
(%)	(0.8)	(3.5)	(23.5)	(46.9)	(20.8)	(3.8)	(0.8)				(100.0)				
35～		7	50	120	42	17	1				237		237	2.49	0.87
(%)		(3.0)	(21.1)	(50.6)	(17.7)	(7.2)	(0.4)				(100.0)				
50～	1	18	87	175	80	18	5				384	1	385	2.45	0.96
(%)	(0.3)	(4.7)	(22.7)	(45.6)	(20.8)	(4.7)	(1.3)				(100.0)				
75～		13	75	145	86	25	1				345	3	348	2.57	0.94
(%)		(3.8)	(21.7)	(42.0)	(24.9)	(7.2)	(0.3)				(100.0)				
100～		6	59	138	78	19	2				302		302	2.61	0.88
(%)		(2.0)	(19.5)	(45.7)	(25.8)	(6.3)	(0.7)				(100.0)				
125～	1	7	35	102	49	11				1	206	2	208	2.62	1.04
(%)	(0.5)	(3.4)	(17.0)	(49.5)	(23.8)	(5.3)				(0.5)	(100.0)				
150～			1	2		1					4		4	2.90	1.07
(%)			(25.0)	(50.0)		(25.0)					(100.0)				
151～	1	3	48	76	55	14					197		197	2.57	0.90
(%)	(0.5)	(1.5)	(24.4)	(38.6)	(27.9)	(7.1)					(100.0)				
180～	1	4	27	44	27	13	4				120	1	121	2.64	1.12
(%)	(0.8)	(3.3)	(22.5)	(36.7)	(22.5)	(10.8)	(3.3)				(100.0)				
210～		4	13	38	28	7					90		90	2.69	0.94
(%)		(4.4)	(14.4)	(42.2)	(31.1)	(7.8)					(100.0)				
240～		6	22	26	20	8					82		82	2.44	1.05
(%)		(7.3)	(26.8)	(31.7)	(24.4)	(9.8)					(100.0)				
300～			4	12	12	6					34		34	3.10	0.99
(%)			(11.8)	(35.3)	(35.3)	(17.6)					(100.0)				
350～		2	4	7	9	2					24		24	2.61	0.98
(%)		(8.3)	(16.7)	(29.2)	(37.5)	(8.3)					(100.0)				
400～		2	4	6	4	3	2				21	1	22	2.89	1.36
(%)		(9.5)	(19.0)	(28.6)	(19.0)	(14.3)	(9.5)				(100.0)				
500～			7	14	14	5	1				41		41	2.88	0.93
(%)			(17.1)	(34.1)	(34.1)	(12.2)	(2.4)				(100.0)				
合計	7	86	558	1,126	599	171	19			1	2,567	9	2,576	2.55	0.95
(%)	(0.3)	(3.4)	(21.7)	(43.9)	(23.3)	(6.7)	(0.7)			(0.0)	(100.0)				
記載なし		1	7	9	9						26	1	27	2.45	0.83
(%)		(3.8)	(26.9)	(34.6)	(34.6)						(100.0)				
総計	7	87	565	1,135	608	171	19			1	2,593	10	2,603	2.55	0.95
(%)	(0.3)	(3.4)	(21.8)	(43.8)	(23.4)	(6.6)	(0.7)			(0.0)	(100.0)				
平均	91.00	114.12	104.76	104.72	127.06	137.13	156.63			146.00	112.78	134.11	112.85		
標準偏差	72.35	94.14	96.29	102.01	129.08	118.63	159.07				109.63	126.66	109.67		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査