

表 2694 体重減少率(%) equilibrated Kt/V(eKt/V)別(施設血液透析患者 女性のみ 透析回数週3回 透析歴2年以上)

equilibrated Kt/V (eKt/V)	1.0未満	1.0～	2.0～	3.0～	4.0～	5.0～	6.0～	7.0～	8.0～	9.0～	合計	記載なし	総計	平均	標準偏差
0.4未満	1	5	5	4	9	3	4				31		31	3.77	1.69
(%)	(3.2)	(16.1)	(16.1)	(12.9)	(29.0)	(9.7)	(12.9)				(100.0)				
0.4～	22	10	23	19	16	9	7	1			107		107	3.02	1.93
(%)	(20.6)	(9.3)	(21.5)	(17.8)	(15.0)	(8.4)	(6.5)	(0.9)			(100.0)				
0.6～	59	78	117	145	109	51	25	9	3	1	597		597	3.27	1.79
(%)	(9.9)	(13.1)	(19.6)	(24.3)	(18.3)	(8.5)	(4.2)	(1.5)	(0.5)	(0.2)	(100.0)				
0.8～	195	251	519	775	682	346	153	43	16	6	2,986		2,986	3.66	1.70
(%)	(6.5)	(8.4)	(17.4)	(26.0)	(22.8)	(11.6)	(5.1)	(1.4)	(0.5)	(0.2)	(100.0)				
1.0～	315	523	1,306	2,193	2,428	1,466	640	224	45	30	9,170		9,170	4.06	1.62
(%)	(3.4)	(5.7)	(14.2)	(23.9)	(26.5)	(16.0)	(7.0)	(2.4)	(0.5)	(0.3)	(100.0)				
1.2～	286	626	1,709	3,490	4,610	3,453	1,703	600	178	79	16,734		16,734	4.48	1.58
(%)	(1.7)	(3.7)	(10.2)	(20.9)	(27.5)	(20.6)	(10.2)	(3.6)	(1.1)	(0.5)	(100.0)				
1.4～	191	447	1,281	2,914	4,459	3,830	2,142	937	296	134	16,631	3	16,634	4.81	1.60
(%)	(1.1)	(2.7)	(7.7)	(17.5)	(26.8)	(23.0)	(12.9)	(5.6)	(1.8)	(0.8)	(100.0)				
1.6～	104	188	618	1,455	2,215	2,191	1,283	624	218	122	9,018	4	9,022	5.01	1.70
(%)	(1.2)	(2.1)	(6.9)	(16.1)	(24.6)	(24.3)	(14.2)	(6.9)	(2.4)	(1.4)	(100.0)				
1.8～	32	66	181	458	818	763	496	245	102	67	3,228	5	3,233	5.17	1.76
(%)	(1.0)	(2.0)	(5.6)	(14.2)	(25.3)	(23.6)	(15.4)	(7.6)	(3.2)	(2.1)	(100.0)				
2.0～	18	36	94	264	389	405	293	183	84	58	1,824	17	1,841	5.34	1.86
(%)	(1.0)	(2.0)	(5.2)	(14.5)	(21.3)	(22.2)	(16.1)	(10.0)	(4.6)	(3.2)	(100.0)				
合計	1,223	2,230	5,853	11,717	15,735	12,517	6,746	2,866	942	497	60,326	29	60,355	4.60	1.69
(%)	(2.0)	(3.7)	(9.7)	(19.4)	(26.1)	(20.7)	(11.2)	(4.8)	(1.6)	(0.8)	(100.0)				
記載なし	121	211	437	746	823	650	341	157	57	44	3,587	1,752	5,339	4.37	1.84
(%)	(3.4)	(5.9)	(12.2)	(20.8)	(22.9)	(18.1)	(9.5)	(4.4)	(1.6)	(1.2)	(100.0)				
総計	1,344	2,441	6,290	12,463	16,558	13,167	7,087	3,023	999	541	63,913	1,781	65,694	4.58	1.70
(%)	(2.1)	(3.8)	(9.8)	(19.5)	(25.9)	(20.6)	(11.1)	(4.7)	(1.6)	(0.8)	(100.0)				
平均	1.23	1.29	1.32	1.37	1.41	1.45	1.49	1.54	1.58	1.62	1.41	2.09	1.41		
標準偏差	0.32	0.30	0.28	0.28	0.27	0.27	0.28	0.29	0.31	0.32	0.29	0.38	0.29		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査