

表 2700 体重減少率(%) %クレアチニン産生速度(%)別(施設血液透析患者 女性のみ 透析回数週3回 透析歴2年以上)

| %クレアチニン<br>産生速度 | 1.0未満 | 1.0～  | 2.0～   | 3.0～   | 4.0～   | 5.0～   | 6.0～   | 7.0～  | 8.0～  | 9.0～  | 合計      | 記載なし   | 総計     | 平均   | 標準偏差 |
|-----------------|-------|-------|--------|--------|--------|--------|--------|-------|-------|-------|---------|--------|--------|------|------|
| 60未満            | 404   | 508   | 851    | 1,052  | 971    | 665    | 393    | 172   | 73    | 36    | 5,125   | 1      | 5,126  | 3.80 | 2.01 |
| (%)             | (7.9) | (9.9) | (16.6) | (20.5) | (18.9) | (13.0) | (7.7)  | (3.4) | (1.4) | (0.7) | (100.0) |        |        |      |      |
| 60～             | 155   | 228   | 466    | 722    | 689    | 523    | 301    | 150   | 59    | 45    | 3,338   | 1      | 3,339  | 4.21 | 1.94 |
| (%)             | (4.6) | (6.8) | (14.0) | (21.6) | (20.6) | (15.7) | (9.0)  | (4.5) | (1.8) | (1.3) | (100.0) |        |        |      |      |
| 70～             | 184   | 293   | 581    | 1,021  | 1,197  | 854    | 524    | 257   | 87    | 47    | 5,045   |        | 5,045  | 4.38 | 1.84 |
| (%)             | (3.6) | (5.8) | (11.5) | (20.2) | (23.7) | (16.9) | (10.4) | (5.1) | (1.7) | (0.9) | (100.0) |        |        |      |      |
| 80～             | 146   | 291   | 765    | 1,440  | 1,806  | 1,400  | 711    | 362   | 131   | 69    | 7,121   | 3      | 7,124  | 4.54 | 1.73 |
| (%)             | (2.1) | (4.1) | (10.7) | (20.2) | (25.4) | (19.7) | (10.0) | (5.1) | (1.8) | (1.0) | (100.0) |        |        |      |      |
| 90～             | 117   | 292   | 886    | 1,682  | 2,337  | 1,830  | 1,054  | 435   | 160   | 75    | 8,868   | 1      | 8,869  | 4.66 | 1.66 |
| (%)             | (1.3) | (3.3) | (10.0) | (19.0) | (26.4) | (20.6) | (11.9) | (4.9) | (1.8) | (0.8) | (100.0) |        |        |      |      |
| 100～            | 108   | 256   | 859    | 1,899  | 2,568  | 2,164  | 1,188  | 495   | 168   | 72    | 9,777   |        | 9,777  | 4.74 | 1.60 |
| (%)             | (1.1) | (2.6) | (8.8)  | (19.4) | (26.3) | (22.1) | (12.2) | (5.1) | (1.7) | (0.7) | (100.0) |        |        |      |      |
| 110～            | 53    | 164   | 649    | 1,650  | 2,513  | 2,105  | 1,043  | 439   | 112   | 59    | 8,787   | 4      | 8,791  | 4.80 | 1.49 |
| (%)             | (0.6) | (1.9) | (7.4)  | (18.8) | (28.6) | (24.0) | (11.9) | (5.0) | (1.3) | (0.7) | (100.0) |        |        |      |      |
| 120～            | 33    | 112   | 440    | 1,176  | 1,942  | 1,516  | 852    | 307   | 85    | 55    | 6,518   | 1      | 6,519  | 4.85 | 1.50 |
| (%)             | (0.5) | (1.7) | (6.8)  | (18.0) | (29.8) | (23.3) | (13.1) | (4.7) | (1.3) | (0.8) | (100.0) |        |        |      |      |
| 130～            | 13    | 55    | 221    | 610    | 1,039  | 916    | 425    | 167   | 36    | 25    | 3,507   | 2      | 3,509  | 4.88 | 1.44 |
| (%)             | (0.4) | (1.6) | (6.3)  | (17.4) | (29.6) | (26.1) | (12.1) | (4.8) | (1.0) | (0.7) | (100.0) |        |        |      |      |
| 140～            | 7     | 29    | 136    | 470    | 684    | 551    | 264    | 85    | 31    | 16    | 2,273   | 25     | 2,298  | 4.82 | 1.51 |
| (%)             | (0.3) | (1.3) | (6.0)  | (20.7) | (30.1) | (24.2) | (11.6) | (3.7) | (1.4) | (0.7) | (100.0) |        |        |      |      |
| 合計              | 1,220 | 2,228 | 5,854  | 11,722 | 15,746 | 12,524 | 6,755  | 2,869 | 942   | 499   | 60,359  | 38     | 60,397 | 4.60 | 1.69 |
| (%)             | (2.0) | (3.7) | (9.7)  | (19.4) | (26.1) | (20.7) | (11.2) | (4.8) | (1.6) | (0.8) | (100.0) |        |        |      |      |
| 記載なし            | 124   | 213   | 436    | 741    | 812    | 643    | 332    | 154   | 57    | 42    | 3,554   | 1,743  | 5,297  | 4.35 | 1.84 |
| (%)             | (3.5) | (6.0) | (12.3) | (20.8) | (22.8) | (18.1) | (9.3)  | (4.3) | (1.6) | (1.2) | (100.0) |        |        |      |      |
| 総計              | 1,344 | 2,441 | 6,290  | 12,463 | 16,558 | 13,167 | 7,087  | 3,023 | 999   | 541   | 63,913  | 1,781  | 65,694 | 4.58 | 1.70 |
| (%)             | (2.1) | (3.8) | (9.8)  | (19.5) | (25.9) | (20.6) | (11.1) | (4.7) | (1.6) | (0.8) | (100.0) |        |        |      |      |
| 平均              | 72.18 | 81.79 | 90.53  | 97.24  | 101.39 | 102.65 | 101.34 | 99.41 | 96.26 | 96.64 | 98.26   | 164.24 | 98.30  |      |      |
| 標準偏差            | 27.92 | 28.31 | 27.72  | 26.79  | 25.19  | 24.52  | 24.53  | 24.33 | 23.86 | 26.83 | 26.41   | 55.36  | 26.49  |      |      |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査