

表 2702 体重減少率(%) 透析前CRP濃度(mg/dL)別 (施設血液透析患者 透析回数週3回 透析歴2年以上)

透析前CRP濃度	1.0未満	1.0～	2.0～	3.0～	4.0～	5.0～	6.0～	7.0～	8.0～	9.0～	合計	記載なし	総計	平均	標準偏差
0.2未満	1,333	2,367	7,005	15,396	21,949	18,108	9,442	3,708	1,145	578	81,031	475	81,506	4.67	1.61
(%)	(1.6)	(2.9)	(8.6)	(19.0)	(27.1)	(22.3)	(11.7)	(4.6)	(1.4)	(0.7)	(100.0)				
0.2～	509	1,044	2,770	5,756	7,673	5,701	2,697	1,041	292	190	27,673	167	27,840	4.50	1.61
(%)	(1.8)	(3.8)	(10.0)	(20.8)	(27.7)	(20.6)	(9.7)	(3.8)	(1.1)	(0.7)	(100.0)				
0.5～	322	661	1,496	3,046	3,836	2,753	1,312	478	135	81	14,120	126	14,246	4.39	1.62
(%)	(2.3)	(4.7)	(10.6)	(21.6)	(27.2)	(19.5)	(9.3)	(3.4)	(1.0)	(0.6)	(100.0)				
1.0～	299	530	1,156	1,973	2,321	1,635	767	305	107	61	9,154	91	9,245	4.25	1.74
(%)	(3.3)	(5.8)	(12.6)	(21.6)	(25.4)	(17.9)	(8.4)	(3.3)	(1.2)	(0.7)	(100.0)				
2.0～	223	397	743	1,210	1,346	934	461	170	62	42	5,588	55	5,643	4.14	1.79
(%)	(4.0)	(7.1)	(13.3)	(21.7)	(24.1)	(16.7)	(8.2)	(3.0)	(1.1)	(0.8)	(100.0)				
4.0～	112	155	277	399	463	315	150	54	13	9	1,947	29	1,976	3.98	1.79
(%)	(5.8)	(8.0)	(14.2)	(20.5)	(23.8)	(16.2)	(7.7)	(2.8)	(0.7)	(0.5)	(100.0)				
6.0～	83	88	144	199	194	131	57	19	14	7	936	13	949	3.76	1.98
(%)	(8.9)	(9.4)	(15.4)	(21.3)	(20.7)	(14.0)	(6.1)	(2.0)	(1.5)	(0.7)	(100.0)				
8.0～	47	52	92	97	109	72	31	11	4	6	521	11	532	3.65	1.94
(%)	(9.0)	(10.0)	(17.7)	(18.6)	(20.9)	(13.8)	(6.0)	(2.1)	(0.8)	(1.2)	(100.0)				
10.0～	64	64	104	136	132	76	48	12	5	5	646	5	651	3.61	1.94
(%)	(9.9)	(9.9)	(16.1)	(21.1)	(20.4)	(11.8)	(7.4)	(1.9)	(0.8)	(0.8)	(100.0)				
15.0～	51	53	65	86	68	49	39	22	3	4	440	9	449	3.66	2.14
(%)	(11.6)	(12.0)	(14.8)	(19.5)	(15.5)	(11.1)	(8.9)	(5.0)	(0.7)	(0.9)	(100.0)				
合計	3,043	5,411	13,852	28,298	38,091	29,774	15,004	5,820	1,780	983	142,056	981	143,037	4.53	1.65
(%)	(2.1)	(3.8)	(9.8)	(19.9)	(26.8)	(21.0)	(10.6)	(4.1)	(1.3)	(0.7)	(100.0)				
記載なし	653	1,198	3,069	6,286	8,324	6,515	3,423	1,288	415	222	31,393	3,779	35,172	4.54	1.65
(%)	(2.1)	(3.8)	(9.8)	(20.0)	(26.5)	(20.8)	(10.9)	(4.1)	(1.3)	(0.7)	(100.0)				
総計	3,696	6,609	16,921	34,584	46,415	36,289	18,427	7,108	2,195	1,205	173,449	4,760	178,209	4.53	1.65
(%)	(2.1)	(3.8)	(9.8)	(19.9)	(26.8)	(20.9)	(10.6)	(4.1)	(1.3)	(0.7)	(100.0)				
平均	1.61	1.22	0.86	0.68	0.56	0.51	0.51	0.51	0.50	0.63	0.64	1.12	0.64		
標準偏差	3.49	2.99	2.24	2.08	1.68	1.64	1.68	2.00	1.38	1.72	1.95	3.34	1.97		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査