

表 2710 体重減少率(%) Non-HDL-C濃度(mg/dL)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

| Non-HDL-C濃度 | 1.0未満  | 1.0～   | 2.0～   | 3.0～   | 4.0～   | 5.0～   | 6.0～   | 7.0～   | 8.0～  | 9.0～  | 合計      | 記載なし   | 総計      | 平均   | 標準偏差 |
|-------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|---------|--------|---------|------|------|
| 50未満        | 76     | 100    | 197    | 378    | 524    | 454    | 264    | 100    | 31    | 18    | 2,142   | 15     | 2,157   | 4.56 | 1.82 |
| (%)         | (3.5)  | (4.7)  | (9.2)  | (17.6) | (24.5) | (21.2) | (12.3) | (4.7)  | (1.4) | (0.8) | (100.0) |        |         |      |      |
| 50～         | 195    | 331    | 883    | 1,831  | 2,616  | 2,183  | 1,217  | 511    | 171   | 113   | 10,051  | 83     | 10,134  | 4.70 | 1.71 |
| (%)         | (1.9)  | (3.3)  | (8.8)  | (18.2) | (26.0) | (21.7) | (12.1) | (5.1)  | (1.7) | (1.1) | (100.0) |        |         |      |      |
| 70～         | 407    | 752    | 1,889  | 4,248  | 5,810  | 4,853  | 2,563  | 1,045  | 345   | 158   | 22,070  | 170    | 22,240  | 4.65 | 1.65 |
| (%)         | (1.8)  | (3.4)  | (8.6)  | (19.2) | (26.3) | (22.0) | (11.6) | (4.7)  | (1.6) | (0.7) | (100.0) |        |         |      |      |
| 90～         | 442    | 926    | 2,465  | 5,221  | 7,084  | 5,499  | 2,794  | 1,045  | 317   | 178   | 25,971  | 206    | 26,177  | 4.57 | 1.62 |
| (%)         | (1.7)  | (3.6)  | (9.5)  | (20.1) | (27.3) | (21.2) | (10.8) | (4.0)  | (1.2) | (0.7) | (100.0) |        |         |      |      |
| 110～        | 428    | 787    | 2,057  | 4,280  | 5,813  | 4,263  | 2,046  | 772    | 223   | 147   | 20,816  | 167    | 20,983  | 4.49 | 1.61 |
| (%)         | (2.1)  | (3.8)  | (9.9)  | (20.6) | (27.9) | (20.5) | (9.8)  | (3.7)  | (1.1) | (0.7) | (100.0) |        |         |      |      |
| 130～        | 251    | 486    | 1,325  | 2,560  | 3,545  | 2,600  | 1,197  | 444    | 103   | 53    | 12,564  | 70     | 12,634  | 4.45 | 1.57 |
| (%)         | (2.0)  | (3.9)  | (10.5) | (20.4) | (28.2) | (20.7) | (9.5)  | (3.5)  | (0.8) | (0.4) | (100.0) |        |         |      |      |
| 150～        | 140    | 296    | 640    | 1,368  | 1,830  | 1,222  | 517    | 153    | 61    | 40    | 6,267   | 42     | 6,309   | 4.35 | 1.58 |
| (%)         | (2.2)  | (4.7)  | (10.2) | (21.8) | (29.2) | (19.5) | (8.2)  | (2.4)  | (1.0) | (0.6) | (100.0) |        |         |      |      |
| 170～        | 60     | 128    | 314    | 628    | 764    | 510    | 222    | 75     | 21    | 6     | 2,728   | 27     | 2,755   | 4.27 | 1.53 |
| (%)         | (2.2)  | (4.7)  | (11.5) | (23.0) | (28.0) | (18.7) | (8.1)  | (2.7)  | (0.8) | (0.2) | (100.0) |        |         |      |      |
| 190～        | 36     | 47     | 116    | 239    | 287    | 187    | 74     | 26     | 5     | 1     | 1,018   | 6      | 1,024   | 4.18 | 1.57 |
| (%)         | (3.5)  | (4.6)  | (11.4) | (23.5) | (28.2) | (18.4) | (7.3)  | (2.6)  | (0.5) | (0.1) | (100.0) |        |         |      |      |
| 210～        | 24     | 35     | 74     | 118    | 144    | 111    | 57     | 14     | 5     | 1     | 583     | 6      | 589     | 4.20 | 1.68 |
| (%)         | (4.1)  | (6.0)  | (12.7) | (20.2) | (24.7) | (19.0) | (9.8)  | (2.4)  | (0.9) | (0.2) | (100.0) |        |         |      |      |
| 合計          | 2,059  | 3,888  | 9,960  | 20,871 | 28,417 | 21,882 | 10,951 | 4,185  | 1,282 | 715   | 104,210 | 792    | 105,002 | 4.54 | 1.63 |
| (%)         | (2.0)  | (3.7)  | (9.6)  | (20.0) | (27.3) | (21.0) | (10.5) | (4.0)  | (1.2) | (0.7) | (100.0) |        |         |      |      |
| 記載なし        | 1,637  | 2,721  | 6,961  | 13,713 | 17,998 | 14,407 | 7,476  | 2,923  | 913   | 490   | 69,239  | 3,968  | 73,207  | 4.52 | 1.68 |
| (%)         | (2.4)  | (3.9)  | (10.1) | (19.8) | (26.0) | (20.8) | (10.8) | (4.2)  | (1.3) | (0.7) | (100.0) |        |         |      |      |
| 総計          | 3,696  | 6,609  | 16,921 | 34,584 | 46,415 | 36,289 | 18,427 | 7,108  | 2,195 | 1,205 | 173,449 | 4,760  | 178,209 | 4.53 | 1.65 |
| (%)         | (2.1)  | (3.8)  | (9.8)  | (19.9) | (26.8) | (20.9) | (10.6) | (4.1)  | (1.3) | (0.7) | (100.0) |        |         |      |      |
| 平均          | 108.42 | 109.10 | 109.00 | 108.02 | 107.30 | 105.18 | 102.74 | 100.76 | 98.93 | 98.72 | 106.35  | 105.17 | 106.34  |      |      |
| 標準偏差        | 37.57  | 34.86  | 34.30  | 33.26  | 33.02  | 32.47  | 32.23  | 31.50  | 31.23 | 29.83 | 33.15   | 32.90  | 33.15   |      |      |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査