

表 2724 体重減少率(%) Body Mass Index別(血液透析濾過患者 女性のみ 透析回数週3回 透析歴2年以上)

Body Mass Index	1.0未満	1.0～	2.0～	3.0～	4.0～	5.0～	6.0～	7.0～	8.0～	9.0～	合計	記載なし	総計	平均	標準偏差
14未満	10	2	6	13	12	17	18	8	3	3	92	6	98	4.84	2.40
(%)	(10.9)	(2.2)	(6.5)	(14.1)	(13.0)	(18.5)	(19.6)	(8.7)	(3.3)	(3.3)	(100.0)				
14～	18	19	47	95	124	146	88	58	23	20	638	2	640	5.09	2.04
(%)	(2.8)	(3.0)	(7.4)	(14.9)	(19.4)	(22.9)	(13.8)	(9.1)	(3.6)	(3.1)	(100.0)				
16～	44	58	130	281	443	457	342	160	62	19	1,996	3	1,999	5.04	1.76
(%)	(2.2)	(2.9)	(6.5)	(14.1)	(22.2)	(22.9)	(17.1)	(8.0)	(3.1)	(1.0)	(100.0)				
18～	40	87	233	529	699	738	394	156	44	17	2,937	4	2,941	4.78	1.61
(%)	(1.4)	(3.0)	(7.9)	(18.0)	(23.8)	(25.1)	(13.4)	(5.3)	(1.5)	(0.6)	(100.0)				
20～	44	81	209	466	701	618	279	88	24	9	2,519	1	2,520	4.59	1.55
(%)	(1.7)	(3.2)	(8.3)	(18.5)	(27.8)	(24.5)	(11.1)	(3.5)	(1.0)	(0.4)	(100.0)				
22～	25	56	163	419	512	336	147	29	8	8	1,703		1,703	4.36	1.44
(%)	(1.5)	(3.3)	(9.6)	(24.6)	(30.1)	(19.7)	(8.6)	(1.7)	(0.5)	(0.5)	(100.0)				
24～	19	37	116	265	343	185	60	21	4		1,050		1,050	4.23	1.35
(%)	(1.8)	(3.5)	(11.0)	(25.2)	(32.7)	(17.6)	(5.7)	(2.0)	(0.4)		(100.0)				
26～	4	31	63	153	166	90	27	6			540		540	4.09	1.24
(%)	(0.7)	(5.7)	(11.7)	(28.3)	(30.7)	(16.7)	(5.0)	(1.1)			(100.0)				
28～	2	12	46	95	100	42	13	4			314		314	4.03	1.22
(%)	(0.6)	(3.8)	(14.6)	(30.3)	(31.8)	(13.4)	(4.1)	(1.3)			(100.0)				
30～	4	13	48	83	86	36	9	3		2	284		284	3.91	1.34
(%)	(1.4)	(4.6)	(16.9)	(29.2)	(30.3)	(12.7)	(3.2)	(1.1)		(0.7)	(100.0)				
合計	210	396	1,061	2,399	3,186	2,665	1,377	533	168	78	12,073	16	12,089	4.62	1.61
(%)	(1.7)	(3.3)	(8.8)	(19.9)	(26.4)	(22.1)	(11.4)	(4.4)	(1.4)	(0.6)	(100.0)				
記載なし	14	40	80	188	201	172	83	35	9	5	827	279	1,106	4.48	1.63
(%)	(1.7)	(4.8)	(9.7)	(22.7)	(24.3)	(20.8)	(10.0)	(4.2)	(1.1)	(0.6)	(100.0)				
総計	224	436	1,141	2,587	3,387	2,837	1,460	568	177	83	12,900	295	13,195	4.61	1.62
(%)	(1.7)	(3.4)	(8.8)	(20.1)	(26.3)	(22.0)	(11.3)	(4.4)	(1.4)	(0.6)	(100.0)				
平均	19.88	21.41	21.69	21.69	21.34	20.38	19.55	18.89	18.27	18.29	20.83	14.03	20.82		
標準偏差	3.77	3.92	4.10	3.90	3.70	3.31	3.05	2.91	2.33	3.30	3.70	5.49	3.71		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査