

表 2728 体重減少率(%) single pool Kt/V(Kt/Vsp)別(血液透析濾過患者 男性のみ 透析回数週3回 透析歴2年以上)

single pool Kt/V (Kt/Vsp)	1.0未満	1.0～	2.0～	3.0～	4.0～	5.0～	6.0～	7.0～	8.0～	9.0～	合計	記載なし	総計	平均	標準偏差
0.4未満	1	1	2		3	1	1				9		9	3.57	2.14
(%)	(11.1)	(11.1)	(22.2)		(33.3)	(11.1)	(11.1)				(100.0)				
0.4～	1	3	5	3	1						13		13	2.45	1.03
(%)	(7.7)	(23.1)	(38.5)	(23.1)	(7.7)						(100.0)				
0.6～	7	13	14	14	11	4	2				65		65	2.91	1.61
(%)	(10.8)	(20.0)	(21.5)	(21.5)	(16.9)	(6.2)	(3.1)				(100.0)				
0.8～	27	52	95	141	134	56	17	8	2	1	533		533	3.59	1.56
(%)	(5.1)	(9.8)	(17.8)	(26.5)	(25.1)	(10.5)	(3.2)	(1.5)	(0.4)	(0.2)	(100.0)				
1.0～	82	120	336	635	721	411	164	45	6	1	2,521		2,521	4.05	1.49
(%)	(3.3)	(4.8)	(13.3)	(25.2)	(28.6)	(16.3)	(6.5)	(1.8)	(0.2)	(0.0)	(100.0)				
1.2～	102	190	587	1,376	1,844	1,345	514	139	37	13	6,147		6,147	4.41	1.43
(%)	(1.7)	(3.1)	(9.5)	(22.4)	(30.0)	(21.9)	(8.4)	(2.3)	(0.6)	(0.2)	(100.0)				
1.4～	82	151	460	1,154	1,788	1,436	736	282	76	29	6,194		6,194	4.71	1.51
(%)	(1.3)	(2.4)	(7.4)	(18.6)	(28.9)	(23.2)	(11.9)	(4.6)	(1.2)	(0.5)	(100.0)				
1.6～	29	50	196	557	866	780	485	196	64	26	3,249	1	3,250	4.97	1.52
(%)	(0.9)	(1.5)	(6.0)	(17.1)	(26.7)	(24.0)	(14.9)	(6.0)	(2.0)	(0.8)	(100.0)				
1.8～	9	20	77	174	268	282	188	79	40	14	1,151	1	1,152	5.13	1.69
(%)	(0.8)	(1.7)	(6.7)	(15.1)	(23.3)	(24.5)	(16.3)	(6.9)	(3.5)	(1.2)	(100.0)				
2.0～	5	13	37	120	151	135	87	60	27	20	655	9	664	5.22	2.01
(%)	(0.8)	(2.0)	(5.6)	(18.3)	(23.1)	(20.6)	(13.3)	(9.2)	(4.1)	(3.1)	(100.0)				
合計	345	613	1,809	4,174	5,787	4,450	2,194	809	252	104	20,537	11	20,548	4.58	1.56
(%)	(1.7)	(3.0)	(8.8)	(20.3)	(28.2)	(21.7)	(10.7)	(3.9)	(1.2)	(0.5)	(100.0)				
記載なし	18	42	80	132	203	137	71	31	7	3	724	504	1,228	4.39	1.68
(%)	(2.5)	(5.8)	(11.0)	(18.2)	(28.0)	(18.9)	(9.8)	(4.3)	(1.0)	(0.4)	(100.0)				
総計	363	655	1,889	4,306	5,990	4,587	2,265	840	259	107	21,261	515	21,776	4.58	1.57
(%)	(1.7)	(3.1)	(8.9)	(20.3)	(28.2)	(21.6)	(10.7)	(4.0)	(1.2)	(0.5)	(100.0)				
平均	1.30	1.33	1.37	1.41	1.43	1.47	1.52	1.58	1.64	1.71	1.44	2.21	1.44		
標準偏差	0.27	0.28	0.27	0.26	0.25	0.25	0.26	0.27	0.27	0.33	0.27	0.28	0.27		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査