

表 2754 Body Mass Index 治療方法(新分類)別(透析患者全体)

治療方法 (新分類)	14未満	14～	16～	18～	20～	22～	24～	26～	28～	30～	合計	記載なし	総計	平均	標準偏差
施設血液透析	1,403	7,980	25,580	44,889	49,603	38,140	22,716	12,056	6,178	5,339	213,884	41,757	255,641	21.45	3.66
(%)	(0.7)	(3.7)	(12.0)	(21.0)	(23.2)	(17.8)	(10.6)	(5.6)	(2.9)	(2.5)	(100.0)				
Off-line HDF	35	230	745	1,297	1,236	905	536	272	146	120	5,522	793	6,315	21.13	3.58
(%)	(0.6)	(4.2)	(13.5)	(23.5)	(22.4)	(16.4)	(9.7)	(4.9)	(2.6)	(2.2)	(100.0)				
On-line HDF	107	818	3,262	6,371	7,261	5,700	3,578	1,934	1,031	912	30,974	5,116	36,090	21.77	3.65
(%)	(0.3)	(2.6)	(10.5)	(20.6)	(23.4)	(18.4)	(11.6)	(6.2)	(3.3)	(2.9)	(100.0)				
Push/Pull HDF	4	15	64	91	118	96	47	24	21	5	485	52	537	21.36	3.51
(%)	(0.8)	(3.1)	(13.2)	(18.8)	(24.3)	(19.8)	(9.7)	(4.9)	(4.3)	(1.0)	(100.0)				
ハイオフィルトレーション	5	10	45	65	60	49	34	14	7	5	294	47	341	21.07	3.58
(%)	(1.7)	(3.4)	(15.3)	(22.1)	(20.4)	(16.7)	(11.6)	(4.8)	(2.4)	(1.7)	(100.0)				
血液濾過		2	9	17	26	12	7	4	6	2	85	7	92	21.73	3.66
(%)		(2.4)	(10.6)	(20.0)	(30.6)	(14.1)	(8.2)	(4.7)	(7.1)	(2.4)	(100.0)				
血液吸着透析 (リクセル)	5	61	263	440	399	194	86	40	9	4	1,501	122	1,623	20.16	2.79
(%)	(0.3)	(4.1)	(17.5)	(29.3)	(26.6)	(12.9)	(5.7)	(2.7)	(0.6)	(0.3)	(100.0)				
血液吸着透析 (その他)				2		1	1				4	3	7	22.03	2.54
(%)				(50.0)		(25.0)	(25.0)				(100.0)				
在宅血液透析		3	27	58	77	63	53	24	16	4	325	196	521	22.30	3.33
(%)		(0.9)	(8.3)	(17.8)	(23.7)	(19.4)	(16.3)	(7.4)	(4.9)	(1.2)	(100.0)				
腹膜透析 (CAPD)	7	26	107	336	612	705	482	318	166	108	2,867	2,154	5,021	23.24	3.46
(%)	(0.2)	(0.9)	(3.7)	(11.7)	(21.3)	(24.6)	(16.8)	(11.1)	(5.8)	(3.8)	(100.0)				
腹膜透析 (APD)	19	38	88	207	391	385	272	181	99	77	1,757	1,082	2,839	22.93	3.81
(%)	(1.1)	(2.2)	(5.0)	(11.8)	(22.3)	(21.9)	(15.5)	(10.3)	(5.6)	(4.4)	(100.0)				
腹膜透析 (CCPD)	1	7	33	84	137	171	154	62	37	35	721	360	1,081	23.30	3.59
(%)	(0.1)	(1.0)	(4.6)	(11.7)	(19.0)	(23.7)	(21.4)	(8.6)	(5.1)	(4.9)	(100.0)				
合計	1,586	9,190	30,223	53,857	59,920	46,421	27,966	14,929	7,716	6,611	258,419	51,689	310,108	21.51	3.66
(%)	(0.6)	(3.6)	(11.7)	(20.8)	(23.2)	(18.0)	(10.8)	(5.8)	(3.0)	(2.6)	(100.0)				
記載なし															
(%)															
総計	1,586	9,190	30,223	53,857	59,920	46,421	27,966	14,929	7,716	6,611	258,419	51,689	310,108	21.51	3.66
(%)	(0.6)	(3.6)	(11.7)	(20.8)	(23.2)	(18.0)	(10.8)	(5.8)	(3.0)	(2.6)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

*腹膜透析(CCPD)は、APDと手動のバック交換の両方を行うもの

(C)Japanese Society for Dialysis Therapy

2014年調査