

表 2784 Body Mass Index 透析前BUN(mg/dL)別（施設血液透析患者 透析回数週3回 透析歴2年以上）

透析前BUN	14未満	14～	16～	18～	20～	22～	24～	26～	28～	30～	合計	記載なし	総計	平均	標準偏差
20未満	17	47	81	112	77	47	26	9	4	3	423	56	479	19.34	3.56
(%)	(4.0)	(11.1)	(19.1)	(26.5)	(18.2)	(11.1)	(6.1)	(2.1)	(0.9)	(0.7)	(100.0)				
20～	45	201	421	518	483	262	151	69	38	26	2,214	266	2,480	20.01	3.55
(%)	(2.0)	(9.1)	(19.0)	(23.4)	(21.8)	(11.8)	(6.8)	(3.1)	(1.7)	(1.2)	(100.0)				
30～	129	590	1,476	2,169	2,118	1,440	810	430	187	139	9,488	870	10,358	20.67	3.59
(%)	(1.4)	(6.2)	(15.6)	(22.9)	(22.3)	(15.2)	(8.5)	(4.5)	(2.0)	(1.5)	(100.0)				
40～	205	1,157	3,256	5,482	5,826	4,303	2,437	1,237	639	488	25,030	1,781	26,811	21.14	3.59
(%)	(0.8)	(4.6)	(13.0)	(21.9)	(23.3)	(17.2)	(9.7)	(4.9)	(2.6)	(1.9)	(100.0)				
50～	239	1,507	4,703	8,506	9,315	7,265	4,230	2,194	1,104	870	39,933	2,726	42,659	21.40	3.58
(%)	(0.6)	(3.8)	(11.8)	(21.3)	(23.3)	(18.2)	(10.6)	(5.5)	(2.8)	(2.2)	(100.0)				
60～	199	1,340	4,701	8,345	9,271	7,292	4,343	2,324	1,174	1,038	40,027	2,616	42,643	21.54	3.64
(%)	(0.5)	(3.3)	(11.7)	(20.8)	(23.2)	(18.2)	(10.9)	(5.8)	(2.9)	(2.6)	(100.0)				
70～	143	818	3,113	5,575	6,140	4,743	2,872	1,631	813	725	26,573	1,749	28,322	21.58	3.67
(%)	(0.5)	(3.1)	(11.7)	(21.0)	(23.1)	(17.8)	(10.8)	(6.1)	(3.1)	(2.7)	(100.0)				
80～	66	401	1,454	2,671	2,783	2,143	1,300	728	387	374	12,307	905	13,212	21.57	3.73
(%)	(0.5)	(3.3)	(11.8)	(21.7)	(22.6)	(17.4)	(10.6)	(5.9)	(3.1)	(3.0)	(100.0)				
90～	30	171	556	936	1,035	687	525	228	147	121	4,436	367	4,803	21.46	3.78
(%)	(0.7)	(3.9)	(12.5)	(21.1)	(23.3)	(15.5)	(11.8)	(5.1)	(3.3)	(2.7)	(100.0)				
100～	6	46	143	255	288	181	126	85	50	38	1,218	130	1,348	21.63	3.86
(%)	(0.5)	(3.8)	(11.7)	(20.9)	(23.6)	(14.9)	(10.3)	(7.0)	(4.1)	(3.1)	(100.0)				
110～	5	14	38	70	79	54	46	26	14	24	370	24	394	22.05	4.41
(%)	(1.4)	(3.8)	(10.3)	(18.9)	(21.4)	(14.6)	(12.4)	(7.0)	(3.8)	(6.5)	(100.0)				
120～	3	12	25	49	36	24	8	13	8	5	183	21	204	20.91	4.05
(%)	(1.6)	(6.6)	(13.7)	(26.8)	(19.7)	(13.1)	(4.4)	(7.1)	(4.4)	(2.7)	(100.0)				
合計	1,087	6,304	19,967	34,688	37,451	28,441	16,874	8,974	4,565	3,851	162,202	11,511	173,713	21.38	3.65
(%)	(0.7)	(3.9)	(12.3)	(21.4)	(23.1)	(17.5)	(10.4)	(5.5)	(2.8)	(2.4)	(100.0)				
記載なし	9	25	82	128	119	101	46	31	9	13	563	3,933	4,496	20.98	3.64
(%)	(1.6)	(4.4)	(14.6)	(22.7)	(21.1)	(17.9)	(8.2)	(5.5)	(1.6)	(2.3)	(100.0)				
総計	1,096	6,329	20,049	34,816	37,570	28,542	16,920	9,005	4,574	3,864	162,765	15,444	178,209	21.37	3.65
(%)	(0.7)	(3.9)	(12.3)	(21.4)	(23.1)	(17.5)	(10.4)	(5.5)	(2.8)	(2.4)	(100.0)				
平均	56.48	57.85	59.90	60.68	61.02	61.26	61.89	62.36	62.85	63.81	60.98	60.36	60.94		
標準偏差	18.39	17.00	16.29	15.75	15.38	14.80	15.01	15.04	15.25	15.30	15.54	17.00	15.64		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査