

表 2791 Body Mass Index equilibrated Kt/V (eKt/V) 別 (施設血液透析患者 女性のみ 透析回数週3回 透析歴2年以上)

| equilibrated Kt/V<br>(eKt/V) | 14未満  | 14～    | 16～    | 18～    | 20～    | 22～    | 24～    | 26～   | 28～   | 30～   | 合計      | 記載なし  | 総計     | 平均    | 標準偏差 |
|------------------------------|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|---------|-------|--------|-------|------|
| 0.4未満                        | 1     | 3      | 7      | 5      | 2      | 2      | 1      | 2     | 2     | 1     | 26      | 5     | 31     | 20.45 | 4.87 |
| (%)                          | (3.8) | (11.5) | (26.9) | (19.2) | (7.7)  | (7.7)  | (3.8)  | (7.7) | (7.7) | (3.8) | (100.0) |       |        |       |      |
| 0.4～                         | 1     | 7      | 18     | 22     | 14     | 12     | 5      | 7     | 3     | 6     | 95      | 12    | 107    | 21.05 | 4.66 |
| (%)                          | (1.1) | (7.4)  | (18.9) | (23.2) | (14.7) | (12.6) | (5.3)  | (7.4) | (3.2) | (6.3) | (100.0) |       |        |       |      |
| 0.6～                         | 9     | 33     | 75     | 106    | 88     | 74     | 59     | 39    | 28    | 25    | 536     | 61    | 597    | 21.57 | 4.40 |
| (%)                          | (1.7) | (6.2)  | (14.0) | (19.8) | (16.4) | (13.8) | (11.0) | (7.3) | (5.2) | (4.7) | (100.0) |       |        |       |      |
| 0.8～                         | 47    | 145    | 350    | 508    | 515    | 377    | 279    | 183   | 122   | 149   | 2,675   | 311   | 2,986  | 21.70 | 4.42 |
| (%)                          | (1.8) | (5.4)  | (13.1) | (19.0) | (19.3) | (14.1) | (10.4) | (6.8) | (4.6) | (5.6) | (100.0) |       |        |       |      |
| 1.0～                         | 86    | 425    | 1,125  | 1,602  | 1,574  | 1,287  | 868    | 621   | 392   | 434   | 8,414   | 756   | 9,170  | 21.81 | 4.35 |
| (%)                          | (1.0) | (5.1)  | (13.4) | (19.0) | (18.7) | (15.3) | (10.3) | (7.4) | (4.7) | (5.2) | (100.0) |       |        |       |      |
| 1.2～                         | 158   | 744    | 2,050  | 3,251  | 3,242  | 2,580  | 1,690  | 952   | 548   | 459   | 15,674  | 1,060 | 16,734 | 21.43 | 3.89 |
| (%)                          | (1.0) | (4.7)  | (13.1) | (20.7) | (20.7) | (16.5) | (10.8) | (6.1) | (3.5) | (2.9) | (100.0) |       |        |       |      |
| 1.4～                         | 143   | 917    | 2,691  | 4,026  | 3,526  | 2,206  | 1,192  | 577   | 249   | 214   | 15,741  | 893   | 16,634 | 20.46 | 3.40 |
| (%)                          | (0.9) | (5.8)  | (17.1) | (25.6) | (22.4) | (14.0) | (7.6)  | (3.7) | (1.6) | (1.4) | (100.0) |       |        |       |      |
| 1.6～                         | 119   | 775    | 1,924  | 2,349  | 1,662  | 907    | 450    | 190   | 73    | 72    | 8,521   | 501   | 9,022  | 19.60 | 3.21 |
| (%)                          | (1.4) | (9.1)  | (22.6) | (27.6) | (19.5) | (10.6) | (5.3)  | (2.2) | (0.9) | (0.8) | (100.0) |       |        |       |      |
| 1.8～                         | 72    | 354    | 692    | 842    | 580    | 289    | 135    | 51    | 21    | 17    | 3,053   | 180   | 3,233  | 19.25 | 3.15 |
| (%)                          | (2.4) | (11.6) | (22.7) | (27.6) | (19.0) | (9.5)  | (4.4)  | (1.7) | (0.7) | (0.6) | (100.0) |       |        |       |      |
| 2.0～                         | 39    | 209    | 426    | 448    | 317    | 184    | 65     | 31    | 10    | 11    | 1,740   | 101   | 1,841  | 19.17 | 3.15 |
| (%)                          | (2.2) | (12.0) | (24.5) | (25.7) | (18.2) | (10.6) | (3.7)  | (1.8) | (0.6) | (0.6) | (100.0) |       |        |       |      |
| 合計                           | 675   | 3,612  | 9,358  | 13,159 | 11,520 | 7,918  | 4,744  | 2,653 | 1,448 | 1,388 | 56,475  | 3,880 | 60,355 | 20.76 | 3.82 |
| (%)                          | (1.2) | (6.4)  | (16.6) | (23.3) | (20.4) | (14.0) | (8.4)  | (4.7) | (2.6) | (2.5) | (100.0) |       |        |       |      |
| 記載なし                         | 79    | 246    | 574    | 793    | 642    | 434    | 212    | 138   | 76    | 78    | 3,272   | 2,067 | 5,339  | 20.38 | 3.95 |
| (%)                          | (2.4) | (7.5)  | (17.5) | (24.2) | (19.6) | (13.3) | (6.5)  | (4.2) | (2.3) | (2.4) | (100.0) |       |        |       |      |
| 総計                           | 754   | 3,858  | 9,932  | 13,952 | 12,162 | 8,352  | 4,956  | 2,791 | 1,524 | 1,466 | 59,747  | 5,947 | 65,694 | 20.74 | 3.82 |
| (%)                          | (1.3) | (6.5)  | (16.6) | (23.4) | (20.4) | (14.0) | (8.3)  | (4.7) | (2.6) | (2.5) | (100.0) |       |        |       |      |
| 平均                           | 1.46  | 1.50   | 1.48   | 1.45   | 1.42   | 1.38   | 1.34   | 1.30  | 1.26  | 1.24  | 1.42    | 1.36  | 1.41   |       |      |
| 標準偏差                         | 0.35  | 0.32   | 0.30   | 0.29   | 0.27   | 0.26   | 0.25   | 0.25  | 0.23  | 0.25  | 0.29    | 0.30  | 0.29   |       |      |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査