

表 2797 Body Mass Index %クレアチニン産生速度(%)別 (施設血液透析患者 女性のみ 透析回数週3回 透析歴2年以上)

%クレアチニン 産生速度	14未満	14～	16～	18～	20～	22～	24～	26～	28～	30～	合計	記載なし	総計	平均	標準偏差
60未満	290	713	1,031	929	657	420	228	151	75	67	4,561	565	5,126	19.09	3.97
(%)	(6.4)	(15.6)	(22.6)	(20.4)	(14.4)	(9.2)	(5.0)	(3.3)	(1.6)	(1.5)	(100.0)				
60～	74	354	599	687	510	338	206	137	69	58	3,032	307	3,339	20.01	3.95
(%)	(2.4)	(11.7)	(19.8)	(22.7)	(16.8)	(11.1)	(6.8)	(4.5)	(2.3)	(1.9)	(100.0)				
70～	80	410	882	1,091	816	576	349	193	109	137	4,643	402	5,045	20.42	4.01
(%)	(1.7)	(8.8)	(19.0)	(23.5)	(17.6)	(12.4)	(7.5)	(4.2)	(2.3)	(3.0)	(100.0)				
80～	71	513	1,137	1,479	1,235	938	534	345	202	196	6,650	474	7,124	20.80	4.01
(%)	(1.1)	(7.7)	(17.1)	(22.2)	(18.6)	(14.1)	(8.0)	(5.2)	(3.0)	(2.9)	(100.0)				
90～	55	504	1,415	1,916	1,705	1,147	675	422	231	223	8,293	576	8,869	20.87	3.82
(%)	(0.7)	(6.1)	(17.1)	(23.1)	(20.6)	(13.8)	(8.1)	(5.1)	(2.8)	(2.7)	(100.0)				
100～	50	431	1,482	2,144	2,026	1,323	820	468	245	234	9,223	554	9,777	21.01	3.73
(%)	(0.5)	(4.7)	(16.1)	(23.2)	(22.0)	(14.3)	(8.9)	(5.1)	(2.7)	(2.5)	(100.0)				
110～	35	340	1,310	2,037	1,788	1,277	771	383	222	204	8,367	424	8,791	21.04	3.65
(%)	(0.4)	(4.1)	(15.7)	(24.3)	(21.4)	(15.3)	(9.2)	(4.6)	(2.7)	(2.4)	(100.0)				
120～	11	204	880	1,535	1,457	953	584	289	154	142	6,209	310	6,519	21.14	3.51
(%)	(0.2)	(3.3)	(14.2)	(24.7)	(23.5)	(15.3)	(9.4)	(4.7)	(2.5)	(2.3)	(100.0)				
130～	7	91	411	848	800	548	328	157	85	69	3,344	165	3,509	21.26	3.42
(%)	(0.2)	(2.7)	(12.3)	(25.4)	(23.9)	(16.4)	(9.8)	(4.7)	(2.5)	(2.1)	(100.0)				
140～	5	56	220	500	535	399	250	111	56	57	2,189	109	2,298	21.56	3.48
(%)	(0.2)	(2.6)	(10.1)	(22.8)	(24.4)	(18.2)	(11.4)	(5.1)	(2.6)	(2.6)	(100.0)				
合計	678	3,616	9,367	13,166	11,529	7,919	4,745	2,656	1,448	1,387	56,511	3,886	60,397	20.76	3.82
(%)	(1.2)	(6.4)	(16.6)	(23.3)	(20.4)	(14.0)	(8.4)	(4.7)	(2.6)	(2.5)	(100.0)				
記載なし	76	242	565	786	633	433	211	135	76	79	3,236	2,061	5,297	20.40	3.95
(%)	(2.3)	(7.5)	(17.5)	(24.3)	(19.6)	(13.4)	(6.5)	(4.2)	(2.3)	(2.4)	(100.0)				
総計	754	3,858	9,932	13,952	12,162	8,352	4,956	2,791	1,524	1,466	59,747	5,947	65,694	20.74	3.82
(%)	(1.3)	(6.5)	(16.6)	(23.4)	(20.4)	(14.0)	(8.3)	(4.7)	(2.6)	(2.5)	(100.0)				
平均	68.17	84.65	94.52	99.94	102.28	102.48	103.07	100.40	100.53	99.97	98.81	90.80	98.30		
標準偏差	29.97	28.16	26.63	25.72	25.03	24.74	24.71	24.38	24.05	23.95	26.24	28.84	26.49		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査